

README

Todd Wintermute

2023-09-13

Contents

1	toddwint/syslog	1
1.1	Info	1
1.2	Overview	1
1.3	Features	1
1.4	Sample commands to create the <code>macvlan</code>	2
1.5	Sample <code>docker run</code> command	2
1.6	Sample <code>docker compose</code> (<code>compose.yaml</code>) file	2

1 toddwint/syslog

1.1 Info

`syslog` docker image for simple lab testing applications.

Docker Hub: <https://hub.docker.com/r/toddwint/syslog>

GitHub: <https://github.com/toddwint/syslog>

1.2 Overview

Docker image for receiving SYSLOG messages.

Pull the docker image from Docker Hub or, optionally, build the docker image from the source files in the `build` directory.

Create and run the container using `docker run` commands, `docker compose` commands, or by downloading and using the files here on github in the directories `run` or `compose`.

Manage the container using a web browser. Navigate to the IP address of the container and one of the HTTPPORTs.

NOTE: Network interface must be UP i.e. a cable plugged in.

Example `docker run` and `docker compose` commands as well as sample commands to create the `macvlan` are below.

1.3 Features

- Ubuntu base image
- Plus:
 - `syslog-ng`
 - `tmux`
 - `python3-minimal`
 - `iputils-ping`
 - `iproute2`
 - `tzdata`
 - `ttyd`
 - ◊ View the terminal in your browser
 - `frontail`

- ◊ View logs in your browser
- ◊ Mark/Highlight logs
- ◊ Pause logs
- ◊ Filter logs
- `tailor`
 - ◊ View multiple logs and files in your browser
 - ◊ User selectable `tail`, `grep`, `sed`, and `awk` commands
 - ◊ Filter logs and files
 - ◊ Download logs to your computer

1.4 Sample commands to create the macvlan

Create the docker macvlan interface.

```
docker network create -d macvlan --subnet=192.168.10.0/24 --gateway=192.168.10.254 \
  --aux-address="mgmt_ip=192.168.10.2" -o parent="eth0" \
  --attachable "eth0-macvlan"
```

Create a management macvlan interface.

```
sudo ip link add "eth0-macvlan" link "eth0" type macvlan mode bridge
sudo ip link set "eth0-macvlan" up
```

Assign an IP on the management macvlan interface plus add routes to the docker container.

```
sudo ip addr add "192.168.10.2/32" dev "eth0-macvlan"
sudo ip route add "192.168.10.0/24" dev "eth0-macvlan"
```

1.5 Sample docker run command

```
docker run -dit \
  --name "syslog01" \
  --network "eth0-macvlan" \
  --ip "192.168.10.1" \
  -h "syslog01" \
  -p "192.168.10.1:514:514/udp" \
  -p "192.168.10.1:8080:8080" \
  -p "192.168.10.1:8081:8081" \
  -p "192.168.10.1:8082:8082" \
  -p "192.168.10.1:8083:8083" \
  -e TZ="UTC" \
  -e HTTPPORT1="8080" \
  -e HTTPPORT2="8081" \
  -e HTTPPORT3="8082" \
  -e HTTPPORT4="8083" \
  -e HOSTNAME="syslog01" \
  -e APPNAME="syslog" \
  "toddwint/syslog"
```

1.6 Sample docker compose (compose.yaml) file

```
name: syslog01

services:
  syslog:
    image: toddwint/syslog
    hostname: syslog01
    ports:
```

```
- "192.168.10.1:514:514/udp"
- "192.168.10.1:8080:8080"
- "192.168.10.1:8081:8081"
- "192.168.10.1:8082:8082"
- "192.168.10.1:8083:8083"
networks:
  default:
    ipv4_address: 192.168.10.1
environment:
  - HOSTNAME=syslog01
  - TZ=UTC
  - HTTPPORT1=8080
  - HTTPPORT2=8081
  - HTTPPORT3=8082
  - HTTPPORT4=8083
  - APPNAME=syslog
tty: true

networks:
  default:
    name: "eth0-macvlan"
    external: true
```