



Skorv och seborroiskt eksem hos barn

Skorv är en typ av seborroiskt eksem som är vanligast hos barn under ett år. Det sitter ofta i hårbotten men kan även finnas i ansiktet. Skorv smittar inte och brukar gå att behandla hemma.

Symtom

Seborroiskt eksem på kroppen

Vad kan jag göra själv?

Om barnet har eksem på kroppen

När och var ska jag söka vård?

.....

Age Group	Percentage
18-24	~1%
25-34	~25%
35-44	~1%
45-54	~1%
55-64	~1%
65-74	~1%
75-84	~1%
85+	~1%

-
- | Response | Percentage |
|--|------------|
| Yes, the U.S. should take action to reduce greenhouse gas emissions | 85% |
| No, the U.S. should not take action to reduce greenhouse gas emissions | 15% |

Age Group	Percentage
18-24	18%
25-34	22%
35-44	15%
45-54	12%
55-64	10%
65-74	8%
75-84	5%
85+	3%

Vad beror skorv på?

[illegible]

Age Group	Percentage
18-24	10%
25-34	35%
35-44	25%
45-54	20%
55-64	15%
65-74	10%
75-84	5%
85+	5%

[illegible]

Påverka och delta i din vård

Informationen ska gå att förstå

Response	Percentage
Yes	85%
No	10%
Don't know	3%
Refuse to answer	2%

[illegible]

The figure consists of two horizontal bar charts. The top chart shows the percentage of respondents by age group for a group where 50% are 18-24, 30% are 25-34, 10% are 35-44, 5% are 45-54, and 5% are 55+. The bottom chart shows the percentage of respondents by age group for a group where 20% are 18-24, 30% are 25-34, 30% are 35-44, 10% are 45-54, and 10% are 55+.

```
#####
#####
#####
#####
#####
#####
#####
```

Det nyfödda barnets kropp – vanliga funderingar

1177 – tryggt om din hälsa och vård

1177 på flera språk

Om 1177

Kontakt

Inställningar för kakor

XXXXXXXXXXXXXXXXXXXXXXXXXXXX