







# SUF SERIES

DROP
KIOSIDIS S.A.

DROP
KIOSIDIS S.A.



DROP - N. KIOSIDIS SA has been offering complete filtration solutions since 1971. At our privately owned premises of 6000 sq. m. located in the industrial area of Sindos Thessaloniki, we manufacture **water filtration systems** covering all needs, both before and after water pumping.

Our long experience and our personnel's expertise, enables us to manufacture specialized filtration systems and structures, according to your individual needs.

Our aim is to constantly educate and train our personnel, to improve our products and services as well as design and develop new innovative products.

Our Sales and Representatives' Network extends from the European Union, the Balkans, Eastern Europe to the Middle East, Africa, the Persian Gulf, South America and the Caribbean.

Our top quality certified products are used in:
- Agriculture (irrigation and fertigation)
- Industry and
- Water Supply

The use of DROP filters in your water supply systems:
- Increases the reliability of your installation
- Contributes to quicker amortization of its cost because it minimizes the need for repairs.
- Offers trouble-free continuous operation with minimum surveillance.

# SELF CLEANING SCREEN FILTERS

## USAGE

SUF series filters are automatic hydraulic / electric filters which combine the advantages of high quality filtration from variant water sources (sewage, lakes, rivers, etc.) with self-cleaning function, providing continuous water supply. The SUF filters meet the requirements of a wide range of industrial, municipal and irrigation applications.

The filtration flow is uninterrupted even during cleaning. The effective cleaning is performed from close distance suction nozzles that cover all inner surface through axial & rotation movement. Self cleaning operation starts upon differential pressure and / or time lapse.







## MATERIALS


| | |
|---|---|
| BODY: | Steel S235JR (also available in stainless steel AISI 304 & 316, on request) |
| CARTRIDGE: | Perforated stainless steel sheet AISI 304, Molded Weave Wire stainless steel AISI 316 100 micron, rigid pvc (u-pvc)-pvc100 (DIN8061-8062) |
| GASKETS: | EPDM |
| SURFACE TREATMENT: | Chemical cleaning (pickling, phosphate) and electrostatic painting with polyester. powder (available epoxy coatings suitable for drinking water) |

**ELECTRIC MODELS**

| | |
|---|---|
| INPUT POWER: | 230 VAC |
| MOTOR: | 370 W |
| CONTROL PANEL: | PLC |

# SUF SERIES

| CODE | DESCRIPTION | CONNECTIONS | FILTRATION AREA $cm^2$ | FLOW $m^3/h$ | CLEANING FLOW RATE $m^3/h$ | MAX PRESSURE bar | MIN PRESSURE bar |
|---|---|---|---|---|---|---|---|
| 05-11-201 | Self cleaning screen filter vertical series SUFV 2" | TF | 780 | 25 | 15 | 10 | 2 |
| 05-11-301 | Self cleaning screen filter vertical series SUFV 3" | F | 1450 | 40 | 20 | 10 | 2 |
| 05-11-401 | Self cleaning screen filter vertical series SUFV 4" | F | 1450 | 80 | 20 | 10 | 2 |
| 05-11-400 | Self cleaning screen filter parallel series SUF 4" | F | 5300 | 100 | 26 | 10 | 2 |
| 05-11-600 | Self cleaning screen filter parallel series SUF 6" | F | 7750 | 160 | 26 | 10 | 2 |
| 05-11-804 | Self cleaning screen filter parallel series SUF 8" R2 | F | 10600 | 300 | 26 | 10 | 2 |
| 05-11-402 | Self cleaning screen filter parallel electric series SUFE 4" | F | 5300 | 100 | 26 | 10 | 2 |
| 05-11-602 | Self cleaning screen filter parallel electric series SUFE 6" | F | 7750 | 160 | 26 | 10 | 2 |
| 05-11-805 | Self cleaning screen filter parallel electric series SUFE 8" R2 | F | 10600 | 300 | 26 | 10 | 2 |





| TYPE | L mm | A mm | B mm | D mm | W mm | WEIGHT kg |
|---|---|---|---|---|---|---|
| Self cleaning screen filter vertical series SUFV 2" | 795 | 200 | 280 | 510 | - | 48 |
| Self cleaning screen filter vertical series SUFV 3" | 935 | 260 | 370 | 510 | - | 58 |
| Self cleaning screen filter vertical series SUFV 4" | 950 | 260 | 370 | 510 | - | 60 |

| TYPE | L mm | A mm | B mm | C mm | D mm | W mm | WEIGHT kg |
|---|---|---|---|---|---|---|---|
| Self cleaning screen filter parallel series SUF 4" | 1935 | 580 | 800 | 300 | 300 | 500 | 120 |
| Self cleaning screen filter parallel series SUF 6" | 2345 | 635 | 900 | 550 | 600 | 500 | 155 |
| Self cleaning screen filter parallel series SUF 8" R2 | 1935 | 635 | 800 | 300 | 300 | 1110 | 240 |

| TYPE | L mm | A mm | B mm | C mm | D mm | W mm | WEIGHT kg |
|---|---|---|---|---|---|---|---|
| Self cleaning screen filter parallel electric series SUFE 4" | 2280 | 580 | 800 | 200 | 200 | 470 | 165 |
| Self cleaning screen filter parallel electric series SUFE 6" | 2680 | 635 | 900 | 450 | 500 | 470 | 200 |
| Self cleaning screen filter parallel electric series SUFE 8" R2 | 2280 | 635 | 800 | 200 | 200 | 950 | 320 |

*C: Required minimum length for opening *D: Required minimum length for opening
Note: All weights refer to flanged models




Note: All measurements have been taken with 100 micron cartridge in clean water conditions

SINDOS INDUSTRIAL AREA | T.G. 157 | 57022 | THESSALONIKI | GREECE | TEL +30 2310-798487, 796066

DROP KIOSIDIS S.A.

**www.drop.gr** | E-MAIL intsales@drop.gr