NSF International
789 N. Dixboro Rd. Ann Arbor, MI 48105, USA
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

Live Safer™

EVALUATION REPORT

Send To: C0001710

Dr. Haihui Wu
Canature Health Technology Group Co., Ltd.
No. 508 & 518, Chuanda Road
Pudong New Area
Shanghai, 201200
China

Facility: C0001713

Canature Health Technology Group Co., Ltd.
No. 518, Chuanda Road
Pudong New Area
Shanghai, 201200
China

Result	**PASS**	Report Date	05-APR-2021
Customer Name	Canature Health Technology Group Co., Ltd.		
Tested To	NSF/ANSI 44		
Description	Pressure Vessel 5x20		
Trade Designation	Pressure Vessel 5x20		
Test Type	5 Year Testing		
Job Number	A-00353806		
Project Number	W0599162		
Project Manager	Mandy Chai		

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization **Date** 05-APR-2021

Kyle Postmus - Technical Operations Manager, Water

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

General Information

Standard: NSF/ANSI 44

DCC Number: PW04680
Flushing Time: empty tank twice before operation
Physical Description of Sample: Component
Standard Version: NSF/ANSI 44-2018: Residential Cation Exchange Water Softeners
Test Description: Material Extraction - w/o media - Pressure Vessel 5x20 - 5Y
Trade Designation/Model Number: Pressure Vessel 5x20
Unit Volume: 1.5 Liters

Sample Id: **S-0001776305**
Description: Pressure Vessel 5x20
Sampled Date: 01/11/2021
Received Date: 01/11/2021

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
* Static Extraction Test Data Sheet					
Unit Volume	4.6 L				
Number of units exposed without media	2				
Flushing procedure description	2 tank drains				

Sample Id: **S-0001776306**
Description: Water Characteristics pH 5
Sampled Date: 01/11/2021
Received Date: 01/11/2021

Normalization Information:

Date exposure completed: Field Exposure Time: 12 hours

Field Number of Units: 1 units
Field Static Volume: 4.6 L

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
* Chlorine, Free					
Chlorine, Free Available	1.8		1.8		mg/L
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)					
Calcium	0.03		0.03		mg/L
Date Analyzed	11-FEB-2021				
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)					
Magnesium	27		27		mg/L
Date Analyzed	11-FEB-2021				
Hardness, Total (Ref: EPA 200.7)					
Hardness, Total	110		110		mg CaCO3/L
* Water pH					
pH	5.07		5.07		
* Temperature					
Temperature	23		23		degrees C

Sample Id: **S-0001776307**

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776307**
Description: Water Characteristics pH 8
Sampled Date: 01/11/2021
Received Date: 01/11/2021

Normalization Information:

Date exposure completed: Field Exposure Time: 12 hours

Field Number of Units: 1 units
Field Static Volume: 4.6 L

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
* Chlorine, Free					
Chlorine, Free Available	1.8		1.8		mg/L
*Dissolved Inorganic Carbon (DIC) in test water					
Dissolved Inorganic Carbon	123		123		mg/L
Alkalinity Std 61 section 9					
Alkalinity as CaCO3	490		490		mg/LCaCO3
Date Analyzed	09-FEB-2021				
* Water pH					
pH	8.04		8.04		
* Temperature					
Temperature	23		23		degrees C

Sample Id: **S-0001776308**
Description: Sample w/o media tested at pH 5 Cl
Sampled Date: 02/12/2021
Received Date: 01/11/2021

Normalization Information:

Date exposure completed: 12-FEB-2021 Calculated N1: 1.00 Field Exposure Time: 12 hours Lab Exposure Time: 16.56 hours

Field Number of Units: 1 units Lab Number of Units: 1 units
Field Static Volume: 4.6 L Lab Static Volume: 4.6 L

Calculated NFm: 1.00

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
Aluminum in Drinking Water by ICPMS (Ref: EPA 200.8)					
Aluminum	ND(10)	ND(10)	ND(10)	ND(7.2)	ug/L
Total Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)					
Arsenic	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Barium	1	ND(1)	1	0.8	ug/L
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Beryllium	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Bismuth in Drinking Water by ICPMS (Ref: EPA 200.8)					
Bismuth	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776308**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Cadmium	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Cerium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Cerium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Cobalt in Drinking Water by ICPMS (Ref: EPA 200.8)					
Cobalt	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Chromium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Cesium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Cesium	ND(1)	ND(1)	ND(1)	ND(0.4)	ug/L
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)					
Copper	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Dysprosium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Dysprosium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Erbium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Erbium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Europium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Europium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Gallium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Gallium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Germanium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Germanium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Hafnium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Hafnium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)					
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Holmium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Holmium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Iridium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Iridium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Lanthanum in Drinking Water by ICPMS (Ref: EPA 200.8)					
Lanthanum	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Lithium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Lithium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Lutetium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Lutetium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)					
Manganese	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Molybdenum in Drinking Water by ICPMS (Ref: EPA 200.8)					
Molybdenum	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Date Analyzed	15-FEB-2021				
Niobium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Niobium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Neodymium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Neodymium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)					

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776308**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
Nickel	2	ND(1)	2	1	ug/L
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)					
Lead	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Palladium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Palladium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Praseodymium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Praseodymium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Platinum in Drinking Water by ICPMS (Ref: EPA 200.8)					
Platinum	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Rubidium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Rubidium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Rhenium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Rhenium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Rhodium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Rhodium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Ruthenium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Ruthenium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)					
Antimony	1.4	1.5	ND(0.5)	ND(0.36)	ug/L
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Selenium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Samarium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Samarium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Tin in Drinking Water by ICPMS (Ref: EPA 200.8)					
Tin	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Strontium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Strontium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Tantalum in Drinking Water by ICPMS (Ref: EPA 200.8)					
Tantalum	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Tellurium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Tellurium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Titanium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Titanium	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Thallium	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ug/L
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Uranium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Vanadium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Vanadium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Tungsten in Drinking Water by ICPMS (Ref: EPA 200.8)					
Tungsten	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Ytterbium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Ytterbium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)					
Zinc	ND(10)	ND(10)	ND(10)	ND(7.2)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776308**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
* Zirconium in Drinking Water by ICPMS (Ref: EPA 200.8)					
Zirconium	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
* Silver in Drinking Water by ICPMS					
Silver	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L

Sample Id: **S-0001776309**
Description: Sample w/o media tested at pH 8 Cl
Sampled Date: 02/12/2021
Received Date: 01/11/2021

Normalization Information:

Date exposure completed:	12-FEB-2021	Calculated N1:	1.00	Field Exposure Time:	12 hours	Lab Exposure Time:	16.66 hours
Field Number of Units:	1 units	Lab Number of Units:	1 units				
Field Static Volume:	4.6 L	Lab Static Volume:	4.6 L				
				Calculated NFm:	1.00		

Compound Reference Key: TAC

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
BASE/NEUTRAL/ACID EPA METHOD 625 Scan for Tentatively Identified Compour					
Hexadecanoic acid	20	Complete	20	10	ug/L
Octadecanoic acid	30	Complete	30	20	ug/L
Scan Control Complete	TRUE				
Semivolatile Compounds, Base/Neutral/Acid Target 625, Data Workup - (DWTU)					
Nitrosodimethylamine (N-)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosomethylethylamine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
5-Methyl-2-hexanone (MIAK)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1-Methoxy-2-propanol acetate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Heptanone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Cyclohexanone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Nitrosodiethylamine (N-)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Isobutylisobutyrate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Aniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Phenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Di(chloroethyl) ether	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Chlorophenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,3-Benzofuran	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1,3-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1,4-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
3-Cyclohexene-1-carbonitrile	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Ethylhexanol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzyl alcohol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1,2-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
bis(2-Chloroisopropyl)ether	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Methylphenol (o-Cresol)	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776309**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
N-Methylaniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Acetophenone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosodi-n-propylamine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosopyrrolidine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
3- and 4-Methylphenol (m&p-Cresol)	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Hexachloroethane	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Phenyl-2-propanol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosomorpholine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Nitrobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,6-Dimethylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Vinylpyrrolidinone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosopiperidine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Triethylphosphate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Isophorone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Nitrophenol	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
2,4-Dimethylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
bis(2-Chloroethoxy)methane	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,4-Dichlorophenol	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Trichlorobenzene (1,2,4-)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Naphthalene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Chloroaniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1,1,3,3,-Tetramethyl-2-thiourea	ND(4)	ND(4)	ND(4)	ND(3)	ug/L
Hexachlorobutadiene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzothiazole	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
N-Nitrosodi-n-butylamine	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Chloro-3-methylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
p-tert-Butylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Ethylhexyl glycidyl ether	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,6-Di-t-butyl-4-methylphenol(BHT)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Methylnaphthalene, 2-	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Cyclododecane	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,4,5-Trichlorophenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,4,6-trichlorophenol	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
1(3H)-Isobenzofuranone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Chloronaphthalene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2-Nitroaniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
1,1'-(1,3-Phenylene)bis ethanone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,6-Di-tert-butylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Dimethylphthalate	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
1,1'-(1,4-Phenylene)bis ethanone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Acenaphthylene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzenedimethanol, a,a,a',a'-tetramethyl-1,3-	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,6-Dinitrotoluene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,4-Dinitrotoluene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776309**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
Benzenedimethanol, a,a,a',a'-Tetramethyl-1,4-	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
2,4-Di-tert-butylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Dimethyl terephthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Acenaphthene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Dibenzofuran	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Ethyl-4-ethoxybenzoate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Nitrophenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Cyclododecanone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Diethyl Phthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
p-tert-Octylphenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Fluorene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Chlorophenylphenylether	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
3-Nitroaniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Nitroaniline	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Nitrosodiphenylamine (N-)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Azobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
4-Bromophenylphenylether	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Hexachlorobenzene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Pentachlorophenol	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Phenanthrene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Anthracene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Diisobutyl phthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Dibutyl phthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Diphenyl sulfone	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Hydroxymethylphenylbenzotriazole	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Fluoranthene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Pyrene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Butyl benzyl phthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Di(2-ethylhexyl)adipate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
3,3-Dichlorobenzidine	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Benzo(a)anthracene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Di(2-ethylhexyl)phthalate	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Chrysene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Di-n-octylphthalate	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzo(b)fluoranthene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzo(k)fluoranthene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzo(a)Pyrene (PAH)	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Dibenzo(a,h)anthracene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Indeno(1,2,3-cd)pyrene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Benzo(g,h,i)perylene	ND(2)	ND(2)	ND(2)	ND(1)	ug/L
Volatile Organic Compounds (Ref: EPA 524.2)					
Dichlorodifluoromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Chloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Vinyl Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776309**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
Bromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Chloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Trichlorofluoromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Trichlorotrifluoroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Methylene Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
trans-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
2,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
cis-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Chloroform	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Bromochloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1,1-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Carbon Tetrachloride	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Trichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Bromodichloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Dibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
cis-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
trans-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1,2-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,3-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Tetrachloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Chlorodibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Chlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1,1,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Bromoform	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,1,2,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2,3-Trichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,3-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,4-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Carbon Disulfide	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
Methyl-tert-Butyl Ether (MTBE)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
tert-Butyl ethyl ether	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Methyl Ethyl Ketone	ND(5)	ND(5)	ND(5)	ND(4)	ug/L
Methyl Isobutyl Ketone	ND(5)	ND(5)	ND(5)	ND(4)	ug/L
Toluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Ethyl Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
m+p-Xylenes	ND(1)	ND(1)	ND(1)	ND(0.7)	ug/L
o-Xylene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Styrene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Sample Id: **S-0001776309**

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab (Continued)					
Isopropylbenzene (Cumene)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
n-Propylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Bromobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
2-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
4-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,3,5-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
tert-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2,4-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
sec-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
p-Isopropyltoluene (Cymene)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2,3-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
n-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2,4-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Hexachlorobutadiene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
1,2,3-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Naphthalene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Total Trihalomethanes	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L
Total Xylenes	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.4)	ug/L

Sample Id: **S-0001776311**
Description: Pressure Vessel 5x20
Sampled Date: 01/11/2021
Received Date: 01/11/2021

Normalization Information:

Date exposure completed: Field Exposure Time: 12 hours

Field Number of Units: 1 units
Field Static Volume: 4.6 L

Testing Parameter	Sample	Control	Result	Normalized Result	Units
Chemistry Lab					
Material Screening for Lead by XRF					
Lead content verification	Pass				

Job Attachments:

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Job Attachments:



Test Configuration

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Testing Laboratories:

	Id	Address
All work performed at: →	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C0011	* Static Extraction Test Data Sheet
C0019	* Chlorine, Free
C0513	Material Screening for Lead by XRF
C1270	*Dissolved Inorganic Carbon (DIC) in test water
C1926	BASE/NEUTRAL/ACID EPA METHOD 625 Scan for Tentatively Identified Compounds (TICs) - (DWTU)
C1927	Semivolatile Compounds, Base/Neutral/Acid Target 625, Data Workup - (DWTU)
C3032	Aluminum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3035	Total Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3038	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3041	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3043	Bismuth in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3046	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3049	Cerium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3050	Cobalt in Drinking Water by ICPMS (Ref: EPA 200.8)
C3052	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3056	Cesium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3058	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3061	Dysprosium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3062	Erbium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3063	Europium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3067	Gallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3069	Germanium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3070	Hafnium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3071	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3076	Holmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3077	Iridium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3082	Lanthanum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3083	Lithium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3084	Lutetium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3087	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3089	Molybdenum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3092	Niobium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3093	Neodymium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3095	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3100	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3105	Palladium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3106	Praseodymium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3107	Platinum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3108	Rubidium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3109	Rhenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3110	Rhodium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3111	Ruthenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3113	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3115	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3120	Samarium in Drinking Water by ICPMS (Ref: EPA 200.8)

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

References to Testing Procedures: *(Cont'd)*

NSF Reference	Parameter / Test Description
C3121	Tin in Drinking Water by ICPMS (Ref: EPA 200.8)
C3122	Strontium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3123	Tantalum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3124	Tellurium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3125	Titanium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3127	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3131	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3132	Vanadium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3133	Tungsten in Drinking Water by ICPMS (Ref: EPA 200.8)
C3134	Ytterbium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3135	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3140	* Zirconium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3161	Hardness, Total (Ref: EPA 200.7)
C3247	Alkalinity Std 61 section 9
C4641	* Silver in Drinking Water by ICPMS
C4662	Volatile Organic Compounds (Ref: EPA 524.2)
C6408	* Water pH
C6413	* Temperature

Test descriptions preceded by an asterisk “*” indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 01-FEB-2021 to 02-APR-2021

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company’s Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.