Valid Username Regular Expression

You are updating the username policy on your company's internal networking platform. According to the policy, a username is considered valid if all the following constraints are satisfied:

- The username consists of 8 to 30 characters inclusive. If the username consists of less than 8 or greater than 30 characters, then it is an invalid username.
- The username can only contain alphanumeric characters and underscores (`_`). Alphanumeric characters describe the character set consisting of *lowercase* characters $[a-z]$, *uppercase* characters $[A-Z]$, and digits $[0-9]$.
- The *first* character of the username must be an *alphabetic* character, i.e., either *lowercase* character $[a-z]$ or *uppercase* character $[A-Z]$.

For example:

Username	Validity
Julia	INVALID; Username length < 8 characters
Samantha	VALID
Samantha_21	VALID
1Samantha	INVALID; Username begins with non-alphabetic character
Samantha?10_2A	INVALID; '?' character not allowed

Update the value of *regularExpression* field in the *UsernameValidator* class so that the regular expression only matches with valid usernames.

Input Format

The first line of input contains an integer n, describing the total number of usernames. Each of the next n lines contains a string describing the username. The locked stub code reads the inputs and validates the username.

Constraints

- $1 \leq n \leq 100$
- The username consists of any printable characters.

Output Format

For each of the usernames, the locked stub code prints `Valid` if the username is valid; otherwise `Invalid` each on a new line.

Sample Input 0

```
8
Julia
Samantha
Samantha_21
1Samantha
Samantha?10_2A
JuliaZ007
Julia@007
_Julia007
```

Sample Output 0

```
Invalid
Valid
Valid
Invalid
Invalid
Valid
Invalid
Invalid
```

Explanation 0

Refer diagram in the challenge statement.