Fonts:

Custom fonts can be downloaded and packaged with your website, so that whenever someone opens your website, they will automatically download the font.

Resources: Google Fonts, Dafont.com

Check licensing restrictions on individual font styles

Download individual styles or Download font family

Common file type is .ttf

CSS @Font Face:

e.g.:

```
@font-face {
  font-family: myFirstFont;
  src: url(sansation_light.woff);
}
```

Commit: (used to label and organize sections): /* FONTS **********/

Anytime you see a slash (/) in a path it means that you are travelling from one folder to another

When using multiple fonts at the same time, make a whole new @ font face and use a new name for the font family and a new source url.

Pure CSS Responsive Image Slider:


```
#slider {
        Overflow: hidden;
}
#slider figure {
        position: relative;
        width: 500%;
        Margin: 0;
        Left: 0;
        Animation: 20s slider infinite;
}

#slider figure img{
        width: 20%;
        Float: left;
}

@keyframes slider {
        0% {
                Left: 0;
        }
        20% {
                Left: 0;
        }
        25% {
                Left: -100%;
        }
        45% {
                Left: -100%;
        }
        50% {
                Left: -200%
        }
        70% {
                Left: -200%
        }
        75% {
                Left: -300%
        }
        95%: {
                Left: -300%;
        }
```

```
        100% {
                Left: -400%
        }
}


<div id="slider">
        <figure>
                <img src="img/desk.png">
        </figure>
</div>
```

-You want the first slide and the last slide to be the same image so it rotates properly