Lab No.7) 1) class PushException extends Exception

```
{
        private int code;

        public PushException(int c)
        {
                this.code = c; }

        public int getCode()
        { return code;
        } }

class PopException extends Exception
{
        private int code;

        public PopException(int c)
        {
                this.code = c; }

        public int getCode()
        { return code;
        } }

class Stack
{
        private char item[];
        private int top;
        private int size;

        public Stack()
        { this.item = new char[0];
                this.top = -1; this.size =
                0;
        }
        public Stack(int size)
```

```
{
        this.size = size; this.item =
new char[size]; this.top = -1; }

public boolean isEmpty()
{
        if(this.top == -1)
                return (true);
        return (false);
}

public boolean isFull()
{
        if(this.top == this.size -1)
                return (true);
        return (false);
}

public boolean push(char elem) throws PushException
{ if(this.isFull())
        { throw new PushException(1);
        }

        this.item[++this.top] = elem;
        return (true);
}

public char pop() throws PopException
{
        if(this.isEmpty())
        { throw new PopException(-1);
        }
        return(this.item[this.top--]);
}
public void display()
{ if(this.isEmpty()) return; for(int i
```

```
                = 0; i < this.top + 1; i++)
                        System.out.print(String.format("%c ", this.item[i])); System.out.println("");
        } }

class StackTest
{
        public static void main(String[] args)
        {
                System.out.println(    "----------Stack Test----------");
                Stack s = new Stack(5);
                System.out.println(    "----------Created a stack that can store 5 elements----------");
                System.out.println(    "----------Calling Display on empty stack----------");
                s.display();
                System.out.println(    "----------Trying to Pop from empty stack----------");
                try{ char el = s.pop();
                        System.out.println("Popped element: " + el);
                }catch(PopException e)
                {
                        System.out.print("Caught PopException with code ");
                        System.out.println(e.getCode());
                }

                System.out.println(    "----------Pushing 5 elements to stack----------"); try{
                        System.out.println("----------Pushing 'a' to stack----------");
                        s.push('a');
                        System.out.println("----------Pushing 'b' to stack----------"); s.push('b');
                        System.out.println("----------Pushing 'c' to stack----------"); s.push('c');
                        System.out.println("----------Pushing 'd' to stack----------"); s.push('d');
                        System.out.println("----------Pushing 'e' to stack----------"); s.push('e');
                        System.out.println("----------Calling Display on stack----------"); s.display();
                        System.out.println("----------Trying to push a 6th element(f) onto stack----------");
                        s.push('f');
```

```
            }catch(PushException e)
            {
                  System.out.print("Caught PushException with code ");
                  System.out.println(e.getCode());
            }


            System.out.println("----------Calling pop thrice on stack----------"); try{
                  System.out.println("Popped Element: " + s.pop());
                  System.out.println("Popped Element: " + s.pop());
                  System.out.println("Popped Element: " + s.pop());
            }catch(PopException e)
            {
                  System.out.print("Caught PopException with code ");
                  System.out.println(e.getCode());
            }


            System.out.println("----------Calling Display on stack----------"); s.display();
      }
}
```

2) import
java.util.Scanner;

```
class InvalidDayException extends Exception
{
      int code;
      public InvalidDayException(int c)
      { code = c; }
      public int
      getCode()
      { return code;
      } }

class InvalidMonthException extends Exception
{
```

```
        int code; public
        InvalidMonthException(int c)
        { code = c;
        } public int getCode()
        { return code;
        } }

class CurrentDate
{
        private int day, month, year;

        public CurrentDate()
        {
                this.day = 1;
                this.month = 1;
                this.year = 1991;
        }

        public CurrentDate(int day, int month, int year) throws InvalidDayException,
InvalidMonthException
        {
                if(month > 12 || month < 1) throw new InvalidMonthException(month-12);
                if(month == 1||month == 3||month == 5||month == 7||month == 8||month
                == 10||
month == 12)
                {
                        if(day > 31 || day < 1) throw new
                                InvalidDayException(day-31);
                } if(month == 4||month == 6||month == 9||month
                == 11)
                {
                        if(day > 30 || day < 1) throw new
                                InvalidDayException(day-30);
                } if(month ==
                2)
                { if((year%4 == 0 && year%100 != 0) || year%400 == 0)
                        {
```

```
                        if(day > 29 || day < 1) throw new
                                InvalidDayException(day-29);
                }
                else
                {
                        if(day > 28 || day < 1) throw new InvalidDayException(day-
                28); }
        }

        this.day = day; this.month
        = month; this.year = year;
    }

    public void display()
    {
        System.out.println(String.format("Current Date (dd-mm-yyyy): %02d-%02d-%04d",
this.day, this.month, this.year));
    }
}


class DateTest
{

    public static CurrentDate createDate() throws InvalidDayException, InvalidMonthException
    {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter Day (DD): ");
        int day = sc.nextInt(); sc.nextLine();
        System.out.print("Enter Month (MM):
        "); int month = sc.nextInt();
        sc.nextLine();
        System.out.print("Enter Year (YYYY): ");
        int year = sc.nextInt(); sc.nextLine();

        try{
```

```
                    CurrentDate d = new CurrentDate(day, month, year);
                    return d;
            }catch(InvalidDayException | InvalidMonthException ex)
            { throw ex;
            }
        }

        public static void main(String[] args)
        {
            CurrentDate d; try{ d =
            createDate();
            d.display();
            }catch(InvalidDayException | InvalidMonthException ex)
            {
                System.out.print("Caught Exception: ");
                System.out.println(ex);
            }
        }
}
```

3) import
java.util.Scanner; class
InvalidDayException
extends Exception
{
        int code;
        public InvalidDayException(int c)
        { code = c; } public int
        getCode()
        { return code;
        }
}

class InvalidMonthException extends Exception
{
        int code; public
        InvalidMonthException(int c) { code
        = c;
        }
        public int getCode()

```
        { return code;
        }
}

class SeatsFilledException extends Exception
{
        int code;
        public SeatsFilledException(int c)
        { code = c;
        }
        public int getCode()
        { return code;
        }
}

class Date
{
        int day, month, year;

        public Date()
        {
                this.day = 1;
                this.month = 1;
                this.year = 1991;
        }

        public Date(int day, int month, int year) throws InvalidDayException,
InvalidMonthException
        { if(month > 12 || month < 1) throw new InvalidMonthException(month-12); if(month
                == 1||month == 3||month == 5||month == 7||month == 8||month ==
                10||
month == 12)
                {
                        if(day > 31 || day < 1) throw new
                                InvalidDayException(day-31);
                }
                if(month == 4||month == 6||month == 9||month == 11)
                {
                        if(day > 30 || day < 1) throw new
                                InvalidDayException(day-30);
                }
                if(month == 2)
                { if((year%4 == 0 && year%100 != 0) || year%400 == 0)
                        {
                                if(day > 29 || day < 1) throw new
```

```
                                InvalidDayException(day-29);
                        }
                        else
                        {
                                System.out.println(day);  if(day >
                        28    ||    day    <    1)    throw    new
                        InvalidDayException(day-28); }
                }

                this.day = day; this.month
                = month;
                this.year = year;
        }

        public String getDate()
        { return(String.format("Current Date (dd-mm-yyyy): %02d-%02d-%04d", this.day,
this.month, this.year));
        }
}

class Student
{
        private int regNo;
        private String fullName;
        private Date dateJoining;
        private short semester;
        private float gpa; private
        float cgpa;

        public Student(String fullName, Date dateJoining, short semester, float gpa, float cgpa, int
num) throws SeatsFilledException
        { if(num > 25) throw new SeatsFilledException(num); this.fullName
                = fullName;
                this.dateJoining = dateJoining;
                this.semester = semester;
                this.gpa = gpa; this.cgpa =
                cgpa;
                String reg_year = String.format("%04d", this.dateJoining.year);
                String reg = reg_year.substring(2, 4) + String.format("%s", num);
                this.regNo = Integer.parseInt(reg);
}

        public Student()
        { this.fullName = ""; this.dateJoining
```

```
                = new Date(); this.semester =
                0; this.gpa = 0;this.cgpa = 0;
                this.regNo = 0;
        }
        public void printStudentInfo()
        {
                System.out.println ("Full Name: " + this.fullName);
                System.out.println ("Registration Number: " + this.regNo);
                System.out.println ("Semester: " + this.semester);
                System.out.println ("GPA: " + this.gpa);
                System.out.println ("CGPA: " + this.cgpa);
                System.out.println ("Date of Joining: " + this.dateJoining.getDate());
                System.out.println ("");
        }
}

class StudentTest
{
        public static void main(String[] args)
        {
                Scanner sc = new Scanner(System.in); try{
                        Date doj1 = new Date(2, 5, 2014);
                        System.out.println("Enter Student Number:
                        "); int num = sc.nextInt(); sc.nextLine();
                        System.out.println(String.format("Creating student object with num = %d
                        and
dummy details", num));
                        Student s = new Student("abcde,", doj1, (short) 3, 6.4f, 8.9f,
                        num); System.out.println("Printing Student info");
                        s.printStudentInfo();

                }catch(InvalidDayException | InvalidMonthException | SeatsFilledException ex)
                {
                        System.out.print("Caught Exception: ");
                        System.out.println(ex);
                }
        } }
S
```