



TOKYO SEIMITSU HATSUJO.CO.,LTD



WING BEND WING BEND PLUS

REDEFINING MARK-FREE FORMING



CONTENT



01

About Us

02

Key Features

03

WB Series

04

Accessories &
Adapters

05

How to Order

ABOUT US



Tokyo Seimitsu Hatsujo.co.,ltd



Establishment 1930



**134 Higashikata-Cho, Tsuzuki-Ku,
Yokohama-City,
Kanagawa-Pref., Post-Code 224-0045
JAPAN**



+81-45-624-9841



<http://www.to-hatsu.co.jp/>




KEY FEATURES

Redefining Mark-Free Forming



WING BEND




Features of Wing Bend :

- Short flanges with minimal marking
- Holes close to the bending line without deformation
- Ideal for diagonal and tapered bending
- Repeatability for punched sheets with steady flanges and exact angles
- Bulb and chequered plates with minimal marking at the visible surface
- No tool contamination while bending galvanized material or aluminium
- No reworking of workpieces necessary
- Increased product quality
- Less tool change



WING BEND Plus



Wing Bend Plus is full version of Wing Bend

- Realization the perfect mark free and high accuracy, high quality bending of beautiful outside radius without a trace that was not possible in the Wing Bend while leaving the good Wing Bend
- We improved durability performance by implementing slider
- Wing Bend Plus is the most suitable for stainless steel bending in disfavor with bending mark and defect





KEY FEATURES

further enhances mark-free bending



WING BEND Plus




KEY FEATURES


further enhances mark-free bending



WING BEND Plus



V-Die



V-die



WING BEND



WING BEND Plus




WB SERIES

STANDARD TYPE




Wing Bend



WB120

500 (kN/m)


- Die Length 50/100/200/500 mm
- Material thickness: 0.3~1.2



WB230

700 (kN/m)

- Die Length 50/100/200/500mm
- Material thickness: 0.3~2.3




WB350

1000 (kN/m)

- Die Length 50/100/200/500mm
- Material thickness: 0.5~3.2


Wing Bend Plus



WBP120

500 (kN/m)


- Die Length 50/100/200/500 mm
- Material thickness: 0.3~1.2



WBP230

700 (kN/m)

- Die Length 50/100/200/500mm
- Material thickness: 0.3~2.3



WBP350

1000 (kN/m)

- Die Length 50/100/200/500mm
- Material thickness: 0.5~3.2


WB SERIES

STANDART TYPE



Wing Bend


Wing Bend Plus



WB650S

1500 (kN/m)


- Die Length 50/100/200/500 mm
- Material thickness: 1.2~6.5



WBP650S

1500 (kN/m)


- Die Length 50/100/200/500mm
- Material thickness: 1.2~6.5



WB950

2000 (kN/m)

- Die Length 100/200mm
- Material thickness: 6.5~9.5



WBP950

2000 (kN/m)


- Die Length 100/200mm
- Material thickness: 6.5~9.5

WB SERIES

AMADA TYPE




Wing Bend



WB120

500 (kN/m)


- Die Length 50/100/200/500 mm
- Material thickness: 0.3~1.2



WB230

700 (kN/m)

- Die Length 50/100/200/500 mm
- Material thickness: 0.3~2.3




WB350

1000 (kN/m)

- Die Length 50/100/200/500 mm
- Material thickness: 0.5~3.2


Wing Bend Plus



WBP120

500 (kN/m)


- Die Length 50/100/200/500 mm
- Material thickness: 0.3~1.2



WBP230

700 (kN/m)

- Die Length 50/100/200/500 mm
- Material thickness: 0.3~2.3



WBP350

1000 (kN/m)

- Die Length 50/100/200/500 mm
- Material thickness: 0.5~3.2

WB SERIES



Range Of Processing Work Pieces Thickness


板厚 (t)	0.5	0.6	0.8	1	1.2	1.4	1.6	2	2.3	2.6	3	3.2	3.6	4	4.5	5	6	7	8	9	10
WB(P)120 (0.3~1.2)		V4																			
			V6																		
				V7																	
WB(P)230 (0.3~2.3)			V8																		
				V10																	
					V12																
						V14															
WB(P)350 (0.5~3.5)						V16															
							V18														
								V20													
WB(P)650S (0.5~6.5)									V25												
										V32											
WB(P)650 (1.2~6.5)											V40										
												V50									
WB(P)950 (6.5~9.5)														V63							
																V80					



“In addition to our own products, we carry tools from other top manufacturers such as Trumpf, Baykal, and more.”

ACCESSORIES & ADAPTERS


TSH
TOSHIBA SYSTEMS (HONG KONG) CO., LTD.



WB001

Rail & Pleate


- Rail Length 415 / 835 mm



WB002

Centering Jig


- Jig Height 85 mm



WB003C

Fit Bar

- Length 13 ~ 196 mm



Slider

SLP120/230/350/650S

- Length 50/100 ~3000 mm



HOW TO ORDER



Tokyo Seimitsu Hatsujo.co.,ltd



<http://www.to-hatsu.co.jp>



<wa.me/818021409299>



<http://linktr.ee/tohatsu>