

東京リーグ データ設計・管理画面仕様

最終更新: 2026-06-01 JST

設計方針

- 更新頻度の高い「ニュース」と「試合結果」を中心に管理画面を設計する
- 既存 WordPress のページ構造は踏襲せず、データ中心に再構成する
- 公開画面で再利用できるように、PDFや画像の貼り付け前提ではなく構造化データを優先する
- 管理者が少人数でも運用できるよう、入力項目は必要最小限にする

エンティティ一覧

- admins
- pages
- news_categories
- news_posts
- assets
- seasons
- competitions
- competition_files
- divisions
- division_editor_assignments
- teams
- division_teams
- venues
- matches
- standings
- downloads
- contact_settings

テーブル設計

以下は PostgreSQL 前提の初期設計案です。

admins

管理者ユーザー

column	type	notes
id	uuid pk	
email	text unique	ログインID
name	text	表示名
role	text	owner , editor
created_at	timestamptz	
updated_at	timestamptz	

pages

固定ページ本文

column	type	notes
id	uuid pk	
slug	text unique	about , contact など
title	text	
body	text	リッチテキストまたは markdown
status	text	draft , published
published_at	timestamptz nullable	
updated_by	uuid fk admins.id	
created_at	timestamptz	
updated_at	timestamptz	

news_categories

ニュースカテゴリ

column	type	notes
id	uuid pk	
name	text	
slug	text unique	
sort_order	integer	
created_at	timestamptz	
updated_at	timestamptz	

news_posts

ニュース記事

column	type	notes
id	uuid pk	
slug	text unique	
title	text	
excerpt	text nullable	一覧用抜粋
body	text	本文
eyecatch_asset_id	uuid fk assets.id nullable	
category_id	uuid fk news_categories.id nullable	
related_competition_id	uuid fk competitions.id nullable	大会関連ニュース用
status	text	draft , published , archived
published_at	timestamptz nullable	
created_by	uuid fk admins.id	
updated_by	uuid fk admins.id	
created_at	timestamptz	
updated_at	timestamptz	

assets

画像やPDFの共通管理

column	type	notes
id	uuid pk	
kind	text	image , pdf , file
title	text	
storage_key	text	オブジェクトストレージ上のキー
original_filename	text	
mime_type	text	
file_size	bigint	
created_by	uuid fk admins.id nullable	
created_at	timestamptz	
updated_at	timestamptz	

seasons

年度

column	type	notes
id	uuid pk	
year	integer unique	2026 など
label	text	2026年度
is_current	boolean	
created_at	timestamptz	
updated_at	timestamptz	

competitions

大会単位

column	type	notes
id	uuid pk	
season_id	uuid fk seasons.id	
name	text	第103回東京リーグ
slug	text unique	
competition_type	text	league , cup , other
edition	integer nullable	第103回の数値部分
summary	text nullable	
start_date	date nullable	
end_date	date nullable	
status	text	draft , published , closed
published_at	timestamptz nullable	
sort_order	integer	
created_by	uuid fk admins.id	
updated_by	uuid fk admins.id	
created_at	timestamptz	
updated_at	timestamptz	

competition_files

大会関連ファイル

column	type	notes
id	uuid pk	
competition_id	uuid fk competitions.id	
asset_id	uuid fk assets.id	
label	text	要項 , 組み合わせ など
sort_order	integer	
created_at	timestampz	
updated_at	timestampz	

divisions

大会内リーグ

column	type	notes
id	uuid pk	
competition_id	uuid fk competitions.id	
name	text	Aリーグ
slug	text	大会内で一意想定
description	text nullable	
sort_order	integer	
status	text	draft , published
last_updated_at	timestampz nullable	結果更新日表示用
created_at	timestampz	
updated_at	timestampz	

推奨制約:

- unique (competition_id, slug)

division_editor_assignments

リーグ単位の入稿担当者割り当て

column	type	notes
id	uuid pk	
user_id	uuid fk admins.id	
division_id	uuid fk divisions.id	
permission	text	results_editor , standings_editor , division_manager
created_at	timestamptz	
updated_at	timestamptz	

推奨制約:

- unique (user_id, division_id, permission)
- index (user_id)
- index (division_id)

teams

参加チーム

column	type	notes
id	uuid pk	
name	text unique	
slug	text unique	
short_name	text nullable	
profile	text nullable	
region	text nullable	
representative_name	text nullable	
head_coach_name	text nullable	
website_url	text nullable	
instagram_url	text nullable	
logo_asset_id	uuid fk assets.id nullable	
status	text	draft , published
sort_order	integer	
created_at	timestamptz	
updated_at	timestamptz	

division_teams

大会リーグとチームの所属関係

column	type	notes
id	uuid pk	
division_id	uuid fk divisions.id	
team_id	uuid fk teams.id	
sort_order	integer	
created_at	timestamptz	
updated_at	timestamptz	

推奨制約:

- unique (division_id, team_id)

venues

会場マスタ

column	type	notes
id	uuid pk	
name	text unique	
address	text nullable	
note	text nullable	
created_at	timestamptz	
updated_at	timestamptz	

matches

個別試合結果

column	type	notes
id	uuid pk	
division_id	uuid fk divisions.id	
match_date	date	
kickoff_time	time nullable	
venue_id	uuid fk venues.id nullable	
home_team_id	uuid fk teams.id	
away_team_id	uuid fk teams.id	
home_score	integer nullable	
away_score	integer nullable	
status	text	scheduled , played , cancelled , postponed
note	text nullable	
sort_order	integer	同日表示順
created_by	uuid fk admins.id	
updated_by	uuid fk admins.id	
created_at	timestampz	
updated_at	timestampz	

推奨制約:

- check home_team_id <> away_team_id

standings

順位表

column	type	notes
id	uuid pk	
division_id	uuid fk divisions.id	
team_id	uuid fk teams.id	
rank	integer	
played	integer default 0	
won	integer default 0	
drawn	integer default 0	
lost	integer default 0	
goals_for	integer default 0	
goals_against	integer default 0	
goal_difference	integer default 0	
points	integer default 0	
note	text nullable	
updated_at	timestampz	

推奨制約:

- unique (division_id, team_id)
- unique (division_id, rank)

備考:

- 初期は手入力更新でよい
- 将来的に matches から自動集計へ移行可能

downloads

資料ダウンロード一覧

column	type	notes
id	uuid pk	
title	text	
slug	text unique	
category	text	regulation , guideline , document , other
description	text nullable	
asset_id	uuid fk assets.id	
published_at	timestamptz nullable	
status	text	draft , published
sort_order	integer	
created_by	uuid fk admins.id	
updated_by	uuid fk admins.id	
created_at	timestamptz	
updated_at	timestamptz	

contact_settings

問い合わせ情報

column	type	notes
id	uuid pk	シングルトン運用
email	text nullable	
body	text nullable	
updated_by	uuid fk admins.id	
created_at	timestamptz	
updated_at	timestamptz	

管理画面メニュー構成

- 1. ダッシュボード
- 2. ニュース
- 3. 大会
- 4. リーグ
- 5. 試合結果
- 6. 順位表

- 7. チーム
- 8. 資料
- 9. 固定ページ
- 10. 設定

画面仕様

ダッシュボード

目的: 更新対象を一目で確認する

表示内容:

- 下書きニュース件数
- 公開中大会件数
- 最近更新した試合結果
- 最近更新したニュース
- よく使う操作へのショートカット

ニュース管理

一覧:

- 公開状態
- 公開日
- カテゴリ
- タイトル
- 更新者

作成・編集項目:

- タイトル
- スラッグ
- カテゴリ
- 抜粋
- 本文
- アイキャッチ画像
- 関連大会
- 公開状態
- 公開日時
- 添付ファイル

操作要件:

- 下書き保存
- 公開予約は初期スコープ外でもよい
- 並び順は公開日時降順

大会管理

一覧:

- 年度
- 大会名
- 種別
- 開催期間
- 状態

作成・編集項目:

- 所属年度
- 大会名
- スラッグ
- 種別
- 回次
- 概要
- 開催期間
- 公開状態
- 関連ファイル

リーグ管理

一覧:

- 所属大会
- リーグ名
- 参加チーム数
- 最終更新日
- 状態

作成・編集項目:

- 所属大会
- リーグ名
- スラッグ
- 説明
- 表示順
- 公開状態
- 参加チーム割当

試合結果管理

一覧:

- 所属大会
 - リーグ
 - 試合日
 - 対戦カード
-

- ・ スコア
- ・ 会場
- ・ 状態

作成・編集項目:

- ・ 所属リーグ
- ・ 試合日
- ・ 開始時刻
- ・ 会場
- ・ ホームチーム
- ・ アウェイチーム
- ・ ホーム得点
- ・ アウェイ得点
- ・ 状態
- ・ 備考

操作要件:

- ・ リーグ単位で絞り込めること
- ・ 同一リーグで続けて入力しやすいこと
- ・ 試合終了登録でリーグの `last_updated_at` を更新すること

順位表管理

一覧:

- ・ 所属大会
- ・ リーグ
- ・ 最終更新日時

編集方式:

- ・ リーグごとに表形式で一括編集

編集項目:

- ・ 順位
- ・ チーム
- ・ 試合数
- ・ 勝
- ・ 分
- ・ 敗
- ・ 得点
- ・ 失点
- ・ 得失点
- ・ 勝点
- ・ 備考

運用方針:

- ・ 初期は手入力更新
-

- ・ 将来、自動計算ボタンを追加可能な設計にする

チーム管理

一覧:

- ・ チーム名
- ・ 地域
- ・ 状態

作成・編集項目:

- ・ チーム名
- ・ スラッグ
- ・ 略称
- ・ 紹介文
- ・ 地域
- ・ 代表者
- ・ 監督
- ・ Webサイト
- ・ Instagram
- ・ ロゴ
- ・ 公開状態

資料管理

一覧:

- ・ タイトル
- ・ カテゴリ
- ・ 公開状態
- ・ 更新日

作成・編集項目:

- ・ タイトル
- ・ スラッグ
- ・ カテゴリ
- ・ 説明
- ・ ファイル
- ・ 公開状態

固定ページ管理

対象:

- ・ 東京リーグについて
- ・ お問い合わせ

編集項目:

- タイトル
- 本文
- 公開状態

補足:

- About ページ内の規約リンクは `downloads` 参照でもよい

設定

対象:

- 問い合わせ先メールアドレス
- フッター文言
- SNSリンク

権限仕様

初期ロール:

- `owner`

- すべて編集可能 - 管理者追加可能

- `editor`

- コンテンツ編集可能 - 管理者設定は不可

リーグ担当権限:

- `results_editor`

- 担当リーグの試合結果を更新可能

- `standings_editor`

- 担当リーグの順位表を更新可能

- `division_manager`

- 担当リーグの所属チーム、試合結果、順位表を更新可能

運用方針:

- `owner` は全リーグ横断で編集可能
- `editor` は `division_editor_assignments` に紐づくリーグのみ更新可能
- ニュース、固定ページ、資料のようなリーグ非依存コンテンツは、当面 `owner` または全体編集担当のみ更新可能にする

入力バリデーション方針

- スラッグは英数字とハイフンのみ
- 公開中データは必須項目の欠落を禁止

- ・ 試合結果で同一チーム対戦は不可
- ・ 順位表の順位重複は不可
- ・ PDFや画像の拡張子と MIME type を検証する

非機能要件: セキュリティ

納品時点で最低限満たすセキュリティ基準は以下とする。

認証・認可

- ・ 管理画面は Google OIDC + NextAuth による認証を必須とする
- ・ `User` テーブルに事前登録されたメールアドレスのみログイン可能とする
- ・ 管理者ロールは `OWNER` / `EDITOR` の2段階とする
- ・ `OWNER` は全管理機能を利用可能とし、`EDITOR` は割り当て済みリーグの結果更新に限定する
- ・ サーバーアクションは画面表示だけに依存せず、実行時にも `requireOwner` / `getAdminScope` で権限確認する
- ・ E2Eテスト用バイパスは `E2E_TEST_MODE=1` の明示時だけ有効とし、本番環境では設定しない

入力・アップロード

- ・ 文字列入力は制御文字を除去し、用途ごとに最大文字数を設ける
- ・ ID類は UUID 形式、slug は英数字とハイフンのみ許可する
- ・ 公開日時や大会日付は日本時間として扱い、表示・入力の基準を統一する
- ・ 画像アップロードは画像 MIME type とサイズ上限を検証する
- ・ 資料アップロードは PDF / Excel / Word の許可拡張子とサイズ上限を検証する
- ・ ファイル名は保存前に安全な文字へ正規化し、Blob保存時はランダムサフィックスを付与する

HTTPレスポンスヘッダー

全ルートで以下のセキュリティヘッダーを付与する。

header	方針
Content-Security-Policy	<code>default-src 'self'</code> を基準に、Google認証・Vercel Blob・既存サイト画像のみ許可する
Referrer-Policy	<code>strict-origin-when-cross-origin</code>
X-Content-Type-Options	<code>nosniff</code>
X-Frame-Options	<code>SAMEORIGIN</code>
X-Permitted-Cross-Domain-Policies	<code>none</code>
Permissions-Policy	camera / microphone / geolocation / payment / usb を無効化
Strict-Transport-Security	HTTPS本番環境で長期HSTSを有効化

秘密情報・環境変数

- `AUTH_SECRET` , `AUTH_GOOGLE_ID` , `AUTH_GOOGLE_SECRET` , `DATABASE_URL` , `DIRECT_URL` , `BLOB_READ_WRITE_TOKEN` は環境変数で管理し、リポジトリへコミットしない
- 初期管理者の登録は `SEED_ADMIN_EMAIL` を使った明示的なシード実行、またはDB管理画面での登録に限定する
- 本番環境のGoogle OAuthリダイレクトURIはデプロイドメインに限定する

運用・監査

- 管理データは `createdById` / `updatedById` と `createdAt` / `updatedAt` を保持する
- 削除操作は参照中データを壊さないよう、関連データの存在確認を行う
- 納品後の改善候補として、監査ログ一覧、管理者招待フロー、レート制限、CSPレポート収集を追加検討する

初期実装の範囲

必須:

- 管理者ログイン
- ニュース CRUD
- 大会 CRUD
- リーグ CRUD
- チーム CRUD
- 試合結果 CRUD
- 順位表編集
- 資料 CRUD
- 固定ページ編集

後回しでよい:

- 監査ログ
- 公開予約
- 試合結果CSV一括投入
- 順位表自動計算
- お問い合わせフォーム

推奨実装順

1. 認証
2. 大会 / リーグ / チームのマスタ管理
3. 試合結果入力
4. 順位表管理
5. ニュース管理
6. 固定ページと資料管理
7. 公開画面連携