

Ghostty

Options Reference

Keybind Actions Reference

| Action | Shortcut / Command |
|-------------------------|-------------------------------------|
| Reload Configuration | ctrl + shift + , |
| List fonts, list themes | ghostty +list-fonts or +list-themes |
| List default keybinds | ghostty +list-keybinds -default |

Keybinds

Splits

Creating new split keybind = ctrl+shift+a=new_split:auto keybind = ctrl+shift+d=new_split:down keybind = ctrl+shift+r=new_split:right
Goto split keybind = ctrl+shift+arrow_left=goto_split:left keybind = ctrl+shift+arrow_up=goto_split:up keybind = ctrl+shift+arrow_right=goto_split:right
keybind = ctrl+shift+arrow_down=goto_split:down ##### Split
zoom keybind = ctrl+shift+z=toggle_split_zoom ##### Resizing
splits keybind = super+ctrl+shift+arrow_down=resize_split:down,20
keybind = super+ctrl+shift+arrow_left=resize_split:left,20 keybind = super+ctrl+shift+arrow_right=resize_split:right,20 keybind = super+ctrl+shift+arrow_up=resize_split:up,20 ##### Equalise split sizing
keybind = ctrl+shift+e=equalize_splits

Tabs

New tab keybind = ctrl+shift+t=new_tab ##### Close tab keybind = ctrl+shift+q=close_tab ##### Next / previous tab keybind = ctrl+shift+bracket_left=previous_tab keybind = ctrl+shift+bracket_right=next_tab
Move tab forwards or backwards keybind = super+ctrl+shift+bracket_left=move_tab:-1 keybind = super+ctrl+shift+bracket_right=move_tab:1 ##### Goto tab number keybind = ctrl+shift+1=goto_tab:1 keybind = ctrl+shift+2=goto_tab:2
keybind = ctrl+shift+3=goto_tab:3 keybind = ctrl+shift+4=goto_tab:4 keybind = ctrl+shift+5=goto_tab:5 keybind = ctrl+shift+6=goto_tab:6 keybind = ctrl+shift+7=goto_tab:7 keybind = ctrl+shift+8=goto_tab:8 keybind = ctrl+shift+9=goto_tab:9

Other

Close surface (this may refer to a split, tab or window) keybind = ctrl+shift+w=close_surface ##### Undo and redo keybind = ctrl+shift+u=undo keybind = ctrl+shift+r=redo ##### New window

```
keybind = ctrl+shift+n=new_window ##### Copy and paste keybind =
ctrl+shift+c=copy_to_clipboard keybind = ctrl+shift+v=paste_from_clipboard
##### Increase or decrease font size keybind = ctrl+equal=increase_font_size:1
keybind = ctrl++=decrease_font_size:1 ##### Scroll by half a page
keybind = ctrl+shift+page_up=scroll_page_fractional:-0.5 keybind =
ctrl+shift+page_down=scroll_page_fractional:0.5
```

Helix

| Action | Shortcut |
|--------------------------------------|------------------------------------|
| Open tutorial | hx -tutor |
| Check LSP status | hx -health, or hx -health language |
| Open 1 file, >1 file, or a direcorey | hx file.rs, hx f1.rs f2.rs, hx . |
| Open command mode | : (colon), use tab and shift+tab |
| Quit, Write+Quit, Write+Quit All | :q or :quit, :wq, :wqa |
| Force quit (don't save) | :q! |
| Open file | :o file.rs, also :e or :edit |
| Print the current working directory | :pwd |
| Change directory | :cd dir |
| Change theme temporarily | :theme, tab between themes |
| Open the helix config | :open-config |

Every movement in Helix is a selection.

| Action | Vim-Style Keybinding |
|---------------------------------------|-------------------------------|
| left up down right | h j k l |
| Jump to end of next word | e |
| Jump to beginning of next word | w |
| Jump to end of previous word | b |
| See prev, ignore punctuation | W E B |
| Jump to next occurance of symbol | f + symbol, e.g. f + , (find) |
| Same as f, but stops short of symbol | t + symbol (until) |
| See f, t, but goes backwards | F T |
| Move half a page up or down | ctrl + u, ctrl + d |
| Move full page forwards or backwards | ctrl + f, ctrl + b |
| Go to line, e.g. line 15 | number G, e.g. 15G |
| Repeat command. E.g. 3w moves 3 words | number command |
| Select whole line | x |
| Select multiple lines | Press x multiple times |
| Collapse selection (deselect) | ; or just move |
| goto mode | g |
| goto start or end of file | gg ge |

| Action | Vim-Style Keybinding |
|--|------------------------------------|
| goto part of file | gw |
| goto definition | gd |
| Open file, when above a file path | gf |
| Move inwards/outwards wgt files | ctrl i, ctrl o |
| Goto last place I modified in file | g. |
| Insert mode, before selection | i |
| Insert mode, after sel. (Append) | a |
| Insert mode, beginning of line | I |
| Insert mode, end of line | A |
| Insert mode, new line below | o |
| Insert mode, new line above | O |
| Delete selection and insert (change) | c |
| Delete selection (This is cut!) | d |
| Paste after selection | p |
| Paste before selection | P |
| Yank (copy). Doesn't affect clipbrd | y |
| Copy to clipboard | space + y |
| Paste from clipboard | space + p |
| Replace character(s) | r + character |
| Replace selection with yanked text | R |
| Select mode. Like holding shift | v. Press v or esc to exit |
| Undo | u |
| Redo | U |
| File picker, recurses through dirs | space + f |
| File picker, only current dir | space + F |
| Action picker | space + ? |
| See modified files (git changes) | space + g |
| Open the previously used picker | space + ' |
| Symbol picker (LSP) | space + s |
| Show info on current selection (LSP) | space + k |
| Search current file, top to bottom | / |
| Search - Go to next occurance | n |
| Search - Go to previous occurance | N |
| Search current file, bottom to top | ? |
| Search for current selection | * |
| Ctrl + d from vscode | *, v, n. Back to one cursor with , |
| Global file content search | space + / |
| Repeat insertion | . (full stop) |
| Repeat motion | alt + . (full stop) |
| Comment or uncomment selected linet | ctrl + c, or space + c |
| Multiline comment | space + C |
| Join lines (remove newlines) | J |

Indent or de-indent line(s)

< or >
