

Cloud handoff — #326, move `shape()`'s remaining match arms into their modules

Written: 2026-08-25 · **By:** max (CLI session on Tom's box) · **For:** a cloud Claude Code session on `tom2025b/git-vista`

The safest of the five. Mechanical, well-scoped, and the extraction it finishes is already half done. **The issue itself says it is not a stop-the-world refactor** — honour that: if it stops being mechanical, stop and report rather than widening.

```
task_id: gv-326-planner-shape
issue: 326
milestone: -
repo: tom2025b/git-vista
base: main
branch: refactor/326-planner-shape-arms
sign_commits_as:
  name: Claude_Max
  email: 262510778+tom2025b@users.noreply.github.com
sign_artifacts_as: max
adr_number: none          # mechanical; no contract changes. If you
                           # need one, that means the change stopped
                           # mechanical -- stop and say so instead.

allowed_paths:
  - crates/git-vista-server/src/planner.rs
  - crates/git-vista-server/src/planner/**

forbidden_paths:
  - design-docs/
  - ci/browser/**
  - crates/git-vista/src/**
  - crates/git-vista-protocol/src/**    # the vocabulary does not ch
  - handoff.md

merge_order: independent, but see "Merge order" -- it collides with
```

The measured state (from the issue, 2026-08-05)

`planner.rs` was 6,244 lines when the issue was filed (2026-08-05); it is now **3,376 lines** after commit `50350e5b` (2026-08-23, "extract the 23 local executors into seven domain modules", 6,618 -> 3,317). That refactor did NOT touch `shape()` — it moved execution functions, not the risk/precondition/ recovery match.

`shape()` itself has also grown since 2026-08-05: it is currently ~798 lines holding 31 `GitOperation::` match arms (verified on `docs/cloud-batch-2 @ 095f7cf6`), not the 614 lines / 22 arms the issue measured — new variants (e.g. `PopStash`, `DropStash`, M3.24) landed since. Re-measure `shape()` before estimating: expect roughly 31 one-arm-per-commit moves, not 22.

So this is not "split a god file". It is: the per-operation modules already exist, most of the extraction is already done, and `shape()` is where the last ~31 arms still live centrally.

How to do it without breaking anything

Read issue #326's own scope guidance before starting — it conflicts with this handoff's shape. The issue says explicitly: *"Do NOT do this as a single large refactor... planner.rs is the most contended file in the repo — every write-path milestone touches it, so a big-bang move maximises conflict against in-flight branches... moving 22 arms plus their suites at once is a large, hard-to-review diff for zero behavioural change."* Its recommended approach is to move one operation's arm only when a milestone already touches that operation, with **no deadline** — closing only "when the milestones that touch these operations have passed through." This handoff instead assigns one session to move ALL remaining arms (now 31, not 22) in one branch/PR that closes the issue outright. Splitting into many commits does not resolve the issue's stated objection — the objection is against a single dedicated sweep landing at once, not against large commits. **This is a scope call for Tom, not something already settled:** either get his explicit go-ahead to override the issue's incremental guidance for this cloud batch, or descope this session to a subset of arms (e.g. ones with no CLOUD-2 collision) and leave #326 open for the rest.

One arm per commit, or one small group per commit. A 22-arm move (now ~31) in a single commit is unreviewable and unbisectable, and this repo's history is teaching material — Tom re-reads it. Small commits are the deliverable, not an overhead.

Move the arm's comments with it. 152 of `shape()`'s 614 lines are comments, and they carry the reasoning for individual operations. A move that leaves the prose behind in a shrinking `shape()` loses exactly the part that was worth keeping.

Do not change behaviour. No renamed variants, no altered risk levels, no "while I was here" fixes. If an arm looks wrong, open an issue and leave it.

Keep the tests where they can still see what they test. 2,343 lines of the file are inline `#[cfg(test)]`. If an arm's tests move with it, say so in the commit; if they cannot, say why.

What you cannot run

The browser leg does not run in a cloud container — the kernel reports `landlock_abi=-1` and INV-13 refuses a degraded tier; installing `bwrap` does not help. A pure refactor should not need it.

Two `git-vista-server` tests flake under parallel execution because they race on the process-global current repository (#438):

```
recovery_center::tests::a_stale_claimed_undo_is_refused_and_the_branch_is_left_alone and
state::tests::selection_flow_carries_mode_and_gates_writes. Re-run before believing either is yours.
```

Acceptance

1. `shape()` is under 200 lines, like every other production function in the file.
 2. **No behaviour changed.** `cargo test --workspace` green with no test edited except by relocation. If you had to change an assertion, that is a finding — put it in the PR body in its own section.
 3. Each arm's reasoning lives with the arm.
 4. `cargo fmt --all`, `cargo clippy --all-targets -- -D warnings` green.
 5. PR body says `Closes #326`. **Never delete the branch.**
-

Merge order

This touches `planner.rs` and `planner/stash.rs`, and so does CLOUD-2 (#493/#494). **Whichever of you is ready second rebases** — but say in the PR which you are, and do not merge on top of the other without re-running `cargo test --workspace` against the actual merge result. Landing against a head you reviewed rather than the head you are merging is how `main` carried a red test for ten minutes on 2026-08-25.

Signed: max · 2026-08-25T10:28:00-04:00