

[Courseware \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/courseware/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/courseware/)[Course Info \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/info/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/info/)[Syllabus \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/syllabus/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/syllabus/)[Textbook & VM \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/textbook\\_vm/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/textbook_vm/)[Tutorials & Resources \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/tutorials\\_resources/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/tutorials_resources/)[Discussion \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/discussion/forum/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/discussion/forum/)[Wiki \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/course\\_wiki/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/course_wiki/)[Progress \(/courses/BerkeleyX/CS169.1x/2013\\_Spring/progress/\)](/courses/BerkeleyX/CS169.1x/2013_Spring/progress/)

## L9P1: CUCUMBER TESTING

Which statements are true?

1. Implement all code being tested before Cucumber will say that the test passes
2. A sad path can pass without having code written that enables a happy path to pass

- ☐ (1) only
- ☐ (2) only
- ☒ Both (1) and (2) ✓
- ☐ None of the above

[Check](#)[Hide Answer](#)[Show Discussion](#)[New Post](#)[Find Courses \(/courses/\)](/courses/) [About \(/about/\)](/about/) [Blog \(http://blog.edx.org/\)](http://blog.edx.org/) [Jobs \(/jobs/\)](/jobs/) [Contact \(/contact/\)](/contact/)<http://youtube.com/user/edxonline><https://plus.google.com/108235383044095082735><http://www.facebook.com/EdxOnline><https://twitter.com/edXOnline>

