

1.

**Question: How a user could load an older solution?**

**Options:**

- select element – user chooses the option from a select HTML tag.
- button – user press a button placed near the solutions list history.
- a separate list of solutions ids where user could choose from the desired solution to be loaded.
- a form where user complete date, he gets a list of solutions from that date and chooses the desired one.
- A list with all solutions written in clear, where user could press a button and copy to clipboard the solution.

**Criteria:**

- User has to make as less clicks as possible to load an older solution.
- Placement of elements must be as less confusing as possible.
- Way of loading solution must feel to user natural and familiar.

**Best option with the respect of criteria:** a button placed near the line in solution history list.

## Punctajele obținute de soluțiile tale:

100 puncte, obținute pe data 2022-04-27 17:51:09, distribuite astfel:

id: 2560

10	10	10	10	10	25	25
----	----	----	----	----	----	----

0 puncte, obținute pe data 2022-03-21 11:25:18, distribuite astfel:

id: 2478

Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit
----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 puncte, obținute pe data 2022-03-21 11:25:02, distribuite astfel:

id: 2477

Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit
----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 puncte, obținute pe data 2022-03-21 11:24:20, distribuite astfel:

id: 2476

Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit	Răspuns greșit
----------------	----------------	----------------	----------------	----------------	----------------	----------------

Blue buttons have shadows and effects on hover to make themselves look more clickable.

## 2.

### Question: How to show to user difficult problems list?

#### Options:

- Long column list of components abstracts describing a problem similar to:

**1: Inversează vector**

Dat un număr  $n$ , urmat de  $n$  numere întregi, să se afișeze cele  $n$  numere în ordine inversă introducerii lor.

Rată succes: 50


**2: Memory\_010**

Se citesc numere naturale cuprinse între 1 și 30.000.000 până la întâlnirea numărului 0. Să se afișeze valoarea duplicat.

Rată succes: 50

- Column list of component abstracts describing a problem with pagination. On each page will be shown a number of problems.


- Multiple rows of squares, each square describing the problem requirements, similar to:



## Criteria:

- User needs to have a great score on Fitt's Law (big components describing the problem)
- Font must be big so user can easily the requirements.
- User must not scroll too much to find a problem.

**Best option with the respect of criteria:** Column list of problem requirements with pagination.




## 3.

**Question: How a user can update their profile?**

**Options:**

- Multiple columns, each column meaning a different way of update

- Each related elements being shown on the page, and the other ones being hidden. The change of shown elements is made through tab changes similar to:




- All element being shown in one page on a single column similar to:

### Criteria:

- User must easily update their data.
- User must be in control of their data, all information in one page (navigation through tabs might be difficult, user can see all data at once).

**Best option with the respect of criteria:** Multiple columns, each column meaning a different way of update



Email: 157  
Statut: Elev

Prenume: Andrei

Nume: Toma

Utilizator: Andrei

Parola: Parolă

Confirmare: Confirmare parolă

Școala: gorban

Județ: iasi

Localitate: gorban

Salvează

Culoare  
de fundal

