
# Technical Document – Lab 4

## 1 – Question ScriptableObject

The QuestionSO.cs script was created to store the data for each quiz question. The question text, possible answers and correct answer index were configured in the Inspector.

A question was created with four possible answers. The correct answer index was set to 2, corresponding to “TLoZ: Majora's Mask”.




## 2 – Questionaire Script

The Questionaire.cs script was created to manage the quiz questions and player answers. Variables were added to reference the QuestionSO asset, question text, answer buttons and timer image.

The DisplayQuestion() method was implemented to display the question and its possible answers. The correct answer index was obtained from the QuestionSO asset.

The DisplayAnswer() method was created to display whether the selected answer was correct. If the answer was incorrect or no answer was selected before time ran out, the correct answer was displayed.

The OnAnswerSelected() method was implemented to process the selected answer, disable the answer buttons and cancel the timer.

The SetButtonState() method was created to control whether the answer buttons were interactable.

The GetNextQuestion() method was implemented to display the next question and reset the answer state. Since only one question was required for this lab, the same question is loaded again.

## 3 – Timer System

The Timer.cs script was created to control the time available to answer each question and the time used to display the correct answer.

The timeToCompleteQuestion and timeToShowCorrectAnswer variables were configured to control both phases. The UpdateTimer() method was implemented to decrease the timer value and update the fillFraction variable.

When the answering time reaches zero, the answering phase ends and the correct answer display phase begins. When the display time ends, the timer signals that the next question should be loaded.

The CancelTimer() method was implemented to end the answering phase when a player selected an answer.



## 4 – Final Configurations and Testing

The Questionaire and Timer components were configured in the Inspector. The question text, answer buttons and timer image were assigned to their respective variables.

The OnAnswerSelected() method was connected to the answer buttons, with each button passing its corresponding answer index.

The quiz was tested to verify that the question and answer options were displayed correctly, selections were evaluated correctly, and the correct answer was displayed when the timer ran out.

The answer buttons were disabled after an answer was selected or the answering time ended. The same question was loaded again after the correct answer display phase, and the buttons were re-enabled for the next attempt.