




Web Browser
WindowsHost
Internet
Gateway
TinyNet
MailHost
WebServer
LDAPHost



Web Browser
WindowsHost
Internet
TinyNet
Net A
Net C
Gateway
MailHost
Net B
WebServer
LDAPHost
Net A: 192.168.56.0 /24
Net B: 192.168.66.0 /24
Net C: 192.168.76.0 /24
We could label these Net56, Net66, Net76 but what happens if we change the subnetting?


Web Browser
WindowsHost
Internet
TinyNet
DNSmasq
POSTFIX
POSTFIX
DOVECOT
Net A
Net C
Net B
Gateway
MailHost
WebServer
LDAPHost
OpenLDAP
Net A: 192.168.56.0 /24
Net B: 192.168.66.0 /24
Net C: 192.168.76.0 /24
We could label these Net56, Net66, Net76 but what happens if we change the subnetting?

With proper privileges, Windows Host could be configured to use DNSmasq for Name to IP

TinyNet






Gateway

Name To IP happens frequently

Send Mail

Deliver Mail




MailHost




Logical communication is direct, actual communication across subnets passes through the Gateway


Mail - Abstract Architecture


in our setup, SquirrelMail is the MUA; Postfix on the Gateway is a MTA; Postfix on the Mailserver is the MSA when it receives mail from SquirrelMail and the MDA when it receives mail from Postfix on the Gateway; Dovecot on the MailServer is the LDA (called by Postfix for putting messages in mailboxes) and the MAA (imap server).



see 07-stunnel at www.my-tiny.net for more explanation


With proper privileges, Windows Host could be configured to use DNSmasq for Name to IP
TinyNet
Web Browser
WindowsHost
URL
Name To IP
Send Mail
DNSmasq
POSTFIX
Gateway
Name To IP happens frequently
Send Mail
Deliver Mail
POSTFIX
DOVECOT
MailHost
Access MailBox
MONKEY HTTP DAEMON
SquirrelMail
php
php LDAP admin
WebServer
Logical communication is direct, actual communication across subnets passes through the Gateway


With proper privileges, Windows Host could be configured to use DNSmasq for Name to IP
TinyNet
Web Browser
WindowsHost
URL
Name To IP
Send Mail
DNSmasq
POSTFIX
Gateway
Name To IP happens frequently
Send Mail
Deliver Mail
POSTFIX
DOVECOT
MailHost
Access MailBox
MONKEY HTTP DAEMON
SquirrelMail
php
php LDAP admin
Person Lookup
OpenLDAP
LDAPHost
WebServer
Logical communication is direct, actual communication across subnets passes through the Gateway


With proper privileges, Windows Host could be configured to use DNSmasq for Name to IP
TinyNet
Web Browser
WindowsHost
Name To IP
Name To IP happens frequently
DNSmasq
POSTFIX
Gateway
Send Mail
Send Mail
Deliver Mail
POSTFIX
DOVECOT
MailHost
Access MailBox
SSL
MONKEY HTTP DAEMON
SquirrelMail
php
php LDAP admin
Person Lookup
OpenLDAP
LDAPHost
WebServer
Logical communication is direct, actual communication across subnets passes through the Gateway