Table 14.1.1 (SAS): Demographics and Baseline Characteristics
Intent-to-Treat Population

		Treatment arm		
		Placebo	Xanomeline High Dose	Xanomeline Low Dose
Age group	Group	n (%)	n (%)	n (%)
Age group	65-80	42 (48.8%)		
	<65	14 (16.3%)		
	>80	30 (34.9%)		
	65-80		55 (65.5%)	
	<65		11 (13.1%)	
	>80		18 (21.4%)	
	65-80			47 (56.0%)
	<65			8 (9.5%)
	>80			29 (34.5%)

Source: SAS ADSL. Parallel implementation of R t_14_1_1_demog.

Table 14.1.1 (SAS): Demographics and Baseline Characteristics
Intent-to-Treat Population

		Treatment arm		
		Placebo	Xanomeline High Dose	Xanomeline Low Dose
Sex	**Value**	**n (%)**	**n (%)**	**n (%)**
Sex	F	53 (61.6%)		
	M	33 (38.4%)		
	F		40 (47.6%)	
	M		44 (52.4%)	
	F			50 (59.5%)
	M			34 (40.5%)

Source: SAS ADSL. Parallel implementation of R t_14_1_1_demog.

Table 14.1.1 (SAS): Demographics and Baseline Characteristics
Intent-to-Treat Population

		Treatment arm		
		Placebo	Xanomeline High Dose	Xanomeline Low Dose
Race	**Value**	**n (%)**	**n (%)**	**n (%)**
Race	BLACK OR AFRICAN AMERICAN	8 (9.3%)		
	WHITE	78 (90.7%)		
	AMERICAN INDIAN OR ALASKA NATIVE		1 (1.2%)	
	BLACK OR AFRICAN AMERICAN		9 (10.7%)	
	WHITE		74 (88.1%)	
	BLACK OR AFRICAN AMERICAN			6 (7.1%)
	WHITE			78 (92.9%)

Source: SAS ADSL. Parallel implementation of R t_14_1_1_demog.