

Buelna

Belén Fernández
@tejereningles



The Buelna tee is light and summery, with a loose fabric, boat neck and no sleeves. It has a very simple construction, with a textured panel at the top knitted flat, an i-cord edge that is knitted at the same time as the rest and a straight stockinette stitch body knitted in the round.

If you use Instagram, please use the hashtag #buelnatee when you post photos of your project, or tag me: @tejereningles. If you have any questions about the pattern, you can email me at: tejereningles@gmail.com.

MATERIALS

- Main needles: 3.5 mm (US 4) circular needles for the body. Adjust if necessary to achieve gauge.
- Needles for the textured panel: 3.75 mm (US 5) or one size bigger than the main needles.
- Ribbing needles: 3 mm (US 2½) or two sizes smaller than the main needles.
- Markers, including some removable markers, tapestry needle and waste yarn or extra cables to put the stitches on hold.

SIZES

1 (2, 3, 4) [5, 6, 7] (8, 9)

How to choose your size: measure your bust circumference, add the ease recommended below (i.e. 10-15 cm / 4-6 inches) and find the *finished bust circumference* measurement below that is closest to that figure. Make sure your gauge matches the one given below to ensure your finished garment will be the same dimensions.

YARN

Fingering or light fingering yarn (400-420 m / 436-460 yards in 100 g) in 3 colours. I used Isager Yarn Bomulin (65% cotton, 35% linen, 210 m / 229 yards in 50 g).

Main colour (MC): 450 (500, 590, 675) [760, 850, 950] (1040, 1120) m / 492 (547, 645, 738) [831, 930, 1039] (1137, 1225) yards. I used colourway 0 (natural).

Contrasting colour 1 (CC1): 80 (95, 110, 125) [135, 150, 165] (180, 200) m / 87 (104, 120, 137) [148, 164, 180] (197, 219) yards. I used colourway 46 (darker green).

Contrasting colour 2 (CC2): 60 (70, 80, 95) [105, 115, 125] (140, 160) m / 66 (77, 87, 104) [115, 126, 137] (153, 175) yards. I used colourway 43 (lighter green).

You can also knit a single colour version (see page 3) adding up all the yardage amounts for your size. I used Bilum Kalang 2 (100% silk, 400 m in 100 g).

GAUGE


22 stitches and 32 rounds in 10 cm / 4 inches with the main needles in stockinette stitch in the round, after blocking.

DIMENSIONS

Finished bust circumference:

90 (101, 112, 123) [134, 145, 155] (166, 177) cm
35.5 (39.75, 44, 48.5) [52.75, 57, 61] (65.25, 69.75) in

Ease: + 10-15 cm / 4-6 inches



See more measurements in the table below.

- A:** Finished bust circumference
- B:** Armhole depth
- C:** Body length from underarm (including ribbing)
- D:** Total width at shoulders
- E:** Neckline width

Sizes		1	2	3	4	5	6	7	8	9
A. Bust circumference	cm	90	101	112	123	134	145	155	166	177
	in	35.5	39.75	44	48.5	52.75	57	61	65.25	69.75
B. Armhole depth	cm	17	18	19	20	21	23	25	26	27
	in	6.75	7	7.5	7.75	8.25	9	9.75	10.25	10.75
C. Body length from underarm (inc. ribbing)	cm	31	32	33	33	34	35	36	36	37
	in	12.25	12.5	13	13	13.5	13.75	14.25	14.25	14.5
D. Total width at shoulders	cm	46.5	51	56	61	66	71	76	80.5	85.5
	in	18.25	20	22	24	26	28	30	31.75	33.75
E. Neckline width	cm	22.5	23.5	25	25	25	26.5	26.5	27.5	27.5
	in	8.75	9.25	9.75	9.75	9.75	10.5	10.5	10.75	10.75

ABBREVIATIONS

BOR: beginning of round

CC1 / CC2: contrasting colour 1 / 2

CO: cast on

K: knit

k2tog: knit 2 together

m: marker

MC: main colour

P: purl

pm: place marker

PUK: pick up and knit. See video in Tutorials.

RS: right side

sl: slip (unless stated, this should be purlwise)

sl1wyif / sl2wyif / sl3wyif: slip 1/2/3 st with the yarn in front. Bring the yarn to the front of the work, slip 1/2/3 st as if to purl (without twisting the stitch), return the yarn to the back of the work to continue knitting. See video in *Tutorials*.

sm: slip marker

ssk: slip, slip, knit (decrease). Slip 1 st knitwise, slip the next st knitwise. Insert the left needle tip through the front loops of both slipped stitches and knit together.

st: stitch(es)

tbl: through the back loop

WS: wrong side

TUTORIALS

You can find all relevant tutorials in a YouTube playlist:

<https://bit.ly/BuelnaTutorials>

or by scanning the QR code with your phone camera.



Stitches:

sl1wyif: <https://youtu.be/8wdUjoVOxoY>
(this video shows how to slip 1 stitch – in most of the pattern you will be slipping 3 stitches)

ssk: <https://youtu.be/GXBSmedZXfY>

Techniques:

Long tail cast on:

<https://youtu.be/JC7ZiW6aoH8>

Pick up and knit (PUK):

<https://youtu.be/htAHtNnuE7Q>

Backwards loop cast on:

<https://youtu.be/ojOU7Bco4dM>



DIRECTIONS

The Buelna Tee starts with the front: a straight rectangle knitted flat, initially with a striped textured section made with slipped stitches, followed by stockinette stitch in a single colour. Then the front stitches are put on hold and stitches are picked up from the shoulders to knit the back. Both the front and the back feature an i-cord edge, which is knitted at the same time. The front and back are joined at the underarm and the rest of the body is knitted in the round in stockinette stitch. The body is finished with a twisted rib.

1. FRONT

With the larger needles for the textured panel and CC1, CO 113 (125, 137, 149) [161, 173, 185] (197, 209) st using the long tail cast-on method. Video in *Tutorials*.

Set-up row 1 (RS): K 29 (34, 38, 44) [50, 54, 60] (65, 71) st for the left shoulder, place a removable marker at the cast-on edge between the two needles. K 55 (57, 61, 61) [61, 65, 65] (67, 67) st for the neckline and place another removable marker at the cast-on edge between the two needles. K to the end for the right shoulder (you should have the same number of st as for the left shoulder). These markers are there as a guide for when we knit the back.

Set-up row 2 (WS): K3, pm, K to 3 st before the end, pm, K3. These 3 st at each end form the i-cord edge.

Begin knitting the textured panel. You can follow the chart or the written instructions. Use the colours indicated in brackets.


Note: Do not cut the yarn in between the stripes. When changing colours, move the new colour thread to the back and then bring it to the front by passing it under the other colours to ensure that you always catch the other threads in the i-cord and they are not visible from the back.

Textured panel

- Row 1 (RS) (CC1): With CC1, K to the end, slipping the m as you come across them.
- Row 2 (WS) (CC1): Sl3wyif, sm, (K1, sl1) to 1 st before the m, K1, sm, sl3wyif. (With sl1 the yarn stays where it is, at the back, which in this case is the RS of the work.)
- Row 3 (RS) (MC): With MC, K to the end.
- Row 4 (WS) (MC): Sl3wyif, sm, K2, sl1, (K1, sl1) to 2 st before the m, K2, sm, sl3wyif.
- Row 5 (RS) (CC1): With CC1, K to the end.
- Row 6 (WS) (CC1): Sl3wyif, sm, (K1, sl1) to 1 st before the m, K1, sm, sl3wyif.
- Row 7 (RS) (CC2): With CC2, K to the end.
- Row 8 (WS) (CC2): Sl3wyif, sm, K2, sl1, (K1, sl1) to 2 st before the m, K2, sm, sl3wyif.
- Row 9 (RS) (MC): With MC, K to the end.
- Row 10 (WS) (MC): Sl3wyif, sm, (K1, sl1) to 1 st before the m, K1, sm, sl3wyif.
- Row 11 (RS) (CC2): With CC2, K to the end.
- Row 12 (WS) (CC2): Sl3wyif, sm, K2, sl1, (K1, sl1) to 2 st before the m, K2, sm, sl3wyif.

Note: On WS rows we alternate rows which start with K1 before slipping and rows which start with K2. CC1 rows always start with K1. CC2 rows always start with K2. MC rows start with K2 when in between CC1 stripes and start with K1 when in between CC2 stripes.

When you have completed these 12 rows, repeat **rows 1-12** 3 (3, 4, 4) [4, 5, 5] (5, 6) more times. Then repeat **rows 1-6** 0 (1, 0, 0) [1, 0, 1] (1, 0) more times.



KEY

- MC
- CC1
- CC2
- marker
- repeat
- K on the RS
- K on the WS
- sl
- sl1wyif

Cut the contrasting colours, switch to the main needles (one size smaller than those used for the textured panel) and continue knitting stockinette stitch flat with the MC only.

Row 1 (RS): With MC, K to the end.

Row 2 (WS): Sl3wyif, sm, P to the m, sm, sl3wyif.

Repeat **rows 1 and 2** until the front measures 15 (16, 17, 18) [19, 21, 23] (24, 25) cm / 6 (6.25, 6.75, 7) [7.5, 8.25, 9] (9.5, 10) inches from the CO edge. Remove the two i-cord markers on the last row.

We'll work some decreases to remove the i-cord edge before joining the front and back.

Row 1 (RS): K2, k2tog, K to 4 st before the end, ssk, K2.

Row 2 (WS): sl2wyif, P to 2 st before the end, sl2wyif.

Row 3 (RS): K1, k2tog, K to 3 st before the end, ssk, K1.

Row 4 (WS): sl1wyif, P to 1 st before the end, sl1wyif.

Row 5 (RS): k2tog, K to 2 st before the end, ssk.

Row 6 (WS): P to the end.

Cut the yarn and place the stitches on hold on a spare cable or waste yarn.

You should have a total of 107 (119, 131, 143) [155, 167, 179] (191, 203) st.

2. BACK

With the larger needles for the textured panel, facing the WS of the work and starting at the right corner with CC1, PUK 29 (34, 38, 44) [50, 54, 60] (65, 71) st up to the first removable m we had placed at the CO edge. With the backwards loop cast-on method and making sure you keep an even tension, CO 57 (59, 63, 63) [63, 67, 67] (69, 69) st. Starting at the next removable m we had placed at the CO edge, PUK another 29 (34, 38, 44) [50, 54, 60] (65, 71) st until you reach the left corner.

Set-up row 1 (RS): K 28 (33, 37, 43) [49, 53, 59] (64, 70) st, ssk (to join the last st of the shoulder with the first st of the neck cast-on). K 55 (57, 61, 61) [61, 65, 65] (67, 67) st for the neck, k2tog (to join the last st of the neck cast-on with the first st of the right shoulder), K to the end.

Set-up row 2 (WS): K3, pm, K to 3 st before the end, pm, K3. These 3 st at each end will form an i-cord.

Start knitting the **textured section** as you did for the front. You can follow the chart or the written

description on page 4. Continue with the same directions as for the front (Section 1) ending with the decreases to remove the i-cord but, at the end, do not cut the yarn or place stitches on hold.


3. JOIN FRONT AND BACK

We are going to join the front and back to start knitting in the round.

Back, RS: K to 1 st before the end, sl1. Now we are going to recover the st from the front. Follow the instructions below depending on whether you left the front st on hold on a spare cable or waste yarn.

Spare cable: unscrew the needle from the right end of the back st (the opposite side to where your yarn is attached) and replace it with a stopper. Now screw that needle to the right end of the cable with the front st (always facing the RS).

Waste yarn: with the needle at the right edge of the back st (the opposite side to where your yarn is attached), recover the front st as follows. Facing the RS of the front, turn the work so the live st are facing up and start recovering them starting on the left side (the opposite side to where the yarn tail is).



Fold the tee at the shoulders and point one needle towards the other to start knitting in the round. You should have the back st on the right hand needle and the front st on the left hand needle.

Set-up row (RS): Place the last back st (the one we had slipped) on a removable m and leave it hanging at the back of the work. K the first st from the left needle (front), place a BOR m. Now return that held st to the left needle and knit it. (By crossing these two st, the join between the front and back is more secure.) K to 1 st before the end of the front. Place the last st on a removable m and leave it hanging at the back of the work. K the first st of the back, pm (one that looks

different from the BOR m) to mark the side of the body, now return the held st to the left needle and knit it. K to the BOR m.

You should have a total of 214 (238, 262, 286) [310, 334, 358] (382, 406) st.

4. BODY

We'll work some decreases at each side of the tee to shape it.

Decreases

Round 1: *K1, k2tog, K to 3 st before the side m, ssk, K1, sm*. Repeat from * to * once more. (4 decreases)

Round 2: K to the end.

Round 3: K to the end.

Repeat **rounds 1 to 3** 3 more times. 16 decreases in total. You should have a total of 198 (222, 246, 270) [294, 318, 342] (366, 390) st.

Continue knitting in the round in stockinette stitch (i.e., knit all rounds) until the body measures 26 (27, 28, 28) [29, 30, 31] (31, 32) cm / 10.25 (10.75, 11, 11) [11.5, 11.75, 12.25] (12.25, 12.5) inches from the underarm or 5 cm / 2 inches less than the desired total length.

Ribbing

Switch to the smaller ribbing needles.

Round 1: Repeat {K1 tbl, P1} to the end of the round.

Repeat **round 1** until the ribbing measures 5 cm / 2 inches. Bind off loosely in pattern.

5. FINISHING

Weave in the ends. Block the garment: soak it for 15-20 minutes and lay it flat to dry without stretching. Ensure that the shoulders and neckline maintain a straight line while drying.



I hope you have enjoyed knitting this pattern. Please, don't share or sell the pattern or any items made with it. It is for personal use only.

You can find all my patterns on Ravelry:
www.ravelry.com/designers/belen-fernandez
 or scanning this QR code.

