



ADELAIDE

Lace Yoke Pullover

BROOKLYN TWEED

ADELAIDE

Overview



DESIGNER

Isabell Kraemer

Baden-Württemberg, Germany

SKILL LEVEL



Intermediate

PATTERN VERSION

1.0

Released 06.20.18

SHARE

#AdelaidePullover

We love seeing your progress!

We work hard to ensure our patterns are precise, thorough, and thoughtfully considered. If you get stuck, need help, or think you may have found an error in the pattern and want our technical team to check it out, please drop us a note at support@brooklyntweed.com.

Spec Sheet**MATERIALS****Brooklyn Tweed *Vale* — 100% American Rambouillet Wool (450 yards/50 grams)**

3 (3, 3, 4, 4, 4) skeins for short sleeved version

1025 (1120, 1240, 1415, 1520, 1620) total yards of laceweight wool yarn

4 (4, 4, 5, 5, 6) skeins for long sleeved version

1435 (1565, 1735, 1950, 2125, 2265) total yards of laceweight wool yarn

Short sleeved version photographed in color *Norway*Long sleeved version photographed in color *Nocturne***GAUGE**

26 stitches & 39 rounds = 4" in stockinette stitch with Size A needle(s), after blocking

26 stitches & 39 rounds = 4" in Yoke Chart pattern with Size B needle(s), after blocking

Note: Be sure to swatch both stitch patterns to ensure proper sizing.**NEEDLES****Size A (for Main Fabric)**

One each 16" and 32" circular needles and one set of double-pointed needles (DPNs)* in size needed to obtain gauge listed

Suggested Size: 3½ mm (US 4)

Size B (for Yoke Chart and Ribbing)

One each 16" and 32" circular needles and one set of DPNs*, one size smaller than Size A

Suggested Size: 3¼ mm (US 3)

*Due to significant variance among knitters, your Yoke Chart fabric should be swatched and wet-blocked prior to knitting your sweater to determine whether this needle size should be larger, smaller or equal to Size A.***Size C (optional; for Tubular Cast On)**

One 16" circular needle, one size smaller than Size B

Suggested Size: 3 mm (US 2½)

*Note: If you have adjusted the needle size to obtain the correct gauge, it may or may not be necessary to make a matching adjustment to the needle size used for Tubular Cast On due to variance in individual work. You may wish to test your chosen cast-on method on your swatch.***32" circular needle can be used instead of DPNs if using the Magic Loop method for working small circumferences in the round (e.g., Sleeves).*

Spec Sheet

DIMENSIONS

38¼ (41¾, 46¼, 50½, 54¼, 57¾)" [97 (106, 117.5, 128.5, 138, 146.5) cm] circumference at bust

Intended Ease: + 6–8" [15–20.5 cm]

Samples shown are size 41¾" [106 cm] with 9¾" [25 cm] ease on model



TOOLS

Stitch markers (including one in a unique style or color for BOR), stitch holders or waste yarn, T-pins (optional), blunt tapestry needle

If working Tubular Cast On, you will also require smooth waste yarn (fingering-weight cotton, silk, or bamboo yarn) and Size C needle(s). You may use another cast on if desired, omitting these tools.

If working Tubular Bind Off, you will also require a spare circular needle in Size B or smaller. You may use another bind off if desired, omitting this needle.




SKILL LEVEL

Intermediate

Required Techniques: Cast on of knitter's choice, increasing and decreasing, reading charts, knitting in the round, Short Rows: German Method, binding off in pattern, Cabled Cast On

Optional Techniques: 1x1 Tubular Cast On, 1x1 Tubular Bind Off, 2x2 Tubular Bind Off

Schematic



ADELAIDE

Adelaide is an endearing pullover worked in springy Vale that wears both softly and crisply. Carrying on its yoke the nostalgic and innocent charm of collecting acorns in the woods or sand dollar shells by the shore, this is a piece that encourages a certain lightness — of the heart, of the spirit, and of the mind.

CONSTRUCTION NOTES

- This pullover is worked circularly from the top down and separated at the underarms, then the body is worked in the round to the hem. Sleeve stitches are then picked up and worked in the round to the cuffs.
- Short Rows: German Method (see *Special Techniques*) are used to shape the yoke.
- Two sleeve length options are given.
- Read all chart rounds from right to left.

STITCH PATTERNS

1x1 Ribbing

Even number of stitches; 1-round repeat

Round 1: *Knit 1, purl 1; repeat from * to end.

Repeat Round 1 for pattern.

2x2 Ribbing

Multiple of 4 stitches; 1-round repeat

Round 1: *Knit 2, purl 2; repeat from * to end.

Repeat Round 1 for pattern.

YOKE

1X1 TUBULAR CAST ON

If you do not wish to work a Tubular Cast On, cast on 110 (114, 118, 120, 120, 128) stitches using Size B 16" circular needle (suggested size: 3¼ mm/US 3), working yarn and your preferred method. Place unique marker for BOR and join for working in the round being careful not to twist your ring of stitches, then proceed to the "Work Neckband" section of piece.

With Size C 16" circular needle (suggested size: 3 mm/US 2½) and waste yarn, cast on 56 (58, 60, 61, 61, 65) stitches with a relaxed tension using your preferred method.

Switch to working yarn for Foundation Row, then work Row/Rounds 1-4 as directed in *Special Techniques*; you will have 110 (114, 118, 120, 120, 128) stitches on your needle after Row 1.

Switch to Size B 16" circular needle.

WORK NECKBAND

Note: BOR is at center back.

Begin 1x1 Ribbing (see *Stitch Patterns*); work 5 rounds even.

MAIN FABRIC

Size 38¼" only:

Next Round: *Knit 5, M1L; repeat from * to end. [132 stitches]

Size 41¼" only:

Next Round: [Knit 3, M1L] 3 times, *knit 4, M1L; repeat from * to last 9 stitches, [knit 3, M1L] 3 times. [144 stitches]

Size 46¼" only:

Next Round: [Knit 4, M1L] twice, *knit 3, M1L; repeat from * to last 8 stitches, [knit 4, M1L] twice. [156 stitches]

Size 50½" only:

Next Round: *Knit 2, M1L, knit 3, M1L; repeat from * to end. [168 stitches]

Sizes 54¼" & 57¾" only:

Next Round: *Knit 2, M1L; repeat from * to end. [– (–, –, –, 180, 192) stitches]

All Sizes Resume:

Switch to Size A 16" circular needle (suggested size: 3½ mm/US 4).

Begin stockinette stitch (knit every round); work 1 round even.

SHAPE YOKE WITH SHORT ROWS

Note: Please review Short Rows: German Method (see Special Techniques) before proceeding.

Short Row 1 (RS): Slip marker, knit 35 (38, 42, 45, 49, 52), turn;

Short Row 2 (WS): Slip & pull, purl to BOR marker, slip marker, purl 35 (38, 42, 45, 49, 52), turn;

Short Row 3: Slip & pull, knit to BOR marker, slip marker, knit to 3 stitches past pulled stitch from previous RS row, turn;

Short Row 4: Slip & pull, purl to BOR marker, slip marker, purl to 3 stitches past pulled stitch from previous WS row, turn;

Repeat Short Rows 3 & 4 two more times.

Next Row (RS): Slip & pull, knit to BOR marker.

SHAPE YOKE WITH INCREASES

Note: Switch to Size A 32" circular needle when necessary to accommodate the number of stitches.

Work 4 (4, 4, 6, 6, 6) rounds even.

Increase Round 1: *Knit 3, M1L; repeat from * to end.
[176 (192, 208, 224, 240, 256) stitches]

Work 4 (6, 6, 6, 6, 8) rounds even.

Increase Round 2: *Knit 4, M1L; repeat from * to end.
[220 (240, 260, 280, 300, 320) stitches]

Work 4 (6, 6, 8, 8, 8) rounds even.

Increase Round 3: *Knit 5, M1L; repeat from * to end.
[264 (288, 312, 336, 360, 384) stitches]

WORK YOKE CHART

Switch to Size B 32" circular needle.

Work Rounds 1–32 (1–32, 1–36, 1–36, 1–40, 1–40) of Yoke Chart for your size.

RESUME YOKE INCREASES

Switch to Size A 32" circular needle.

Resume stockinette stitch; work 2 rounds even.

Increase Round 4: Knit 3, M1L, *knit 5, M1R, knit 7, M1L; repeat from * to last 9 stitches, knit 5, M1R, knit 4. [308 (336, 364, 392, 420, 448) stitches]

Work 6 (6, 8, 8, 10, 12) rounds even.

Size 38¼" only:

Increase Round 5: *Knit 38, M1L, knit 39, M1L; repeat from * to end. [316 stitches]

Size 41¾" only:

Increase Round 5: *Knit 21, M1L; repeat from * to end.
[352 stitches]

Size 46¼" only:

Increase Round 5: *Knit 14, M1L; repeat from * to end.
[390 stitches]

Size 50½" only:

Increase Round 5: *[Knit 12, M1L] 3 times, knit 13, M1L; repeat from * to end. [424 stitches]

Size 54¼" only:

Increase Round 5: *[Knit 13, M1L] 7 times, knit 14, M1L; repeat from * to end. [452 stitches]

Size 57¾" only:

Increase Round 5: *[Knit 11, M1L] 4 times, knit 12, M1L; repeat from * to end. [488 stitches]

All Sizes Resume:

Next Round: Knit 52 (58, 64, 71, 76, 81) stitches, place marker for sleeve, knit 54 (60, 67, 70, 74, 82) stitches, place marker for sleeve, knit 104 (116, 128, 142, 152, 162) stitches, place marker for sleeve, knit 54 (60, 67, 70, 74, 82) stitches, place marker for sleeve, knit to end.

You now have 316 (352, 390, 424, 452, 488) total stitches on your needle: 104 (116, 128, 142, 152, 162) stitches each for front and back and 54 (60, 67, 70, 74, 82) stitches for each sleeve.

Work even until yoke measures 7¾ (8½, 9¼, 10¼, 10½, 11)" from cast-on edge, measured at center back.

SHAPE YOKE WITH SHORT ROWS

Short Row 1 (RS): [Knit to marker, slip marker] twice, knit 4 (4, 6, 6, 8, 8), turn;

Short Row 2 (WS): Slip & pull, [purl to marker, slip marker] 5 times, purl 4 (4, 6, 6, 8, 8), turn;

Short Row 3 (RS): Slip & pull, knit to 4 (4, 6, 6, 8, 8) stitches past pulled stitch from previous RS row (slipping markers as you encounter them), turn;

Short Row 4 (WS): Slip & pull, purl to 4 (4, 6, 6, 8, 8) stitches past pulled stitch from previous WS row (slipping markers as you encounter them), turn;

Repeat Short Rows 3 & 4 two more times.

Next Row (RS): Slip & pull, knit to BOR marker.

Work 1 round even.

DIVIDE FOR BODY AND SLEEVES

Division Round: [Knit to sleeve marker, remove marker, place following 54 (60, 67, 70, 74, 82) stitches on a holder or waste yarn for sleeve, remove marker, use the Cabled Cast On Method (see *Special Techniques*) to cast on 10 (10, 11, 11, 12, 13) stitches for underarm, place marker for side, cast on 10 (10, 11, 11, 12, 13) more underarm stitches] twice, knit to BOR marker, remove marker, knit to first side marker; this is new BOR. [You now have 248 (272, 300, 328, 352, 376) stitches for body on your needle]

BODY

Next Round: [Purl 1, knit to next marker, slip marker] 2 times. Repeat the last round until body measures 11½ (11½, 12, 12, 12½, 12½)" from underarm cast on, or 2½" less than desired length.

WORK RIBBING

Switch to Size B 32" circular needle.

Begin 2x2 Ribbing (see *Stitch Patterns*); work even until body measures 14 (14, 14½, 14½, 15, 15)" from underarm cast on.

If you do not wish to work a Tubular Bind Off, bind off all stitches in pattern now.

2X2 TUBULAR BIND OFF

Next Round: Work as established to end, remove BOR marker, knit 1, place marker.

Tubular Round 1: *Knit 1, slip 2 purlwise with yarn in front (wyif), knit 1; repeat from * to end.

Tubular Round 2: *Slip 1 purlwise with yarn in back (wyib), purl 2, slip 1 purlwise wyib; repeat from * to end.

Bind off all stitches using the 2x2 Tubular Bind Off (see *Special Techniques*), with RS facing and using current needle and a spare needle the same size or smaller for dividing stitches.

SLEEVES (MAKE 2)

Place 54 (60, 67, 70, 74, 82) held sleeve stitches on Size A DPNs. Beginning at center underarm with RS facing, pick up and knit 10 (10, 11, 11, 12, 13) stitches from underarm cast on, knit across sleeve stitches, pick up and knit 10 (10, 12, 11, 12, 13) stitches from underarm cast on, place marker for BOR. [74 (80, 90, 92, 98, 108) stitches now on needle(s)]

Begin stockinette stitch; work even until sleeve measures ½" from underarm for short sleeves or 2" from underarm for long sleeves.

For short sleeves, skip to the "Work Ribbing" section. For long sleeves, proceed to "Shape Sleeve".

SHAPE SLEEVE

Sleeve Decrease Round: Knit 1, k2tog, work to last 3 stitches, SSK, knit 1. (2 stitches decreased)

Repeat Sleeve Decrease Round every 11th (8th, 6th, 6th, 6th, 6th) round 6 (12, 9, 12, 8, 4) more times, then every 10th (–, 6th, 5th, 5th, 5th) round 3 (0, 7, 5, 10, 16) times.

Upon completion of this section, you will have worked the Sleeve Decrease Round a total of 10 (13, 17, 18, 19, 21) times; you now have 54 (54, 56, 56, 60, 66) stitches on your needle(s).

Work even until sleeve measures 16" from underarm or 2" less than desired length.

WORK RIBBING

Switch to Size B DPNs.

Begin 1x1 Ribbing; work even until sleeve measures 2" from underarm for short sleeves or 18" from underarm for long sleeves.

If you do not wish to work a Tubular Bind Off, bind off all stitches in pattern now.

1X1 TUBULAR BIND OFF

Tubular Round 1: *Knit 1, slip 1 purlwise wyif; repeat from * to end.

Tubular Round 2: *Slip 1 purlwise wyib, purl 1; repeat from * to end.

Bind off all stitches using the 1x1 Tubular Bind Off (see *Special Techniques*) with RS facing and using current needle(s) and a spare needle the same size or one size smaller for dividing stitches.




FINISHING

Wet-block piece to schematic measurements (see *Special Techniques*). Weave in any remaining ends invisibly on the WS of fabric.


Chart & Legend

Sizes 38¼" & 41¼"




12-stitch repeat

-  **Knit**
Knit stitch
-  **Purl**
Purl stitch
-  **K2tog**
Knit 2 stitches together (1 stitch decreased; leans right)
-  **SSK (*modified*)**
Slip 1 stitch knitwise from L to R needle, replace stitch on L needle in new orientation then knit 2 stitches together through the back loops (1 stitch decreased; leans left)
-  **YO**
With yarn in front, bring yarn over top of R needle from front to back, creating a yarn over (1 stitch increased)

*Charts**Sizes 46¼" & 50½"*

12-stitch repeat

Sizes 54¼" & 57¾"

12-stitch repeat

Special Techniques

1x1 Tubular Cast On

Using Size C circular needle or needle(s) in preferred style for small-circumference circular knitting (suggested size: 3 mm/US 2½), waste yarn, and your preferred cast-on method, cast on with a relaxed tension the number of stitches directed for piece. Do not join.

Note: If you are using DPNs you may find it easier to work through Row 1 with a straight or circular needle, then switch to DPNs on Round 2 after work has been joined for working in the round.

Foundation Row (WS): With working yarn, purl all stitches in row. This row is worked directly into your waste yarn stitches.

Row 1 (Increase Row; RS): *Knit 1, insert your L needle tip from front to back under the running thread between the stitch you just worked and the next stitch on L needle, then purl this stitch (increasing one); repeat from * to last 2 stitches, knit 1, insert L needle tip from front to back under the running thread between the stitch you just worked and the next stitch on L needle, then purl the lifted running thread together with last stitch on L needle. Join for working in the round, placing a unique marker for BOR.

Round 2 (Tubular Purl Round): *Slip 1 purlwise with yarn in back, purl 1; repeat from * to end.

Round 3 (Tubular Knit Round): *Knit 1, slip 1 purlwise with yarn in front; repeat from * to end.

Round 4: Repeat Round 2.

You may remove the waste yarn from your tubular edge at any time by carefully snipping it with scissors and unraveling it; however, it is recommended that you wait until you have worked 1-2" of fabric before removing. Take care during this process to avoid accidentally cutting any of your working yarn. You may leave your waste yarn in your project through completion of knitting and blocking if you wish. If you choose to leave it in, the waste yarn will protect your tubular edge from being damaged or overstretched during knitting and blocking.

Short Rows: German Method

The piece is turned at the end of the current short row. Slip & pull is worked on the first stitch of the row following a turn. The first stitch on the L needle is slipped purlwise wyif, then the yarn is pulled tightly over the needle so that the two legs of the stitch in the row below are pulled up and exposed on the R needle. Tension is held on the yarn while working the next stitch on the L needle to keep the stitch in this position. When the pulled stitch is encountered on the following row, it will appear as though two loops are linked at their centers, each loop has two legs, and each set of legs goes either in front or in back of the L needle. Insert the needle into the center of the linked loops and knit or purl as usual, thus concealing the turn point.

Special Techniques (continued)

Short Rows: German Method (continued)

Slip & pull:

After a knit row: (Purl side facing; yarn at front of work) Slip 1 stitch purlwise from L to R needle, pull yarn over R needle to back (as if making a yarn over) and around to front again, pulling tightly; continue as directed in pattern.

After a purl row: (Knit side facing; yarn at back of work) Bring yarn to front, slip 1 stitch purlwise from L to R needle, pull yarn over R needle to back (as if making a yarn over), pulling tightly; continue as directed in pattern.

To hide the pulled stitches in subsequent rows: Work to the pulled stitch, insert R needle into the center of the linked loops and knit or purl the stitch as usual.

Cabled Cast On

Make a slip knot on L needle to begin, insert R needle into slip knot and knit a new stitch. Place new stitch on L needle. *Insert R needle between the first and second stitches on the L needle, wrap strand of yarn around R needle as you would for a knit stitch and pull through, place this new loop onto L needle; repeat from * until required number of stitches have been cast on. After last stitch has been cast on, slip last stitch purlwise to R needle, bring working yarn to front between needles, return last stitch to L needle and pull working yarn snugly. Repositioning the working yarn in this way creates a cleaner edge at the end of your cast-on row.

*If using this method to cast on stitches to a piece in progress, omit the slipknot and begin at *.*

2x2 Tubular Bind Off

Work the set-up rows as directed for piece on which you are working. As the piece faces you, the first stitch should be a knit stitch, followed by two purl stitches, then two knit stitches. This may be either the RS or WS facing.

Divide knit and purl stitches:

Using two spare needles, transfer stitches as follows:

Slip first (knit) stitch to Front Needle, *slip 2 purl stitches to back needle, slip 2 knit stitches to Front Needle; repeat from * to last 3 stitches, slip 2 purl stitches to back needle, slip last (knit) stitch to Front Needle. You now have an equal number of stitches on Front and Back needles.

Proceed as for Kitchener Stitch (following page), binding off the stitches by grafting them together.

Special Techniques (continued)

1x1 Tubular Bind Off

This is a method of binding off which uses Kitchener Stitch to create a smooth edge.

Divide knit and purl stitches:

Using two spare needles, transfer stitches as follows:

*Slip first (knit) stitch to Front Needle, slip next (purl) stitch to Back Needle; repeat from * to end. You now have an equal number of stitches on front and back needles.

Proceed as for Kitchener Stitch (following), binding off the stitches by grafting them together.

Kitchener Stitch (Grafting)

Kitchener Stitch is used to sew live stitches together in a way that mimics a row of knitting. Pieces to be joined are live on needles, with both needle tips pointing to the right. Use a length of yarn approximately four times the length of the finished seam, attached to the right edge of the fabric (use the yarn the piece was knitted with, or attach a new length of yarn). Thread the yarn onto a blunt tapestry needle and follow the instructions below, working from right to left (note that you will work into each stitch twice):

Step 1: Insert tapestry needle into first stitch on Front Needle as if to purl; pull yarn through, but do not slip this stitch from needle.

Step 2: Insert tapestry needle into first stitch on Back Needle as if to knit; pull yarn through, but do not slip this stitch from needle.

Step 3: Insert tapestry needle into first stitch on Front Needle as if to knit, slipping this stitch off the needle. Insert tapestry needle into next stitch on Front Needle as if to purl and pull yarn through this stitch, tugging it gently.

Step 4: Insert tapestry needle into first stitch on Back Needle as if to purl, slipping this stitch off the needle. Insert tapestry needle into next stitch on Back Needle as if to knit and pull yarn through this stitch, tugging it gently.

Repeat Steps 3 and 4 until a single stitch remains on each needle, adjusting the tension of the sewing yarn every few stitches so that it mimics the tension of the knitting. To finish, insert tapestry needle into final stitch on Front Needle as if to knit, slipping it off of needle. Now, insert tapestry needle into final stitch on Back Needle as if to purl, slipping it off of needle. Pull the yarn through and fasten off gently so as not to distort the stitches.

*Special Techniques (continued)***Wet Blocking**

Fill a sink or basin with cold water and a small amount of delicate dish soap or rinseless wool wash. Submerge fabric in water, gently squeezing out any air bubbles so that the piece can remain under water without being held there. Soak work for 10 minutes, allowing fabric to become completely saturated.

Drain the sink and remove work. If you have used dish soap (rather than rinseless wool wash), fill the sink again once or twice to rinse the soap from your fabric. Never place knitting directly under running water.

Squeeze out excess water from your work, taking care not to twist or wring fabric. Roll your fabric between two clean bath towels “burrito style” and firmly press towel roll. This will aid in removing moisture from the knitted piece. Remove piece from towels — your fabric should now feel damp but not saturated.

Pin piece in place on a blocking board or other appropriate surface, using instructed dimensions. Use as many T-pins as required to block piece into desired shape. Allow fabric to air dry completely before removing. Steam out any creases formed while piece was drying.

Abbreviations

BOR	Beginning of Round
DPN	Double-Pointed Needle
L	Left: Used in technique instructions to indicate which of your two working needles is being used.
M1L	With L needle tip, pick up the running thread between stitch just worked and first stitch on L needle from front to back. Knit the running thread through the back loop. (1 stitch increased; leans left)
M1R	With L needle tip, pick up the running thread between stitch just worked and first stitch on L needle from back to front. Knit the running thread through the front loop. (1 stitch increased; leans right)
R	Right: Used in technique instructions to indicate which of your two working needles is being used.
RS	Right Side: The public side of the knitted fabric, i.e. the fabric that will be visible when garment is worn.
WS	Wrong Side: The non-public side of the knitted fabric, i.e. the fabric that will not be visible when garment is worn.
WYIB	With Yarn in Back
WYIF	With Yarn in Front

See Chart Legend for Abbreviations not listed here.

This pattern may be printed and used for personal, non-commercial use only and may not be reproduced, sold, or distributed.
All images, text, and illustration © Brooklyn Tweed 2018. Class use and/or translations are allowed only with the express written permission
of Brooklyn Tweed. For questions, please contact us at info@brooklyntweed.com.