



1. ADHESIVE TO BE EXTERIOR GRADE POLYURETHANE CONSTRUCTION ADHESIVE.
2. FINISH ALL WOOD COMPONENTS AND ASSEMBLIES WITH 2 COATS OF EXTERIOR SOLVENT BASED TRANSPARENT STAIN (BENJAMIN MOOR - MOORYOOD OR APPROVED EQUAL)
3. ALL FASTENERS TO BE STAINLESS STEEL UNLESS OTHERWISE NOTED.

## Key Notes

- |    |  |
|----|--|
| 7  | FASTEN AND ADHERE BASE WITH 100/2.5 STAINLESS STEEL PLAT SOCKET HEAD WOOD SCREW AND #10 COUNTERSUNK FINISHING WASHER.  |
| 8  | FASTEN AND ADHERE WOOD CORNER POST AND RIDGE WITH #16.5 STAINLESS STEEL PLAT SOCKET HEAD WOOD SCREW AND #10 COUNTERSUNK FINISHING WASHER.  |
| 9  | GLAM DUAL ALUM. GROMMET HEAD RIVETS WITH GLAM ALUM. WASHERS  |
| 10 | "BENDY" PL PANELS<br>KAMU WAKHONG "BENDY" PL FROM 1219 X 2438 (4' X 8') LONG GRAM SHEETS.  |
| 11 | DIRECTION OF FACE GRAM   |
| 12 | BASE PLAT ASSEMBLY:<br>PL 238 (2' X 12') LUBBER, LAP AND ADHERE AND FASTEN WITH #6/2.0 SOCKET HEAD WOOD SCREWS   |
| 13 | STAINLESS STEEL THREADED ROD   |
| 14 | STAINLESS STEEL BOLT AND WASHER, COUNTERSINK INTO BASE PL 238 (2' X 12') LUBBER  |
| 15 | WOOD PLYWOOD PLATE, CUT TO FIT DIAMETER OF HOLE BASE, FINISH TO MATCH "BENDY" PL   |
| 16 | ICE HOLES: DRILL WITH ICE AUGER AND FLOOD WITH WATER AFTER NOTCHING RIDGE AND CORNER POSTS   |
| 17 | COUNTERSUNK STAINLESS NUT AND WASHER INTO WOOD BASE PLAT ASSEMBLY  |
| 18 | 38x184 BLOCKING, MEETER AS INDICATED   |
| 19 | EXISTING ICE   |
| 20 | LAP JUNT, FASTEN AND ADHERE AS INDICATED   |
| 21 | BUTT JUNT, FASTEN WITH GLAM ALUM. GROMMET HEAD RIVETS AND GLAM ALUM. WASHERS   |
| 22 | 38 X 174 WOOD PLANING, RIP FROM 38 X 184 (2' X 8") TO SQUARE EDGES, GLEE AND RISQUIT GRAM PLANKS (SAND) TIGHTEN TOGETHER WITH WOOD BASE PLAT ASSEMBLY  |
| 23 | ADHERE ALUM. JUNT  |
| 24 | GLAMINATED STEEL SHEET MATERIAL STRAPPING AS REQUIRED, NUT AND WASHER 25 GRAM  |
| 25 | WOOD STAGGERED PERFORATION PATTERN WITH GLAM DUAL HOLES AT 25MM OFFSETS. OFFSET PATTERN 20MM FROM EDGE AND 10MM FROM CORNER  |
| 26 | "BENDY" PL PANEL AT INTERIOR FACE OF CORNER POST AND RIDGE BEAM, CUT TO SIZE, ADHERE AND FASTEN WITH #8/1.5 STAINLESS STEEL PLAT SOCKET HEAD WOOD SCREW, FINISH EDGE FLUSH WITH FACE OF BLOCKING |
| 27 | NOTCH BASE ASSEMBLY TO SUIT "BENDY" PL PANELS  |
| 28 | TAPER BASE TO SUIT "BENDY" PL PANELS, REFER TO DETAILS IN 28.18  |
| 29 | 38 X 38 WOOD BLOCKING, FINISH, FASTEN AND ADHERE AS INDICATED  |
| 30 | 60/7.0 STAINLESS STEEL PLAT SOCKET HEAD WOOD SCREW AND #10 COUNTERSUNK FINISHING WASHER.   |

Winnipeg Skating Shelters  
Patkau Architects Inc

scale: 1:20