



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a : EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Nach/According to/Selon

Certificato nr. MEST033976 / 2023 /

Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CENTRAL EUROPE S.R.O.
LIBUSINA 342/97
77900 - OLOMOUC - CZECH REPUBLIC - CZ

Stato di fornitura : Hot rolled - Annealed Peeled

Lieferzustand
Delivery state
Etat de livraison

Produttore :
Hersteller/Item/Usine productrice

Ordine nr: PO23000317-JC

Bestell
Your order
Commande

Tipo di Elaborazione: E+AOD

Erschmelzungsart
Melting process
Mode d'elaboration

Marchi di Fabbrica:
Zeichen des Lieferwerkes
Trade marks
Sigles de l'usine productrice



Conferma ordine nr: EI23001316

Werks/Our Order/Ref nr.

Qualità: 1.4571

Werkstoff/Grade/Nuance

Punzone del Collaudatore:

Stempel des Werkssachverständigen
Inspector's stamp/Poinçon de l'assesseur

MR

Avviso di Spedizione: D-VI23006529

Lieferanzeige/Packing list/B.L.

Marca: APMT/DE

Markenbezeichnung
Brand / Nuance

Punzonatura: 1.4571

Kennzeichnung
Marking
Marquage

SPECIFICHE :	Note:
Anforderungen / Requirements / Exigences	Aufzeichnungen / Notes / Notes
VAL STOCK W2 A 1.4571 A AD 2000-M. W 2 01/20 1.4571 A (0) EN 10088 PART 3 2014 1.4571 A EN 10272 2016. 1.4571 A ISO 148-1 2016 . ISO 3651-2 98 METHOD A T1 ISO 6892-1 2019 . NACE MR0103 2015 S31635 A (1) NACE MR0175 2015 S31635 A (2)	(0)AD 2000-MERKBLATT W 2 edition 01.2020 AD 2000-MERKBLATT W 10 edition 01.2020 (1)ANSI/NACE MR0103/ISO 17945 November 23, 2015 (2)ANSI/NACE MR0175/ISO 15156-3, third edition November 23,2015

		Tolleranza: k12									
		Toleranz/Allowance/Tolerance									
Pos. nr.	Oggetto	Dimensioni - mm		Lunghezza - mm	Colata	Pezzi	Peso - KG	Lotto nr.			
Pos. nr. Item nr. Nr. de poste	Gegenstand Product description Descrip. du produit	Abmessungen Dimension Dimension		Länge Length Longueur	Schmelze Heat Coulée	Stückzahl Pieces Pieces	Gewicht Weight Poids	Losnr. Lot nr. Lot nr.			
0040	Round	80,000		6532/ 6532	289645		261,0	227207660			



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a : EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Nach/According to/Selon

Certificato nr. MEST033976 / 2023 /

Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CENTRAL EUROPE S.R.O.
LIBUSINA 342/97
77900 - OLOMOUC - CZECH REPUBLIC - CZ

Stato di fornitura : Hot rolled - Annealed Peeled

Lieferzustand
Delivery state
Etat de livraison

Produttore :
Hersteller/Item/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: PO23000317-JC

Bestell
Your order
Commande

Tipo di Elaborazione: E+AOD

Erschmelzungsart
Melting process
Mode d'elaboration

Marchi di Fabbrica:
Zeichen des Lieferwerkes
Trade marks
Sigles de l'usine productrice



Conferma ordine nr: EI23001316

Werks/Our Order/Ref nr.

Qualità: 1.4571

Werkstoff/Grade/Nuance

Punzone del Collaudatore:

Stempel des Werksachverständigen
Inspector's stamp/Poinçon de l'assesseur

MR

Avviso di Spedizione: D-VI23006529

Lieferanzeige/Packing list/B.L.

Marca: APMT/DE

Markenbezeichnung
Brand / Nuance

Punzonatura: 1.4571

Kennzeichnung
Marking
Marquage

Charpy per ISO 148-1

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangential

TEST	Provetta/ Probestab Specimen/Eprouvette Larg.diam.Spe. Breite Diam. Dicke Width Diam. Thickness Larg. diam. epais mm	°C	Posiz. Saggio Probestage Location Emplacement 1)	Resilienza Kerbschlagarbeit Impact Value Resilience KV2 J	Espansione laterale Lateral Expansion	Shear Shear
Valori richiesti Anforderungen/Required values Valeurs demandées	min max	100	100	100	-	-
D	10X10	20	L	244	240	246

Tensile testing according to ISO 6892-1

Impact testing according to ISO 148-1

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata /Heat Schmelze/Coulée	min - max	0,080	1,00	2,00	16,50 18,50	2,00 2,50	10,50 13,50	5°C 0,70	0,045	0,030	-	-	-	-	-
289645	C %	Si %	Mn %	Cr %	Mo %	Ni %	Ti %	P %	S %						
	0,007	0,69	1,87	16,80	2,11	10,74	0,06	0,031	0,026						

Corrosion test in 16% sulfuric acid and copper sulfate solutions

Test standard: UNI EN ISO 3651-2 Method A

Test	Heat treatment before test	Length of Period (h)	Test temp (°C)	Bend Angle (°)	Ø spindle (mm)	Result of visual inspection at 20 x magnification after bend test	Result
Intergranular corrosion	Sensitized T1	20	boil	90	5	Absence of cracks	SATISFACTORY

Solution annealing by process annealing 1040°C min /

/ cooling rapidly

Controlled rolled

Reduction ratio = 6,0 : 1

ET ACC. TO EN 10088-3 TAB.1

UT ACC. TO ASTM A388

"Issued in agreement with TÜV SÜD Industrie Service GMBH

(07/1972)"

"Qs approved according to PED, Annex I, Para. 4.3 by

Notified Body 0036"

"(Certification no. DGR-0036-QS-W 23/2002/MUC)"

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind it. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza con tecnica XRF/OES portatile : OK
Verwechslungsprüfung: durch XRF/OES Gerät geführt : OK
Antimixing testing performed with XRF/OES portable : OK
Contrôle antimélange svl technique XRF/OES portable : OK

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks:satisfactory
Contrôle visuel et dimensions: satisfaisant

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D

Vicenza, 09/03/2023

VCQ052 - MEST033976

Direzione Qualità

Qualitätsmanagement/Quality Management/Gestion Qualité

R.BERTELLI

Direzione Prodotto

Produktmanagement/Product Management/Direction Produit

P.MESSORI

Pagina
2 di 3



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a : EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Nach/According to/Selon

Certificato nr. MEST033976 / 2023 /

Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client

VALBRUNA CENTRAL EUROPE S.R.O.

LIBUSINA 342/97

77900 - OLOMOUC - CZECH REPUBLIC - CZ

Stato di fornitura : Hot rolled - Annealed Peeled

Lieferzustand

Delivery state

Etat de livraison

Produttore :

Hersteller/Item/Usine productrice

Tipo di Elaborazione: E+AOD

Erschmelzungsart

Melting process

Mode d'elaboration

Ordine nr: PO23000317-JC

Bestell

Your order

Commande

Conferma ordine nr: EI23001316

Werks/Our Order/Ref nr.

Qualità: 1.4571

Werkstoff/Grade/Nuance

Avviso di Spedizione: D-VI23006529

Lieferanzeige/Packing list/B.L.

Marca: APMT/DE

Markenbezeichnung

Brand / Nuance

Marchi di Fabbrica:

Zeichen des Lieferwerkes

Trade marks

Sigles de l'usine productrice



Punzone del Collaudatore:

Stempel des Werkssachverständigen

Inspector's stamp/Poinçon de l'essayeur

MR

Punzonatura: 1.4571

Kennzeichnung

Marking

Marquage

Melted, poured and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination by the portal system when it leaves the production plant.

The Quality Management System is also Certified according Pressure Equipment Directive 2014/68/EU Annex 1, chapt.4.3 by TÜV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Maxival and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

WSP65ADF245687ABCDEF0135778ABBBDEF01

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D

Vicenza, 09/03/2023

VCQ052 - MEST033976

Direzione Qualità

Qualitätsmanagement/Quality Management/Gestion Qualité

R.BERTELLI

Direzione Prodotto

Produktmanagement/Product Management/Direction Produit

P.MESSORI

Pagina
3 di 3