

LIFT Fitness Backend

Remote Work & Collaboration Guide

Created: June 01, 2026

■ *Ready for Multi-User Collaboration*

■ Table of Contents

- 1. Quick Start
- 2. Repository Setup
- 3. Initial Cloning
- 4. Environment Configuration
- 5. Workflow & Git Commands
- 6. Demo Credentials
- 7. Auto-Deploy Process
- 8. Multi-User Collaboration
- 9. Troubleshooting
- 10. Resources & Links

1■■ Quick Start

Get up and running in 5 minutes:

Step 1: Clone Repository

```
git clone https://github.com/tomasmineoo-ctrl/lift-fitness-backend.git
```

Step 2: Install Dependencies

```
npm install
```

Step 3: Configure Environment

Copy .env.example to .env and add your Supabase credentials

Step 4: Start Development

```
npm run dev
```

■ Your app will be running on <http://localhost:3000>

2■■ Repository Setup

■ GitHub Repository

`https://github.com/tomasmineoo-ctrl/lift-fitness-backend`

■ **Owner:** tomasmineoo-ctrl

■ **Visibility:** Public (anyone can clone)

■■ **CI/CD:** Auto-deploy to Railway on every push

What's Included in the Repository:

- ■ Node.js + Express + TypeScript backend
- ■ Supabase database migrations & seed scripts
- ■ Pre-configured environment variables
- ■ HTTP Basic Auth middleware
- ■ REST API endpoints
- ■ Pre-populated login form
- ■ Demo credentials for 5 roles

3■■ Initial Cloning (First Time Only)

On Your Notebook:

1. Open PowerShell

2. Navigate to your projects folder

```
cd C:\Users\YOUR_NAME\Desktop
```

3. Clone the repository

```
git clone https://github.com/tomasmineoo-ctrl/lift-fitness-backend.git
```

4. Enter the directory

```
cd lift-fitness-backend
```

5. Install dependencies

```
npm install
```

■ **Done!** You now have a local copy of the project.

4■■ Environment Configuration

Create .env File:

```
Copy .env.example to .env:
```

```
Copy-Item ".env.example" ".env"
```

Required Environment Variables:

```
SUPABASE_URL = https://usdbcbpcbcjovsqmpkrnm.supabase.co
```

Database URL

```
SUPABASE_SERVICE_ROLE_KEY = [Provided separately]
```

Database auth key

```
JWT_SECRET = lift-fitness-jwt-secret-2025-secure-key
```

Session secret

```
JWT_EXPIRES_IN = 7d
```

Token expiration

```
NODE_ENV = development
```

Environment mode

■■ **Important:** Never commit .env to GitHub!

5 ■ Workflow & Git Commands

A. Before You Start Working

Always pull the latest changes from GitHub:

```
git pull origin main
```

B. While You Work

View your changes:

```
git status
```

See detailed changes:

```
git diff
```

C. When You're Done (Push to Production)

Stage changes:

```
git add .
```

Create a commit:

```
git commit -m "Your descriptive message"
```

Push to GitHub:

```
git push origin main
```

■ **Railway will automatically deploy your changes!**

Check deployment progress at: <https://railway.app>

6 ■■ Demo Credentials

■ Domain Access (HTTP Basic Auth)

Username	SEBASTIAN
Password	TOMASYSEBASTIAN

■ Demo User Roles (Pre-filled in Login Form)

Role	Email	Password
Admin	admin@lift.com	Lift2025#
Reception	recep@lift.com	recep2025
Trainer	trainer@lift.com	trainer2025
Nutritionist	nutricion@lift.com	nutri2025
Member (Socio)	carlos@mail.com	1234

■ **Tip:** Demo buttons in the UI let you switch between roles instantly.

7■■ Auto-Deploy Process

How It Works:

1. You make changes locally and do: `git push origin main`
2. GitHub receives your code
3. Railway detects the push (webhook integration)
4. Railway rebuilds the application
5. New version deploys to production
6. `ctrlgym.org` gets updated (1-3 minutes)

Check Deployment Status:

Visit: <https://railway.app> → Select lift-fitness project → View logs

■■ What To Avoid:

- Don't commit `.env` files (they contain secrets)
- Don't push to production without testing locally first
- Don't force push (`git push --force`) to main branch

8■■ Multi-User Collaboration

■ Yes, Multiple Users Can Work on This Project!

How It Works:

- User A clones the repo and makes changes → git push
- Railway auto-deploys User A's changes
- User B pulls latest changes → git pull origin main
- User B sees User A's updates and can build on them
- User B makes their own changes → git push
- Process repeats...

Best Practices for Teams:

1. Always pull before starting work: git pull origin main
2. Use descriptive commit messages
3. Coordinate with teammates on what you're working on
4. Test changes locally before pushing
5. Don't work on the same files simultaneously

9 ■ ■ ■ Troubleshooting

Error: "npm: command not found"

→ Node.js not installed. Download from: <https://nodejs.org/>

Error: "SUPABASE_URL not defined"

→ Create .env file with all required variables

Error: "Connection refused on localhost:3000"

→ Run: npm run dev (or npm start)

Changes not appearing on ctrlgym.org

→ Make sure you did git push origin main

→ Wait 1-3 minutes for Railway to rebuild

→ Refresh the browser cache (Ctrl+Shift+R)

Git merge conflicts

→ Coordinate with your team to avoid working on same files

→ If conflict occurs, ask for help from main developer

■ Resources & Links

■ Important URLs:

GitHub Repository: <https://github.com/tomasmineoo-ctrl/lift-fitness-backend>

Live Demo: <https://ctrlgym.org>

Railway Dashboard: <https://railway.app>

Supabase Console: <https://supabase.com/dashboard>

Node.js Documentation: <https://nodejs.org/docs>

Git Documentation: <https://git-scm.com/doc>

■ Stack Technologies:

- Node.js - JavaScript runtime
- Express - Web framework
- TypeScript - Strongly-typed JavaScript
- Supabase - PostgreSQL + Auth + Storage
- Railway - Cloud deployment platform
- GitHub - Version control

=====

*This guide was created to enable seamless remote collaboration on the LIFT Fitness Backend project.
For questions or updates, coordinate with the team lead.*

Last updated: June 01, 2026 at 18:58:36