
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 139, column 25; to line 139, column 127

<input type="hidden" name="_token"

value="sDEr3tun1yAewzpADP8R45ULvzvjOreVe2M30f72" autocomplete="off">
```

Document checking completed.

Source

```
10.
             <meta name="csrf-token"</pre>
    content="sDEr3tun1yAewzpADP8R45ULvzvjOreVe2M30f72">↔
11.
12.
            <title> QueryStack! </title>↔
13. ←
14.
            <!-- Styles -->↔
            <link href="http://localhost:8000/css/milligram.min.css"</pre>
15.
    rel="stylesheet">↔
16.
            <link href="http://localhost:8000/css/app.css" rel="stylesheet">↔
17.
            <link href="http://localhost:8000/css/about.css" rel="stylesheet">↔
18.
            <link href="http://localhost:8000/css/question-page.css"</pre>
    rel="stylesheet">↔
             <link href="http://localhost:8000/css/home-page.css"</pre>
19.
    rel="stylesheet">↔
20.
             <link href="http://localhost:8000/css/search-page.css"</pre>
    rel="stylesheet">↔
21.
             <link href="http://localhost:8000/css/admin-page.css"</pre>
    rel="stylesheet">↔
22.
            <link href="http://localhost:8000/css/user.css" rel="stylesheet">←
            <link href="http://localhost:8000/css/report.css" rel="stylesheet">↔
23.
            <link href="http://localhost:8000/css/tags.css" rel="stylesheet">←
24.
25.
             <link href="http://localhost:8000/css/notification.css"</pre>
    rel="stylesheet">↔
26.
             <link href="http://localhost:8000/css/recover-password.css"</pre>
    rel="stylesheet">
27.
             <link href="http://localhost:8000/css/blocked_users.css"</pre>
    rel="stylesheet">↔
28. ←
29.
30.
            <script src="https://kit.fontawesome.com/03bf23ebdb.js"</pre>
    crossorigin="anonymous"></script>↔
31.
            <!-- Bootstrap -->↔
32.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
    crossorigin="anonymous">↔
33.
            <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
    icons@1.11.2/font/bootstrap-icons.min.css">↔
34.
            <!-- jQuery, Popper.js and Bootstrap scripts-->↔
35.
            <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js">
    </script>↔
36.
            <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js">
    </script>↩
37.
            <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.
    js"></script>↔
38.
39.
            <script src="https://cdn.jsdelivr.net/npm/axios/dist/axios.min.js">
    </script>↔
40.
41.
            <script src=http://localhost:8000/js/app.js defer></script>↔
42.
                     <script src=http://localhost:8000/js/notification.js defer>
    </script>↩
43.
                     <script>←
                 document.addEventListener('DOMContentLoaded', function () \{ \leftarrow \}
44.
45.
                     if (window.location.pathname === '/about' &&
    window.location.hash === '#platform-contacts') { ↔
46.
                         const contactsSection =
    document.getElementById('contacts'); ←
47.
                         if (contactsSection) {
    // Scroll to the "Contacts" section with smooth
48.
49.
    behavior↩
50.
                              contactsSection.scrollIntoView({↔
                                  behavior: 'smooth'↔
51.
                             });←
52.
                    }
}
}
53.
54.
                 ن+;({
55.
```

```
56.
             </script>↔
 57.
             <script src="https://js.pusher.com/8.2.0/pusher.min.js"></script>↔
 58.
             <script>↔
 59.
                  // Enable pusher logging - don't include this in production↔
 60.
                  //Pusher.logToConsole = true;↔
 61.
 62.
                  var pusher = new Pusher('833280c9b0db39c0f30d', {↔
                      cluster: 'eu'↔
 63.
 64.
                  });←
 65.
             </script>↔
 66.
         </head>↩
 67.
         <body>←
 68.
             <main>←
 69.
                  <header>←
 70.
                      <nav class="navbar navbar-expand-lg navbar-light bg-light flex-</pre>
     container">↩
         <a class="navbar-brand" href="http://localhost:8000"><h1>QueryStack!</h1>
 71.
     </a>←
 72.
                  <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
 73.
     data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
     aria-expanded="false" aria-label="Toggle navigation">↔
74.
                  <span class="navbar-toggler-icon"></span>↔
 75.
             </button>←
 76.
 77.
                  <div class="nav_search_container align-items-center hover-</pre>
     container-down" >↩
 78.
                  <form class="form-inline my-2 my-lg-0 align-items-center m-0"</pre>
     action="http://localhost:8000/search" method="GET">↔
                      <input class="form-control mr-sm-2 h-50" style="min-width:</pre>
 79.
     150px" name="search" value="" type="search" placeholder="Search..." aria-
     label="Search">↔
 80.
                      <button class="btn btn-outline-success text-dark p-2 rounded-5"</pre>
     type="submit"><i class="bi bi-search p-1"></i></button>↔
81.
                      <div class="icon-container">↔
 82.
                          <i class="fa-solid fa-circle-question" style="color:</pre>
     #0f4aa8;"></i>↔
 83.
                          <span class="hover-text-down">Here you can search for the
     questions you want using words, and having the chance of finding one that
     solves your problem.</span>↔
 84.
                      </div>←
 85.
                  </form>←
 86.
             </div>←
 87.
 88.
 89.
         <div class="collapse navbar-collapse nav_buttons"</pre>
     id="navbarSupportedContent">↔
90. ←
 91.
                      <div class="custom-dropdown">←
         <button class="dropdown-toggle" id="customDropdown" aria-haspopup="true"</pre>
 92.
     aria-expanded="false">↔
 93.
             <i class="fa fa-bell"></i></i>
 94.
             <span id="unread-count" class="badge badge-light bg-success badge-</pre>
     xs">1</span>↔
 95.
         </button>←
         <div class="dropdown-menu" aria-labelledby="customDropdown">↔
 96.
 97.
              <div class="header-container">↔
 98.
                  <div class="header">Notifications</div>←
 99.
                  <a id="mark-all-as-read" class="btn btn-primary">Mark All as
     Read</a>↔
100.
             </div>←
101.
             <div class="dropdown-divider"></div>←
102.
             <div id="notifications-container">←
                                   <a id="notification-13" class="notification-box</pre>
103.
     unread">↩
104.
                          <div class="notification-content">←
105.
                               <span>You just won the badge Welcome</span>↔
106.
                          </div>↩
                          <div class="notification-date">\leftrightarrow
107.
108.
                               <span>Dec 21, 2023 11:32:36</span>↔
109.
                          </div>←
```

```
110.
                    </a>←
111.
                        </div>←
112.
            <div id="acceptance-message" class="alert alert-success" hidden>
     </div>↩
113.
            <div id="error-message" class="popup-message alert alert-danger"</pre>
    hidden></div>←
114.
        </div>↔
115. </div>↔
116. <script>↔
117.
        var userId = 12;↔
118.
        var channel = pusher.subscribe('notifications.'+userId); ↔
119. </script>↔
120.
                    ←
121. ←
                ب
122.
123.
                            ←
124.
                ←
125.
126. ←
                ←
127.
128.
                    <a class="nav-link dropdown-toggle" href="#"</pre>
    id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
    aria-expanded="false">↔
129.
                    </a>←
130.
                         <span>member1</span>←
131.
                    <div class="dropdown-menu dropdown_user_menu" aria-</pre>
    labelledby="navbarDropdown">↔
132.
133.
                            <a class="dropdown-item"</pre>
    href="http://localhost:8000/member/12/edit">Edit Profile</a>↔
134.
135.
136. ←
                        <div class="dropdown-divider"></div>←
137.
                        <form class="m-0" action="http://localhost:8000/logout"</pre>
138.
    method="post">↔
139.
                            <input type="hidden" name="_token"</pre>
    value="sDEr3tun1yAewzpADP8R45ULvzvjOreVe2M30f72" autocomplete="off">
    <button class="dropdown-item text-danger" type="submit">Logout</button>↔
140.
                        </form>↔
141.
142.
                    </div>←
143.
                ←
144.
145.
            ←
146. ←
147.
        </div>←
148. </nav>↔
149. ←
150. ←
151.
                </header>←
152.
                <section id="content">←
153.
                        <div class="container">←
154. ←
155.
            <div class="row my-4">←
156.
                <div class="col-md-2 w-1">↔
157.
                    <img class="profile-picture img-fluid"</pre>
     src="http://localhost:8000/storage/pictures/default/profile_picture.png"
    alt="Profile Photo">←
158.
                </div>↔
159.
                <div class="col-md-9">←
160.
                    <h3 class="mb-3 p-1">↔
161.
                         <strong>←
162.
                            member1←
163.
                                                                        </strong>↩
164.
                    </h3>←
165. ←
166.
                    <div class="row profile-details">←
                        <div class="col-md-4">↔
167.
168.
                            <i</pre>
    class="bi bi-envelope m-1"></i> member1@example.com↔
```

```
169.
                         </div>←
                         <div class="col-md-4">↔
170.
                             <i</pre>
171.
    class="bi bi-cake2 m-1"></i> 1999-04-10
172.
                         </div>↩
173.
                         <div class="col-md-4">↔
174.
                             <h4>Score: <b class="text-muted">0</b></h4>↔
175.
                         </div>←
176. ←
177.
                     </div>←
178.
                 </div>←
179.
             </div>←
180. ←
181.
             <div class="badges-section">←
182.
                 <h3><b>Badges:</b></h3>↔
183.
                 <div class="badge-grid">↔
                                             <div class="badge-unique" >↔
184.
185.
                     <div class="badge-content">←
186.
                         <b>Welcome</b><br>↔
187.
                         <b>Description: </b>You have joined the community↔
188.
                         </div>←
189.
                     <div class="badge-picture">←
190.
                         <img class="badge-picture"
     src="http://localhost:8000/storage/badges/badge_11.jpg" style="width: 150px;
    height: 150px;" alt="Badge picture">↔
191.
                     </div>↩
                 </div>←
192.
193.
194.
                             </div>←
195.
             </div>←
196. ←
             <div class="container mt-4">←
197.
198.
                 <div class="row">↔
                     <div class="col-md-4">↔
199.
200.
                         <div class="activity-section">←
201.
                             <h4 class="toggle-section"> 0 Questions <span</pre>
    class="arrow">▼</span></h4>↔
202.
                             <div class="activity-content hidden-content">←
203.
204.
                             </div>↔
205.
                         </div>←
206.
                     </div>←
207.
                     <div class="col-md-4">←
208.
                         <div class="activity-section">↔
                             <h4 class="toggle-section"> 0 Answers <span</pre>
209.
    class="arrow">▼</span></h4>↔
210.
                             <div class="activity-content hidden-content">←
211.
                                                         </div>↔
212.
                         </div>←
213.
                     </div>←
214.
                     <div class="col-md-4">↔
215.
                         <div class="activity-section">←
216.
                             <h4 class="toggle-section"> 0 Comments <span
    class="arrow">▼</span></h4>↔
217.
                             <div class="activity-content hidden-content">←
218.
                                                         </div>↔
                         </div>↔
219.
220.
                     </div>←
221.
                 </div>↔
222.
             </div>←
223. ←
224. ←
225.
             </div>←
226. ←
227. ←
228. ←
229. ←
230. ←
231. ←
232. ←
233. <script>↔
```

```
document.addEventListener('DOMContentLoaded', function() {

235.
         const toggleSections = document.querySelectorAll('.toggle-section'); ←
236.
237.
         toggleSections.forEach(section \Rightarrow {\leftarrow
238.
             section.addEventListener('click', function() { ←
                 this.classList.toggle('show-content');↔
239.
240.
                 const arrow = this.querySelector('.arrow');
241.
                 arrow.classList.toggle('rotate-arrow');↔
242.
                 const content = this.nextElementSibling; ←
243.
                 content.classList.toggle('hidden-content'); ←
244.
             });←
         ن+;({
245.
246. });←
247. </script>↔
248. ←
249. ←
250.
                 </section>↔
251.
             </main>↔
252.
             <footer class="bg-dark text-light py-4 ">←
253.
         <div class="container">↔
254.
             <div class="row align-items-center">←
255.
                 <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">↔
256.
                     The best Q&A Platform for technology
     questions↔
257.
                 </div>←
258.
                 <div class="col-md-6 text-center text-md-end">←
259.
                     <div class="d-flex justify-content-center justify-content-md-</pre>
     end">↔
260.
                         © Query Stack!↔
261.
                         <div class="site-map ms-3">←
262.
                              <a class="btn btn-outline-light me-2 mb-md-0"</pre>
     href="http://localhost:8000/about">About</a>↔
263.
                              <a class="btn btn-outline-light me-2 mb-md-0"</pre>
     href="http://localhost:8000/about#platform-contacts">Contacts</a>↔
264.
                              <a class="btn btn-outline-light"</pre>
     href="http://localhost:8000/about#faqs">FAQ</a>↔
265.
                         </div>↩
266.
                     </div>←
267.
                 </div>←
268.
             </div>↔
269.
         </div>←
270. </footer>↔
271.
272.
         </body>←
273. </html>
```

Used the HTML parser.

Total execution time 44 milliseconds.

About this checker • Report an issue • Version: 23.11.28