

Evidencia

1. Cassandra latest corriendo (fecha 09/13/2026)

```
cqlsh> show version
[cqlsh 6.2.0 | Cassandra 5.0.9 | CQL spec 3.4.7 | Native protocol v5]

PS C:\WINDOWS\system32\fixture2030-cassandra> docker compose up -d
[+] up 1/1
✓ Container fixture2030-cassandra Running
PS C:\WINDOWS\system32\fixture2030-cassandra> docker exec -it fixture2030-cassandra cqlsh

ATTENTION: All commands will be saved to history file: /root/.cassandra/cqlsh_history
This may include sensitive information such as passwords.
To disable history, use --disable-history or set 'disabled = true' in the [history] section of cqlshrc.
See https://cassandra.apache.org/doc/latest/tools/cqlsh.html for more information.

Connected to Fixture2030 at 127.0.0.1:9042
[cqlsh 6.2.0 | Cassandra 5.0.9 | CQL spec 3.4.7 | Native protocol v5]
Use HELP for help.
cqlsh> DESCRIBE CLUSTER

Cluster: Fixture2030
Partitioner: Murmur3Partitioner
Snitch: DynamicEndpointSnitch
```



2. Creacion de keyspace

```
cqlsh> CREATE KEYSPACE fixture2030_comentarios
... WITH replication = {
...     'class': 'NetworkTopologyStrategy',
...     'datacenter1': 1
... };

cqlsh> DESCRIBE KEYSPACES

fixture2030_comentarios  system_distributed  system_views
system                   system_schema        system_virtual_schema
system_auth              system_traces
```

3. Tabla ejecutada y funcionando

```
cqlsh:fixture2030_comentarios> describe table comentarios_por_partido_pais

CREATE TABLE fixture2030_comentarios.comentarios_por_partido_pais (
  partido_id text,
  pais text,
  ventana timestamp,
  creado_en timestamp,
  comentario_id uuid,
  contenido text,
  estado_moderacion text,
  likes int,
  usuario_id text,
  usuario_nombre text,
  PRIMARY KEY ((partido_id, pais, ventana), creado_en, comentario_id)
) WITH CLUSTERING ORDER BY (creado_en DESC, comentario_id ASC)
AND additional_write_policy = '99p'
AND allow_auto_snapshot = true
AND bloom_filter_fp_chance = 0.01
AND caching = {'keys': 'ALL', 'rows_per_partition': 'NONE'}
AND cdc = false
AND comment = ''
AND compaction = {'class': 'org.apache.cassandra.db.compaction.SizeTieredCompactionStrategy', 'max_threshold': '32', 'min_threshold': '4'}
AND compression = {'chunk_length_in_kb': '16', 'class': 'org.apache.cassandra.io.compress.LZ4Compressor'}
```

4. realizamos una inserción

```
cqlsh:fixture2030_comentarios> INSERT INTO comentarios_por_partido_pais (
...     partido_id,
...     pais,
...     ventana,
...     creado_en,
...     comentario_id,
...     usuario_id,
...     usuario_nombre,
...     contenido,
...     likes,
...     estado_moderacion
... )
... VALUES (
...     'ARG-FRA',
...     'ARG',
...     '2030-06-15 18:30:00',
...     '2030-06-15 18:42:10',
...     uuid(),
...     'USR001',
...     'Facundo',
...     'Vamos Argentina!',
...     12,
...     'PUBLICADO'
... );
cqlsh:fixture2030_comentarios>
```

```
cqlsh:fixture2030_comentarios> select * from comentarios_por_partido_pais ;
```

partido_id	pais	ventana	contenido	estado_moderacion	likes	creado_en	usuario_id	usuario_nombre	comentario_id
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Vamos Argentina!	PUBLICADO	12	2030-06-15 18:42:10.000000+0000	USR001	Facundo	f839b84d-1f95-430f-b4f9-4e7302555029

```
(1 rows)
cqlsh:fixture2030_comentarios>
```

5. evidencia de mas inserciones para testeo:

partido_id	pais	ventana	contenido	estado_moderacion	likes	creado_en	usuario_id	usuario_nombre	comentario_id
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Que partidazo	PUBLICADO	5	2030-06-15 18:55:00.000000+0000	USR002	Mateo	89f09184-5e58-4b7c-836f-cc0874bd8e56
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Vamos Argentina!	PUBLICADO	12	2030-06-15 18:42:10.000000+0000	USR001	Facundo	f839b84d-1f95-430f-b4f9-4e7302555029
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Vamos Argentina	PUBLICADO	8	2030-06-15 18:35:00.000000+0000	USR003	Lucas	96d93020-dfc2-477c-95b0-21ed23e6edc7

```
(3 rows)
```

6. Consultas ejecutandose

```
cqlsh:fixture2030_comentarios> SELECT *
... FROM comentarios_por_partido_pais
... WHERE partido_id = 'ARG-FRA'
... AND pais = 'ARG'
... AND ventana = '2030-06-15 18:30:00';
```

partido_id	pais	ventana	contenido	estado_moderacion	likes	creado_en	usuario_id	usuario_nombre	comentario_id
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Que partidazo	PUBLICADO	5	2030-06-15 18:55:00.000000+0000	USR002	Mateo	89f09184-5e58-4b7c-836f-cc0874bd8e56
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Vamos Argentina!	PUBLICADO	12	2030-06-15 18:42:10.000000+0000	USR001	Facundo	f839b84d-1f95-430f-b4f9-4e7302555029
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	Vamos Argentina	PUBLICADO	8	2030-06-15 18:35:00.000000+0000	USR003	Lucas	96d93020-dfc2-477c-95b0-21ed23e6edc7

```
(3 rows)
cqlsh:fixture2030_comentarios>
```

```
cqlsh:fixture2030_comentarios> SELECT *
... FROM comentarios_por_partido_pais
... WHERE partido_id = 'ARG-FRA'
... AND pais = 'ARG'
... AND ventana = '2030-06-15 18:30:00'
... LIMIT 1;
```

partido_id	pais	ventana	creado_en	comentario_id
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	2030-06-15 18:55:00.000000+0000	89f09184-5e58-4b7c-836f-cc0874b8e56

(1 rows)

```
cqlsh:fixture2030_comentarios> SELECT *
... FROM comentarios_por_partido_pais
... WHERE partido_id = 'ARG-FRA'
... AND pais = 'ARG'
... AND ventana = '2030-06-15 18:30:00'
... LIMIT 1;
```

partido_id	pais	ventana	creado_en	comentario_id
ARG-FRA	ARG	2030-06-15 18:30:00.000000+0000	2030-06-15 18:55:00.000000+0000	89f09184-5e58-4b7c-836f-cc0874b8e56

(1 rows)

```
cqlsh:fixture2030_comentarios>
```

7. Creacion de acceso secundario

```
cqlsh:fixture2030_comentarios> CREATE TABLE comentarios_por_likes_partido_pais (
...     partido_id text,
...     pais text,
...     ventana timestamp,
...
...     likes int,
...     creado_en timestamp,
...     comentario_id uuid,
...
...     usuario_nombre text,
...     contenido text,
...
...     PRIMARY KEY (
...         (partido_id, pais, ventana),
...         likes,
...         creado_en,
...         comentario_id
...     )
... )
... WITH CLUSTERING ORDER BY (
...     likes DESC,
...     creado_en DESC,
...     comentario_id ASC
... );
cqlsh:fixture2030_comentarios>
```