


一，登录注册

首先进来显示的是登录界面，点击去注册可以跳转到注册界面



在登录注册界面都采用了 js 和 ajax 双重验证

```
// 注册表单验证
function registerBtn() {
    if ((document.RegisterFormBox.RegisterUserName.value != '') && (document.RegisterFormBox.userPass1.value != '') && (document.RegisterFormBox.userPass2.value != '') && (document.RegisterFormBox.name.value != '')) {
        // 判断用户名格式是否正确
        isNum = /^[0-9]*$/;
        var user = document.RegisterFormBox.RegisterUserName.value;
        var result = isNum.test(user);
        if (!result) {
            alert("用户名格式不正确，只能为数字")
            return false
        } else if (document.RegisterFormBox.userPass1.value != document.RegisterFormBox.userPass2.value) {
            alert("前后两次密码输入不一致，注册失败")
            return false
        } else {
            return true
        }
    } else {
        alert("注册的账号密码和真实姓名不为空")
        return false
    }
}
```

```
// ajax验证注册的电话号码是否已经使用
function checkFirstName(str) {
    if (str == "") {
        document.getElementById("txtHint").innerHTML = "";
        return;
    }
    if (window.XMLHttpRequest) {
        // IE7+, Firefox, Chrome, Opera, Safari 浏览器执行代码
        xmlhttp = new XMLHttpRequest();
    } else {
        // IE6, IE5 浏览器执行代码
        xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
    }
    xmlhttp.onreadystatechange = function() {
        if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
            document.getElementById("txtHint").innerHTML = xmlhttp.responseText;
        }
    }
    xmlhttp.open("GET", "checkName.php?q=" + str + "&t=" + Math.random(), true);
    xmlhttp.send();
}
```



登录

20191003027

该账号不存在, 请先去注册

密码

登录

是否有账号? [去注册](#)

注册

该手机号码已注册,请重新选择电话号码

前后两次密码不一致

已经拥有账号? [去登录](#)



同时，为了安全防护，注册时使用了 md5 进行加密，登录时也对密码进行加密，和数据库中的密文进行对比验证，增加安全性。

+ 选项		userName	password	name	info
<input type="checkbox"/>	编辑	18316722271	c20ad4d76fe97759aa27a0c99b6f6710	何浩鑫	NULL
<input type="checkbox"/>	删除	18316722273	c20ad4d76fe97759aa27a0c99b6f6710	鄧坤源	这里是作者的个人说明，本系统使用html,css,javascript和bootstrap框架以及p...

现在我们使用 18316722273 这个账号登录进去使用该网站，密码是 12 进来显示的是首页，具体功能如下图

[首页](#)
[账号设置](#)
[我的个人博客介绍](#)
[管理](#)

导航栏，首页，账号设置可对账号信息进行修改

我的博客

博客标题	博客分类
前端博客笔记	前端
vue相关的笔记	vue
html内容	html
第一篇php笔记	php
关于资产和负债的理解	生活感悟
你好看	生活感悟

博客列表，点击标题可进行博客的预览和编辑

关于作者

鄧坤源
 这里是作者的个人说明，本系统使用html,css,javascript和bootstrap框架以及php搭建的一个简单的个人博客系统

我的专栏
[全部](#)
[前端](#)
[vue](#)
[html](#)
[php](#)
[生活感悟](#)

分类专栏，点击可显示不同的分类博客

点击账号设置



账号设置界面，可修改用户昵称和个人简介

点击我的个人博客介绍，这里是我用 **vuepress** 搭建了一个博客网站，挂载在 **GitHub** 上进行托管，是一个个人博客网站，和本主题类似。可以了解一下作者



点击个人博客介绍有我的其他博客网站的介绍



[js](#)
[前端工程化](#)
[vue](#)
[flutter](#)
[vscode](#)
[我的CSDN](#)
[其他](#)

接下来需要初始化eslint: `eslint --init`

接下来就是配置eslint

在你的项目根目录下会有一个.eslintrc.js文件，里面内容为

然后还要在package.json文件里面配置

然后就可以在控制台输入

```

1  ## 下载安装eslint
2
3  ```javascript
4  全局安装 : npm install -g eslint
5  项目安装 : npm install eslint --save-dev
  
```

注意：1.如果你想让所有项目都使用eslint，请全局安装。如果你想当前项目使用，请局部安装。2.局部安装时请使用--save-dev，因为eslint是适用于开发环境（Software Development Environment, SDE）的插件，qing请不要添加到生产环境中。

接下来需要初始化eslint: `eslint --init`

上面的这个命令我使用没有效果，我用的这个 `./node_modules/.bin/eslint --init`

接下来就是配置eslint

```

You would probably like to use this:
1. Which formatter do you want to use?
2. Which parser do you want to use?
3. What lint rules do you want to use?
4. What config file do you want to use?
5. What config file do you want to use?
6. What config file do you want to use?
7. What config file do you want to use?
8. What config file do you want to use?
9. What config file do you want to use?
10. What config file do you want to use?
11. What config file do you want to use?
12. What config file do you want to use?
13. What config file do you want to use?
14. What config file do you want to use?
15. What config file do you want to use?
16. What config file do you want to use?
17. What config file do you want to use?
18. What config file do you want to use?
19. What config file do you want to use?
20. What config file do you want to use?
21. What config file do you want to use?
22. What config file do you want to use?
23. What config file do you want to use?
24. What config file do you want to use?
25. What config file do you want to use?
26. What config file do you want to use?
27. What config file do you want to use?
28. What config file do you want to use?
29. What config file do you want to use?
30. What config file do you want to use?
31. What config file do you want to use?
32. What config file do you want to use?
33. What config file do you want to use?
34. What config file do you want to use?
35. What config file do you want to use?
36. What config file do you want to use?
37. What config file do you want to use?
38. What config file do you want to use?
39. What config file do you want to use?
40. What config file do you want to use?
41. What config file do you want to use?
42. What config file do you want to use?
43. What config file do you want to use?
44. What config file do you want to use?
45. What config file do you want to use?
46. What config file do you want to use?
47. What config file do you want to use?
48. What config file do you want to use?
49. What config file do you want to use?
50. What config file do you want to use?
51. What config file do you want to use?
52. What config file do you want to use?
53. What config file do you want to use?
54. What config file do you want to use?
55. What config file do you want to use?
56. What config file do you want to use?
57. What config file do you want to use?
58. What config file do you want to use?
59. What config file do you want to use?
60. What config file do you want to use?
61. What config file do you want to use?
62. What config file do you want to use?
63. What config file do you want to use?
64. What config file do you want to use?
65. What config file do you want to use?
66. What config file do you want to use?
67. What config file do you want to use?
68. What config file do you want to use?
69. What config file do you want to use?
70. What config file do you want to use?
71. What config file do you want to use?
72. What config file do you want to use?
73. What config file do you want to use?
74. What config file do you want to use?
75. What config file do you want to use?
76. What config file do you want to use?
77. What config file do you want to use?
78. What config file do you want to use?
79. What config file do you want to use?
80. What config file do you want to use?
81. What config file do you want to use?
82. What config file do you want to use?
83. What config file do you want to use?
84. What config file do you want to use?
85. What config file do you want to use?
86. What config file do you want to use?
87. What config file do you want to use?
88. What config file do you want to use?
89. What config file do you want to use?
90. What config file do you want to use?
91. What config file do you want to use?
92. What config file do you want to use?
93. What config file do you want to use?
94. What config file do you want to use?
95. What config file do you want to use?
96. What config file do you want to use?
97. What config file do you want to use?
98. What config file do you want to use?
99. What config file do you want to use?
100. What config file do you want to use?
  
```

<https://tomato-wu.github.io/engineering/vscode/plugins.md>

点击管理就可以进入博客后台管理界面

博客后台管理界面

This is a modified jumbottron that occupies the entire horizontal space of its parent.

[返回主页](#)

创建分类

全部

前端

vue

html

php

生活感悟

博客编号	类别	标题	发布时间	操作
1	前端	前端博客笔记	2021-12-14 16:58:22	编辑 删除
2	vue	vue相关的笔记	2021-12-14 16:58:22	编辑 删除
3	html	html内容	2021-12-14 16:58:22	编辑 删除
4	php	第一篇php笔记	2021-12-14 16:58:22	编辑 删除
5	生活感悟	关于资产和负债的理解	2021-12-14 16:58:22	编辑 删除
6	生活感悟	你好啊	2021-12-16 22:29:49	编辑 删除

分类标签，点击可显示不同分类的博客

对博客进行编辑和删除管理

博客后台管理界面

This is a modified jumbottron that occupies the entire horizontal space of its parent.

[返回主页](#)

创建分类

全部

前端

vue

html

php

生活感悟

博客编号	类别	标题	发布时间	操作
1	前端	前端博客笔记	2021-12-14 16:58:22	编辑 删除
2	vue	vue相关的笔记	2021-12-14 16:58:22	编辑 删除
3	html	html内容	2021-12-14 16:58:22	编辑 删除
4	php	第一篇php笔记	2021-12-14 16:58:22	编辑 删除
5	生活感悟	关于资产和负债的理解	2021-12-14 16:58:22	编辑 删除
6	生活感悟	你好啊	2021-12-16 22:29:49	编辑 删除

创建分类

分类名称

取消 创建

博客预览

关于资产和负债的理解

2021-12-14 16:58:22 邹坤源

如果你想变富，只需要不断买入资产，如果你想变穷，只需要不断买入负债 曾经有人说过，如果你想变富，只需要在一生中不断买入资产，如果你想变穷，只需要在一生中不断买入负债。什么是资产？资产是可以给我们带来持续性收益的商品。资产要带来持续性收益主要有两种形式。第一，稳定收益；第二，资产增值与资产变现。如果你买入一套房子，你可以将房子租出去，收取租金，这就是稳定收益；你也可以持有房产，坐等市场房价上涨然后卖出，这就是资产增值与资产变现。如果你买入股票或基金，你可以长期持有，收取分红收益，这就是稳定收益；还可以等面值上涨卖出变现赚取差价，这就是资产增值与资产变现。不动产资产和金融资产是最常见的两种资产，由于变现难以不同，对于不动产，更常见的是收取租金，对于金融资产，更多的赚取差价。什么是负债？负债是无法给你带来持续性收益的商品，负债只会不断消耗你的金钱。你的车子、智能手机、笔记本电脑、名牌手表、金银首饰、包包都无法给你带来收益，它们只能不断消耗你的金钱，都是负债。更多的资产，更少的负债 资产与负债的讨论最先起源于美国作者罗伯特·清崎的《富爸爸与穷爸爸》一书中，在书中，作者将赚钱的方式分为四个象限，B象限代表 Business Owner公司，I象限代表 Investor 投资者，E象限代表 Employee 雇员，S象限代表 Self-employed自由职业者。只是，这本书中，对于资产的解释就是不用工作，持续性的被动收入，仅将创立公司作为创立资产，这里觉得这个范围太过狭隘。本文中房产投资、定投基金、自我提升、日常健身都可以算作是一个人重要的资产。在合理理财的人生路程中，我们需要配置更多的资产，更少的负债。我们需要尽早购买房子（即使是贷款），但是对于车子，满足代步需求即可；我们需要定投沪深300指数基金，但是智能手机和笔记本电脑，能够满足工作和生活需求即可；我们需要将更多的时间和精力投入到自我专业技术的提升，同时减少日常旅游、聚餐消费这些活动；我们需要每周抽出一些时间用于锻炼身体，同时减少电子游戏、网上购物和观看肥皂剧的时间；我们需要购买生活必须的食物、服装和日用品，同时减少金银首饰和名牌包包的消费。更早的建立资产，更早的财务自由 第一资产，健康的身体，健康资产所有资产的基础，拥有健康的身体不用获得稳定收益，但是可以减少你在医疗中的花费，拥有健康的身体是你参加劳动和工作的基础；第二资产，存款资产，存款资产是最重要的资产，存款来自劳动收入和资产收入，劳动收入的增加来自自己专业技术的提升，资产收入来自稳定收益和资产增值；第三资产，朋友资产，你的朋友是你的又一个重要的资产，多一个朋友多一条路，多一个敌人多一堵墙，更多的朋友，可以让你在顺境中游刃有余，可以让你在逆境中绝处逢生。此生，唯有健康、存款不欠你。

[编辑](#) [返回](#)

博客编辑

文章分类:

生活感悟

文章内容:

我们需要将更多的时间和精力投入到自我专业技术的提升，同时减少日常旅游、聚餐消费这些活动；

我们需要每周抽出一些时间用于锻炼身体，同时减少电子游戏、网上购物和观看肥皂剧的时间；

我们需要购买生活必须的食物、服装和日用品，同时减少金银首饰和名牌包包的消费。

更早的建立资产，更早的财务自由

第一资产，健康的身体，健康资产所有资产的基础，拥有健康的身体不用获得稳定收益，但是可以减少你在医疗中的花费，拥有健康的身体是你参加劳动和工作的基础；

第二资产，存款资产，存款资产是最重要的资产，存款来自劳动收入和资产收入，劳动收入的增加来自自己专业技术的提升，资产收入来自稳定收益和资产增值；

第三资产，朋友资产，你的朋友是你的又一个重要的资产，多一个朋友多一条路，多一个敌人多一堵墙，更多的朋友，可以让你在顺境中游刃有余，可以让你在逆境中绝处逢生。

此生，唯有健康、存款不欠你。

[发布](#) [取消](#)

创作博客

文章作者:

邹坤源

文章标题:

文章分类:

选择分类

文章内容:

点击退出可销毁 session 回到登录界面，此时再按浏览器的回到上一页按钮，就无法再显示作者的相关信息，进行安全性保证。

我的博客

Warning: mysqli_fetch_array() expects parameter 1 to be mysqli_result, bool given in C:\xampp\htdocs\Blog-System\BlogHomePage\blogPage\myblog.php on line 17

博客标题	博客分类
------	------

关于作者



Notice: Undefined variable: name in C:\xampp\htdocs\Blog-System\BlogHomePage\aboutMe.php on line 10

Notice: Undefined variable: info in C:\xampp\htdocs\Blog-System\BlogHomePage\aboutMe.php on line 11

我的专栏

[全部](#)

Warning: mysqli_fetch_array() expects parameter 1 to be mysqli_result, bool given in C:\xampp\htdocs\Blog-