



QUALITY CONTROL REPORT

单击此处输入文字。

Invoice No. : 250718ADE - POLE

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 2 of 17

Corporate Name Customer:		
Purchase Order Number:	250718ADE-A1	
Order Quantity:	505pcs	
Product Designation:	Street Light Pole	
Supplier Name:	/	
Inspector Name :	Jason	
Serial Number, Batch:	/	

INSPECTION METHOD

Inspected quantity: 80pcs		
Which kind of inspection: (tick on)		
100% Inspection ☐	Mid Inspection ☐	Final Random Inspection ☒ Level II..... NQA.....

INSPECTION RESULT / IMPORTANT REMARKS/GENERAL DEFECTS

01	
02	
03	
04	
Tests result	passed
AQL result	ok
FINAL DECISION	Client has the final decision to reject or approve.

	Supplier Inspection Inspector	Supplier Inspection QIM
If defect found, should supplier rework?	Name: Jason Status: China quality inspection Date: 2025-9-9 Signature: Jason	Name: Status: Date: Signature:

CUSTOMER ACCEPTANCE FOR DELIVERY

EXEMPTIONS:			
- Special comments about the delivered products, especially with regards to the granted exemptions or to the requested 100% extra inspections: - - -			
Name:	Status:	Date:	Signature:

Index Check list: A00 creation			
Customer Acceptance for Check list:			
Name:	Status:	Date:	Signature:

INSPECTION CHECK LIST / QC REPORT



Version 06
Page 3 of 17

INSPECTION STANDARDS

Inspection level	Single sampling plan for normal inspection
Sampling standard	ISO 2859-1 (GB 2828-Military STD 105E- BS6001- ANSI/ASQC Z1.4)
Sampling level	Level II
AQL for critical defect	0
AQL for major defect	1.5
AQL for minor defect	2.5
Number of inspected pieces	80 pcs
Sampling for Crit / Maj / Min	80 pcs / 80pcs/ 80pcs
Total number of carton board	505 cartons
Number of inspected carton board	80 cartons
Number of paper carton board	2 layers

AQL Result:

AQL Level			Defects Allowed	Result
Level II	Critical	0	0	0
	Major	1.5	3	0
	Minor	2.5	5	0
			AQL RESULT	OK

Drawin g point	OPERATIONS	Acceptance limits warning	Frequency	Samples / Results / Measurements				
A	Visual inspection	Acceptanc e limits warning	Frequency					
A1	Color: Black		100%	80samples/passed				
A2	No damage, no dirty (product)surface without burrs, no scratches, no stains, no sharp angle.		100%	80samples/passed				
A3	No damage packaging, no dirty		100%	80samples/passed				
A4	Label on products		100%	80samples/passed				
B	Dimensional checking	Acceptanc e limits warning	Frequency					
B1	Dimensional: mm		10 by delivery	400*11000				
				400*11000				
				400*11000				
				400*11000				
				400*11000				
	Dimensional: mm		10 by delivery	400*11000				
				400*11000				
				400*11000				
				400*11000				
				400*11000				
B3	Sample Product weight : kg		10 by delivery	220	221	222	220	222
				221	220	222	221	221

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 4 of 17

C	Assembly/ interface checking	Acceptance limits warning	Frequency	/
C1	QTY of pieces compared to manual		80 by delivery	80 samples/ passed
C2	Electric wire fixing safety		80 by delivery	/
C3	Bottom plate is well installed and there is no light leakage.		80 by delivery	/
C4	Diffuse cover is uniform, without dark area.		80 by delivery	/
D	Packing and labeling	Acceptance limits warning	Frequency	
D1	Carton size: mm		1 by delivery	200*11000
D2	Total weight: kg		1 by delivery	220
D3	Shipping mark		1 by delivery	NO see
E	Raw material checking	Acceptance limits warning	Frequency	
E1	Material: Steel		1 by delivery	Yes
F	Certificate/ conformity documents	Acceptance limits warning	Frequency	
F1	CE Certificate		1 by delivery	Not see
F2	RoHS		1 by delivery	Not see
F3	ERP		1 by delivery	Not see
F4	Warranty: 5 years		1 by delivery	Not see

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 5 of 17

Street Light Pole PHOTOS

	
1. Street Light Pole	2. Warehouse
	
3. Packaging	4. Street Light Pole
	
5. Front view	6. Front view
	
7. Bottom view	8. Bottom view
	
9. Weight:221kgs	10.size

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 6 of 17

11. size	12. size
13. size	14. size
15. size	16. size
17. size	18. size
19. size	20. size

INSPECTION CHECK LIST / QC REPORT



Version 06
Page 7 of 17



21. size



22.size



22. size



23.Iron Plate and Flange



24.Iron Plate and Flange

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 8 of 17

Street Lamp Pole Support Arm PHOTOS

1. Assembly Photos	2. Warehouse
3. Street Lamp Pole Support Arm	4. Label
5. Bottom view	6. Bottom view
7. Weight: 8.0kgs	8. Weight: 8.0kgs
9. size	10. size

	
11.size	12.size
	
13.size	14.size
	
15.size	

Support PHOTOS

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 10 of 17



1.Front View



2.Bottom View



3. Support Photos



4. Warehouse



5.Street Lamp Pole Support Arm



6. Label



7.Bottom view



8.Bottom view



8.Weight:8.0kgs



9.Weight:8.0kgs

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 11 of 17

	
10. size	11. size
	
12.size	13.size
	
14.size	15.size
	
16.size	17.size
	
18.size	18.size

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 12 of 17



20.size



21.size



22.size



23.size



24.size



25.Weight:18.0kgs



26.Weight:18.0kgs



27.



28.front view



29.side view

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 13 of 17

30.side view	31.side view
32.side view	33.Bottom view
34.Size	35.Size
36.Size	37.Size
38.Size	39.Size

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 14 of 17



40.Size



41.Size



42.Size



43.Weight:18.0kgs



44.Size



45.Size




46.Size



47.Size



48.Size



INSPECTION CHECK LIST / QC REPORT



Version 06

Page 15 of 17



1. Ground Cage



2. Warehouse



3. Partial



4. Partial



5. Thread



6. Partial



7. Partial



8. Partial



9. size



10. size

INSPECTION CHECK LIST / QC REPORT



Version 06
Page 16 of 17

11.size	12.size
13.size	14.size
15.size	16.size
15.size	16.Iron Plate Weight:2.85kgs
17.Ground Cage Weight:39.15kgs	

INSPECTION CHECK LIST / QC REPORT



Version 06

Page 17 of 17

SAMPLING PLAN ISO 2859-1 (GB 2828-Military STD 105E- BS6001- ANSI/ASQC Z1.4)

Inspection level	S-1	S-2	S-3	S-4	Level I	Level II	Level III
Product quantity					Frequency B	Frequency A	Frequency A +
2-8	A	A	A	A	A	A	B
9-15	A	A	A	A	A	B	C
16-25	A	A	B	B	B	C	D
26-50	A	B	B	C	C	D	E
51-90	B	B	C	C	C	E	F
91-150	B	B	C	D	D	F	G
151-280	B	C	D	E	E	G	H
281-500	B	C	D	E	F	H	J
501-1200	C	C	E	F	G	J	K
1201-3200	C	D	E	G	H	K	L
3201-10000	C	D	F	G	J	L	M
10001-35000	C	D	F	H	K	M	N
35001-150000	D	E	G	J	L	N	P
150001-500000	D	E	G	J	M	P	Q
500001- and after	D	E	H	K	N	Q	R

Smpl size code letter	Sample size	Random Inspection Plan Normal Inspection level single sampling (plan d'échantillonnage simple en contrôle normal TAB 2.A ISO 2859-1)														
		AQL														
		0.40		0.65		1.0		1.5		2.5		4.0		6.5		
		Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	Ac	Re	
A	2															
B	3															
C	5															
D	8															
E	13															
F	20															
G	32															
H	50															
J	80															
K	125															
L	200															
M	315															
N	500															
P	800															
Q	1250															
R	2000															

↓ = Use the random below the arrow

↑ = Use the random above the arrow

Ac = Number of defects allowed

Re = Number out of limit