



C_S4EWM_2020 - Extended Warehouse Management with SAP S4HANA

1. The Warehouse Cockpit was created as a tool for what EWM application?

- | | |
|--|---|
| <input type="checkbox"/> A Slotting | <input type="checkbox"/> B Physical Inventory |
| <input type="checkbox"/> C Quality Inspection engine | <input type="checkbox"/> D Labor Management |

2. Slotting is used to determine the following indicators for optimal putaway:
There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Storage section indicator | <input type="checkbox"/> B Putaway control indicator |
| <input type="checkbox"/> C Cycle counting indicator | |

3. Yard movements enable you to move transportation units (TUs) from one yard bin
to another inside a yard. What are impossible types of yard movements.
Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A You move a TU within the yard, from one parking space to another, or from one door
to another | <input type="checkbox"/> B The TU arrives at the checkpoint and is moved to a parking space or to the door |
| <input type="checkbox"/> C You move a TU within the yard, from one parking space to another door, or from one
door to another parking space | <input type="checkbox"/> D You move a TU from a parking space to the door, or from the door to a parking space |

4. Which of the following are storage type roles?
There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Work center in staging areas group | <input type="checkbox"/> B Conveyor system |
| <input type="checkbox"/> C Production supply | <input type="checkbox"/> D Deconsolidation |
| <input type="checkbox"/> E Identification point | |

5. EWM can used with the following releases:
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A From SAP R/3 4.6C forward with Service Pack 06. | <input type="checkbox"/> B Only SAP ECC 6.0 and beyond. |
| <input type="checkbox"/> C Only SAP ECC 5.0 and beyond. | <input type="checkbox"/> D From SAP R/3 3.0F forward with Service Pack 06. |

6. What transactions in the ERP system can generate EWM-relevant posting changes?
There are 2 correct answers to this question.

- | | |
|-----------------------------------|----------------------------------|
| <input type="checkbox"/> A VLMOVE | <input type="checkbox"/> B VA01 |
| <input type="checkbox"/> C MIGO | <input type="checkbox"/> D ME21N |

7. In Labor Management, what document contains all of the relevant data that can be
used to compare the planned and actual times?
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Planned workload | <input type="checkbox"/> B Tailored measurement services |
| <input type="checkbox"/> C Performance document | <input type="checkbox"/> D Executed workload |
| <input type="checkbox"/> E Inbound delivery | |

8. When handling unit contains different products and products has to put away in
different storage sections, which of the following is used?
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Activity Area | <input type="checkbox"/> B Stock Denial |
| <input type="checkbox"/> C Put Away task | <input type="checkbox"/> D De-consolidation function |

9. Which level to activate pick denial?
There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Warehouse level | <input type="checkbox"/> B Process step level |
| <input type="checkbox"/> C Device item type level | <input type="checkbox"/> D Warehouse process type level |

10. Which sentence is not correct w.r.t Planned shipment
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A In EWM a freight document, which groups the planned shipments and automatically
creates a TU and/or a vehicle | <input type="checkbox"/> B Then you create a freight document and assign the planned shipments. |
| <input type="checkbox"/> C Planned shipment can never replaced by a final shipment | <input type="checkbox"/> D They can still change with regard to type and size, for example, due to a subsequent
delivery split in Extended Warehouse Management |

11. Your customer needs a new warehouse order creation rule. Which criteria can you use to create a filter at item level? There are 3 correct answers to this question
- ☐ A Time ☐ B Number of handling units
- ☐ C Weight ☐ D Number of items
- ☐ E Volume
12. Which staging methods are available in delivery-based production integration? There are 2 correct answers to this question.
- ☐ A Pick parts ☐ B Release order parts
- ☐ C Single order staging ☐ D Cross order staging
13. The forms of storage control supported by EWM are? There are 2 correct answers to this question.
- ☐ A FIFO ☐ B HU-managed
- ☐ C Layout-oriented ☐ D Storage type
- ☐ E Process-oriented
14. EWM Delivery Document Structure which information is stored at Document Item level? There are 3 correct answers to this question
- ☐ A Delivery quantity ☐ B Confirmed delivery date
- ☐ C Serial number ☐ D Tolerances for over and under delivery quantities
- ☐ E Dates such as goods receipt or picking date.
15. The PPF consists of the following components: There are 3 correct answers to this question
- ☐ A Action Header ☐ B Actionlist
- ☐ C Action content ☐ D Action definition
- ☐ E Action profile

16. The following are structural components of a packaging specification There are 4 correct answers to this question

- | | |
|---|-------------------------------------|
| <input type="checkbox"/> A Header | <input type="checkbox"/> B Level |
| <input type="checkbox"/> C Product Number | <input type="checkbox"/> D Contents |
| <input type="checkbox"/> E Element | |

17. Which packing modes can you use to control the creation of handling unit(Hus)?
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A limit value | <input type="checkbox"/> B BAdl |
| <input type="checkbox"/> C Complex algorithm | <input type="checkbox"/> D simple algorithm |
| <input type="checkbox"/> E consolidation group | |

18. How are storage bins assigned to an activity area?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A By storage bin types | <input type="checkbox"/> B By aisle, stack, and level |
| <input type="checkbox"/> C By storage group | <input type="checkbox"/> D By bin access type |

19. Networks define the valid routes (streets) in the warehouse on which the resources
move. Which statement is correct regarding Global Networks.
There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A You assign storage bins of a storage type to an edge | <input type="checkbox"/> B A node that matches your X and Y coordinates, if you have not assigned an edge |
| <input type="checkbox"/> C The global network connects the defined, storage-type-specific networks to each
other. | <input type="checkbox"/> D If no storage-type-specific networks are defined, the network connects the storage
bins to each other directly |

20. Which physical inventory procedure is storage-bin-specific only?
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Ad hoc physical inventory procedure | <input type="checkbox"/> B Zero stock physical inventory procedure |
| <input type="checkbox"/> C Low stock physical inventory procedure | <input type="checkbox"/> D Period physical inventory procedure |

21. To which of the following elements can you assign a storage process?
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Warehouse order creation rule | <input type="checkbox"/> B Warehouse process type |
| <input type="checkbox"/> C Activity area | <input type="checkbox"/> D Storage group |

22. An exception code can be triggered by the system or entered by a user. What must
you assign to a customer specific exception code?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A An Internal process code | <input type="checkbox"/> B An internal exception code |
| <input type="checkbox"/> C A business context | <input type="checkbox"/> D A workflow as follow-on action |

23. Which of the following sentence is true about Transportation cross-docking (TCD)
Select the correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A You can not use TCD to transport HUs to your own final warehouse. | <input type="checkbox"/> B Transportation cross-docking does not support returns |
| <input type="checkbox"/> C In a supply chain in transportation cross-docking, the final destination can not be
located domestically | <input type="checkbox"/> D In unplanned cross-docking, you define in Customizing how the cross-docking process
is to proceed |

24. When using batches with de-centralized EWM, where does the batch master data
exist?
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A It depends on customizing | <input type="checkbox"/> B In SAP ERP and in SAP EWM |
| <input type="checkbox"/> C Only in SAP ERP | <input type="checkbox"/> D Only in SAP EWM |

25. Which statements are not correct regarding Vehicles and Transportation Units
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A A vehicle is a specialization of a particular means of transport | <input type="checkbox"/> B A transportation units can comprise one or more vehicle and represents the physical
entity of the transport vehicle |
| <input type="checkbox"/> C A vehicle is the smallest loadable unit of a transportation unit that is used to transport
goods | <input type="checkbox"/> D A vehicle is a specialization of a particular means of transport |

26. What are the components that are contained within a VAS order?
There are 4 correct answers to this question
- | | |
|---|---|
| <input type="checkbox"/> A List of VAS activities | <input type="checkbox"/> B Items |
| <input type="checkbox"/> C Auxiliary products | <input type="checkbox"/> D Bill-of-material |
| <input type="checkbox"/> E Order header | |
27. After completing all value-added services, the system moves the products in the
following areas
There are 2 correct answers to this question
- | | |
|--|--|
| <input type="checkbox"/> A Shipping plant | <input type="checkbox"/> B final storage bin |
| <input type="checkbox"/> C Final Warehouse | <input type="checkbox"/> D goods issue area |
28. Which of the following objects exist at the item level within a delivery document in
SAP Extended Warehouse Management?
There are 2 correct answers to this question
- | | |
|--|---|
| <input type="checkbox"/> A Over-delivery and under-delivery quantity tolerance | <input type="checkbox"/> B Ship-from or ship-to party |
| <input type="checkbox"/> C Goods receiving or shipping office | <input type="checkbox"/> D Delivery quantity |
29. What is the replenishment type that allows a bin replenishment to be done by a
picker.
Choose the correct answer(s).
- | | |
|---|--|
| <input type="checkbox"/> A Order-related replenishment. | <input type="checkbox"/> B Automatic replenishment |
| <input type="checkbox"/> C Direct replenishment | <input type="checkbox"/> D Planned replenishment |
30. Inspection rules contain which of the following parameters?
There are 3 correct answers to this question
- | | |
|--|---|
| <input type="checkbox"/> A Possible decision, Finding and follow up action | <input type="checkbox"/> B Checking criteria |
| <input type="checkbox"/> C Preliminary inspection | <input type="checkbox"/> D Type of inspection |
31. Which methods do you use to transfer transactional data between SAP ERP and SAP
Extended Warehouse Management?
There are 2 correct answers to this question.
- | | |
|---------------------------------|---------------------------------|
| <input type="checkbox"/> A IPPE | <input type="checkbox"/> B IDoc |
| <input type="checkbox"/> C BAPI | <input type="checkbox"/> D qRFC |

32. Where can a batch be created?
Please choose the correct answer.

- ☐ A Batches can be created in ERP and EWM ☐ B Batches can only be created in ERP
- ☐ C Batches can only be created in EWM

33. Which distribution methods can you use to replicate transactional data from an SAP
ERP system to SAP Extended Warehouse Management?
There are 2 correct answers to this question.

- ☐ A Distribution via post processing framework (PPF) actions ☐ B Manual distribution
- ☐ C Immediate distribution at document creation ☐ D Core Interface (CIF) distribution model

34. Which of the following statements are true with respect to explicit counting?
There are 2 correct answers to this question.

- ☐ A Requires the use of a work center ☐ B requires the creation of an explicit counting control document.
- ☐ C Cannot be used with HU's ☐ D Can only be used with HU's

35. The collaboration with appointment planners for carriers is based on which of the
following?
There are 3 correct answers to this question

- ☐ A An assignment of the appointment planner for carrier to a specific carrier ☐ B A user with complete authorization
- ☐ C A user with restricted authorization ☐ D A business partner that represents an appointment planner for a carrier

36. Which of the following are storage type roles?
There are 3 correct answers to this question.

- ☐ A Conveyor system ☐ B Deconsolidation
- ☐ C Identification point ☐ D Production supply
- ☐ E Work center in staging areas group

37. What triggers a posting in an SAP ERP system during the inbound process?
There are 2 correct answers to this question

- ☐ A Warehouse order confirmation ☐ B Inbound delivery confirmation
- ☐ C Proof of delivery ☐ D Warehouse task confirmation

38. What are the documents created in labor Management and form the basis for reporting labor utilization.
There are 3 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Actual workload document | <input type="checkbox"/> B Planned Workload document |
| <input type="checkbox"/> C Performance document | <input type="checkbox"/> D Executed workload document. |
| <input type="checkbox"/> E Estimated workload document | |

39. What do you need to maintain for a capacity check by weight?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A The capacity check in the storage type | <input type="checkbox"/> B The maximum allowed weight in the bin |
| <input type="checkbox"/> C The maximum number of bins in the warehouse product | <input type="checkbox"/> D The actual weight of the item in a work center |

40. Bin sort sequences are assigned to a combination of the following fields.
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Level | <input type="checkbox"/> B Storage type |
| <input type="checkbox"/> C Activity area | <input type="checkbox"/> D Warehouse number |
| <input type="checkbox"/> E Activity | |

41. What documents can be found in the goods issue process?
There are 3 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Production order | <input type="checkbox"/> B Billing document |
| <input type="checkbox"/> C Transfer order | <input type="checkbox"/> D Sales order |
| <input type="checkbox"/> E Outbound delivery | |

42. Packing mode to control creation of pick HU
There are 3 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Consolidation group | <input type="checkbox"/> B Limit value |
| <input type="checkbox"/> C Simple algorithm | <input type="checkbox"/> D BADI |
| <input type="checkbox"/> E Complex | |

43. What are the three kitting processes available in EWM? There are 3 correct answers to this question

☐ A Reverse kitting

☐ B Kit rebuild

☐ C Kit de-stocking

☐ D Kit-to-stock

☐ E Kit-to-order

44. A packaging specification consists of a header, a level component, an element
and which two of the following structural components? There are 2 correct answers to this question.

☐ A Max no. of bins

☐ B Element

☐ C Contents

☐ D Pilferable indicator

45. Examples of warehouse process categories are. There are 3 correct answers to this question.

☐ A Putaway

☐ B Stock removal

☐ C Posting change

☐ D Check-in

☐ E Packing

46. In warehouse order creation, what function can be used to limit the amount of work assigned to a warehouse order? Please choose the correct answer.

☐ A Activity areas

☐ B Sort rules

☐ C Consolidation groups

☐ D Filters and limit values

47. In a yard, which of the following entities can you have? There are 2 correct answers to this question

☐ A Vehicles

☐ B Transportation units

☐ C Containers

48. The following attributes are available for wave templates: There are 2 correct answers to this question

☐ A Wave Lot

☐ B Release method

☐ C Wave category

☐ D Wave Bin

49. The EWM Warehouse Monitor is a customizable, central tool:
There are 2 correct answers to this question

☐ A Planning resources for the warehouse ☐ B To keep warehouse managers informed about the current situation in the warehouse

☐ C Providing alert-monitoring capabilities

50. Which of the following field is used to map date type from ERP system to EWM?
Please choose the correct answer.

☐ A Item category

☐ B Warehouse number

☐ C Document category

☐ D Document type

51. Which of the following are functions provided by Labor Management?
There are 4 correct answers to this question.

☐ A Warehouse pay rate evaluation

☐ B Indirect labor recording

☐ C Defining engineered labor standards

☐ D Creation of planned and executed workloads

☐ E Employee performance

52. When a customer complains about a product and return is raised, you can perform
a check if this is same product that is supplied to him.
Which of the following Serial number profile is maintained in ERP or in EWM
system?
Please choose the correct answer

☐ A Serial Number for Document items

☐ B Serial number of warehouse movement

☐ C Serial Numbers on warehouse number level

☐ D No Serial number requirement

53. The expected goods receipt can run in which of the following?
Please choose the correct answer.

☐ A SAP CRM

☐ B SAP EWM

☐ C SAP ERP

54. Which objects can you add to the warehouse cockpit?
There are 2 correct answers to this question

☐ A Tailored measurement services

☐ B Calculated measurement services

☐ C Alert from alert management

☐ D Basic measurement services

55. The following are structural components of a packaging specification.
There are 4 correct answers to this question

- | | |
|-------------------------------------|---|
| <input type="checkbox"/> A Element | <input type="checkbox"/> B Header |
| <input type="checkbox"/> C Level | <input type="checkbox"/> D Product Number |
| <input type="checkbox"/> E Contents | |

56. Which statements are correct regarding Yard Management Setup
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A You can define a warehouse with multiple yards | <input type="checkbox"/> B You cannot use one yard for multiple warehouses |
| <input type="checkbox"/> C You cannot define a warehouse with multiple yards | <input type="checkbox"/> D A yard represents a separate storage type in a warehouse |

57. Which of the following are considered warehouse activities?
Please select all the correct answers that apply.

- | | |
|--------------------------------------|--|
| <input type="checkbox"/> A putaway | <input type="checkbox"/> B stock transfer within the warehouse |
| <input type="checkbox"/> C scrapping | <input type="checkbox"/> D posting changes |
| <input type="checkbox"/> E picking | |

58. Which structure objects do you have to maintain to integrate Dock Appointment
scheduling into EWM?
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Docking locations | <input type="checkbox"/> B Loading points |
| <input type="checkbox"/> C Yard | <input type="checkbox"/> D Staging areas |

59. What technique is used to transfer transaction related data to EWM?
Choose the correct answer(s).

- | | |
|---|--------------------------------------|
| <input type="checkbox"/> A BAPI | <input type="checkbox"/> B BAdI |
| <input type="checkbox"/> C APO Core Interface | <input type="checkbox"/> D BAPI/qRFC |

60. Which sentences are true about cross-docking? There are 2 correct answers to this question.

- | | | | |
|----------------------------|---|----------------------------|---|
| <input type="checkbox"/> A | EWM does not consider inbound delivery items that are relevant for the quality inspection | <input type="checkbox"/> B | For cross-docking, EWM only considers inbound delivery items for which goods receipt has been confirmed |
| <input type="checkbox"/> C | For cross-docking, EWM only considers inbound delivery items for which goods receipt has not been confirmed | <input type="checkbox"/> D | EWM consider inbound delivery items that are relevant for the quality inspection |

61. Which limit values can you use to restrict the size of the warehouse orders? There are 2 correct answers to this question.

- | | | | |
|----------------------------|-----------|----------------------------|-----------------|
| <input type="checkbox"/> A | Resources | <input type="checkbox"/> B | Processing time |
| <input type="checkbox"/> C | Products | <input type="checkbox"/> D | Items |

62. Which process is used to relocate stock to its optimal location in the warehouse? Please choose the correct answer.

- | | | | |
|----------------------------|---------------|----------------------------|----------------|
| <input type="checkbox"/> A | Rearrangement | <input type="checkbox"/> B | Replenishment |
| <input type="checkbox"/> C | Slotting | <input type="checkbox"/> D | Direct putaway |

63. What information is used to determine the availability group? There are 2 correct answers to this question.

- | | | | |
|----------------------------|------------------|----------------------------|-----------------------------------|
| <input type="checkbox"/> A | Warehouse number | <input type="checkbox"/> B | Non-location-dependent stock type |
| <input type="checkbox"/> C | Plant | <input type="checkbox"/> D | Stock category |

64. Bin sort sequences are assigned to a combination of the following fields. There are 3 correct answers to this question.

- | | | | |
|----------------------------|------------------|----------------------------|---------------|
| <input type="checkbox"/> A | Activity | <input type="checkbox"/> B | Level |
| <input type="checkbox"/> C | Warehouse number | <input type="checkbox"/> D | Activity area |
| <input type="checkbox"/> E | Storage type | | |

65. WOCR's are determined by which of the following? There are 2 correct answers to this question

- | | | | |
|----------------------------|---------------|----------------------------|-----------------|
| <input type="checkbox"/> A | Activity area | <input type="checkbox"/> B | Bin type |
| <input type="checkbox"/> C | Activity type | <input type="checkbox"/> D | Storage section |
| <input type="checkbox"/> E | Storage type | | |

66. Which technology generally used for communication between ERP and SCM?
Please choose the correct answer.

- | | |
|---------------------------------|----------------------------------|
| <input type="checkbox"/> A BAPI | <input type="checkbox"/> B qRFCs |
| <input type="checkbox"/> C EWM | <input type="checkbox"/> D CIF |

67. Which of the following are examples of EWM internal functions/processes?
There are 4 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Value Added Services | <input type="checkbox"/> B Task and Resource Management |
| <input type="checkbox"/> C Quality Inspection | <input type="checkbox"/> D RFID |
| <input type="checkbox"/> E Yard Management | |

68. Which statements are not correct regarding Vehicles and Transportation Units
There are 2 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A A vehicle is the smallest loadable unit of a transportation unit that is used to transport goods | <input type="checkbox"/> B A vehicle is a specialization of a particular means of transport |
| <input type="checkbox"/> C A vehicle is a specialization of a particular means of transport | <input type="checkbox"/> D A transportation units can comprise one or more vehicle and represents the physical entity of the transport vehicle |

69. From what EWM document is the EWM outbound delivery document created?
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Salesorder | <input type="checkbox"/> B Warehouse order |
| <input type="checkbox"/> C Outbound delivery request | <input type="checkbox"/> D Outbound delivery order |

70. What do you influence with a resource group definition?
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A The work environment of the resources (either radio frequency or non-radio frequency) | <input type="checkbox"/> B The horizontal and vertical speed of a resource |
| <input type="checkbox"/> C The queues a resource should process | <input type="checkbox"/> D The menu on the user's mobile device |

71. What values can the system determine using determination rules?
There are 4 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Doors | <input type="checkbox"/> B Staging bays |
| <input type="checkbox"/> C Staging area groups | <input type="checkbox"/> D Staging area |
| <input type="checkbox"/> E Warehouse process type | |

72. The following fields are used to determine the warehouse process type.
There are 4 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage type | <input type="checkbox"/> B Item type |
| <input type="checkbox"/> C Warehouse number | <input type="checkbox"/> D Document type |
| <input type="checkbox"/> E Process type determination control indicator | |

73. Sometimes it is required to include the actual invoice in the shipment when it
leaves the warehouse. For a direct outbound delivery, especially for a pickup
process where you want the buyer to pay immediately, you might want to issue the
invoice before you post the goods issue (which would normally trigger the invoice
print).
For these cases, you can use the "invoice before goods issue" process to create and
print the invoice before the goods issue is posted. Which statements are not correct
given below.
There are 2 correct answers to this question

☐ A For single requests from EWM, CRM billing or ERP billing directly creates single invoices that you cannot change

☐ B If you want to print invoices for the contents of a vehicle or transportation unit, EWM
triggers the invoice printout in CRM billing or ERP billing by sending the message Print
Invoice Document

☐ C For single requests from EWM, CRM billing or ERP billing directly creates single
invoices that you can change

☐ D If you want to print invoices for the contents of a vehicle or transportation unit, EWM
triggers the invoice printout in CRM billing or ERP billing by sending the message Print
Billing Document.

74. Select the statements below that are accurate characteristics of EWM storage bin master data. There are 3 correct answers to this question

- | | | | |
|----------------------------|---|----------------------------|---|
| <input type="checkbox"/> A | The bin coordinate must be unique within the warehouse | <input type="checkbox"/> B | Bins can have geo-coordinates that the EWM system can use to compute travel distances |
| <input type="checkbox"/> C | They are identified by a 10 character bin coordinate. | <input type="checkbox"/> D | They are identified by an 18 character bin coordinate. |
| <input type="checkbox"/> E | The bin coordinate must be unique within the storage type | | |

75. When you generate an EWM inbound delivery manually without a template, meaning without an expected goods receipt. In this case you must make sure that the data in the inbound delivery is validated. From where you can use the standard implementation of Business Add-In (BAI)? Please choose the correct answer

- | | | | |
|----------------------------|------------------|----------------------------|------------------|
| <input type="checkbox"/> A | SCWM/EX_ERP_PROD | <input type="checkbox"/> B | SCWM/FX_EWM_PROD |
| <input type="checkbox"/> C | SCWM/EX_EWM_PROD | <input type="checkbox"/> D | SCEP/EX_ERP_PROD |

76. Which of the following settings need to be configured for pick denial? Please select all the correct answers that apply

- | | | | |
|----------------------------|---|----------------------------|---|
| <input type="checkbox"/> A | Define the "external" exception codes representing the pick denial options and assign them to the internal exception codes that are predefined in the SAP EWM system. | <input type="checkbox"/> B | Configure the pick denial processing actions. |
| <input type="checkbox"/> C | Activate pick denial at the warehouse level | <input type="checkbox"/> D | Enable the workflow process for a workflow process to be triggered. |

77. Which of the following are stock removal strategies? There are 4 correct answers to this question

- | | | | |
|----------------------------|------|----------------------------|--------------------|
| <input type="checkbox"/> A | SLED | <input type="checkbox"/> B | Nextemptybin |
| <input type="checkbox"/> C | FIFO | <input type="checkbox"/> D | Partial quantities |
| <input type="checkbox"/> E | LIFO | | |

78. You define new SAP Extended warehouse management (SAP EWM) delivery document types for outbound delivery process. Which additional customizing step is required in SAP EWM? Please choose the correct answer

- | | |
|---|--|
| <input type="checkbox"/> A Create a new system profile for the field control | <input type="checkbox"/> B Map an SAP ERP document type to the delivery document type. |
| <input type="checkbox"/> C Define a delivery item type for the outbound process | <input type="checkbox"/> D Define a document category for the outbound process. |

79. In pick, pack, and pass, warehouse workers pass the product from activity area to activity area until it arrives at the actual destination storage bin. In which setting, the system specifies the sequence for processing the warehouse orders and corresponding pick HUs. Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Machine controlled pick, pack, and pass function | <input type="checkbox"/> B System-controlled pick, pack, and pass function |
| <input type="checkbox"/> C Automated pick, pack, and pass function | <input type="checkbox"/> D User-controlled pick, pack, and pass function |

80. What processes are supported by the SAP TM with EWM? There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Outbound process with transportation planning in SAP EWM | <input type="checkbox"/> B Outbound process with transportation planning in SAP ERP |
| <input type="checkbox"/> C Outbound process with delivery-based transportation planning in SAP TM | <input type="checkbox"/> D Outbound process with order-based transportation planning in SAP TM |

81. The PPF consists of the following components: There are 3 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Action profile | <input type="checkbox"/> B Action definition |
| <input type="checkbox"/> C Actionitem | <input type="checkbox"/> D Action Header |
| <input type="checkbox"/> E Actionlist | |

82. Which sentence is not correct w.r.t Final shipment Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A Planned shipment can be replaced by a final shipment | <input type="checkbox"/> B Final shipments are fixed with regard to type and size, in other words, they are confirmed |
| <input type="checkbox"/> C Final shipments are not fixed with regard to type and size. | <input type="checkbox"/> D Most of Final shipments are already packed or loaded |

83. What are the three components to yard management:
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Yard Movements | <input type="checkbox"/> B Yard Location Management |
| <input type="checkbox"/> C Yard Monitoring | <input type="checkbox"/> D Yard Stock |

84. Which of the following are putaway strategies in EWM?
There are 4 correct answers to this question.

- | | |
|-----------------------------------|---|
| <input type="checkbox"/> A Pallet | <input type="checkbox"/> B Bulk |
| <input type="checkbox"/> C FIFO | <input type="checkbox"/> D Nextemptybin |
| <input type="checkbox"/> E Manual | |

85. What do you need to configure before you can create warehouse tasks for an
outbound delivery order or on inbound delivery? There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A warehouse order creation rules | <input type="checkbox"/> B Warehouse process type determination |
| <input type="checkbox"/> C process-oriented storage control | <input type="checkbox"/> D warehouse process types |

86. To avoid a goods receipt posting with the receipt control you must do which of the
following?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A Block the vendor only | <input type="checkbox"/> B Block the vendor and the product |
| <input type="checkbox"/> C Block the product only | |

87. What document in EWM will be created from an unchecked or checked ERP delivery
document?
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Outbound delivery | <input type="checkbox"/> B Outbound delivery order |
| <input type="checkbox"/> C Outbound delivery request | <input type="checkbox"/> D Warehouse order |

88. What master data must be created in EWM to perform automatic packing?
Choose the correct answer(s).

- | | |
|---|--|
| <input type="checkbox"/> A Packing instruction | <input type="checkbox"/> B Packaging specification |
| <input type="checkbox"/> C Automatic packing document | <input type="checkbox"/> D Master packing format |

89. The methods used in travel distance calculation are:
There are 2 correct answers to this question

- | | | | |
|----------------------------|---------------|----------------------------|--------------|
| <input type="checkbox"/> A | Straight line | <input type="checkbox"/> B | Minimal path |
| <input type="checkbox"/> C | Euclidean | <input type="checkbox"/> D | Storage type |
| <input type="checkbox"/> E | Manhattan | | |

90. Networks define the valid routes (streets) in the warehouse on which the resources
move. Which statement is correct regarding Global Networks.
There are 2 correct answers to this question.

- | | | | |
|----------------------------|--|----------------------------|---|
| <input type="checkbox"/> A | A node that matches your X and Y coordinates, if you have not assigned an edge | <input type="checkbox"/> B | You assign storage bins of a storage type to an edge |
| <input type="checkbox"/> C | If no storage-type-specific networks are defined, the network connects the storage
bins to each other directly. | <input type="checkbox"/> D | The global network connects the defined, storage-type-specific networks to each
other. |

91. The following data can be used to determine the Putaway Control Indicator:
There are 4 correct answers to this question

- | | | | |
|----------------------------|--------------------------|----------------------------|------------------|
| <input type="checkbox"/> A | Storage requirement data | <input type="checkbox"/> B | Demand forecasts |
| <input type="checkbox"/> C | Product data | <input type="checkbox"/> D | Packaging data |
| <input type="checkbox"/> E | Sales data | | |

92. What are the components of Yard Management?
There are 3 correct answers to this question.

- | | | | |
|----------------------------|--------------------------|----------------------------|----------------|
| <input type="checkbox"/> A | Vehicle inspection | <input type="checkbox"/> B | Yard movements |
| <input type="checkbox"/> C | Yard location management | <input type="checkbox"/> D | Yardroutes |
| <input type="checkbox"/> E | Yard stock | | |

93. RF Function Key F8 is used for which function?
Please choose the correct answer

- | | | | |
|----------------------------|------|----------------------------|--------------|
| <input type="checkbox"/> A | List | <input type="checkbox"/> B | Full Message |
| <input type="checkbox"/> C | Back | <input type="checkbox"/> D | More |

94. When working with semi-system-guided queues, after scanning the system checks
which of the following? There are 3 correct answers to this question

☐ A The scanned HU is available in the specified storage bin

☐ B The HU field is empty

☐ C The reported resource is allowed to process the HU

☐ D An open warehouse task exists for this HU

95. The system uses the following criteria to automatically determine the quantity of
respective auxiliary products that is to be posted: There are 3 correct answers to this question

☐ A Storage bin allocation

☐ B The status confirmation for a VAS order

☐ C The quantity confirmation for a VAS activity

☐ D Shipping date determination

☐ E The VAS activity confirmation

96. With the Shipping Cockpit SAP offers a user-centric UI for the shipping office clerk
to do the following: There are 3 correct answers to this question.

☐ A Execute a delivery order

☐ B Monitor outbound operations in the warehouse

☐ C Plan shipping activities

☐ D Execute tasks

97. The following list suggests some the ways in which waves can be processed.
Determine which one is incorrect? Please choose the correct answer.

☐ A Released

☐ B Deleted

☐ C Locked

☐ D Split

☐ E Shared

98. You want to use Labor Management. For which combination must you activate
Labor Management? Please choose the correct answer

☐ A Warehouse number and external process step

☐ B Warehouse number and internal process step

☐ C Warehouse number and labor activity

☐ D Warehouse number and warehouse process type

99. For a picking task the system must determine the storage types from which to remove the stock. How does the system find the storage type search sequence? Please choose the correct answer

- | | | | |
|----------------------------|---|----------------------------|---|
| <input type="checkbox"/> A | The system attempts to read the combination of warehouse number, stock removal indicator, stock type and warehouse process type, then it only uses the warehouse number | <input type="checkbox"/> B | The system attempts to use the defined access strategy, then it uses the combination of warehouse number, stock removal indicator, and warehouse process type |
| <input type="checkbox"/> C | The system attempts to read a completely qualified entry, with all parameters and indicators, then it uses the defined access strategy | <input type="checkbox"/> D | The system attempts to read the combination of warehouse number and stock removal indicator, then it uses the combination of warehouse number, and warehouse process type |

100. What is the process in EWM that allows you to trigger a goods receipt from EWM? Choose the correct answer(s).

- | | | | |
|----------------------------|--|----------------------------|---------------------------|
| <input type="checkbox"/> A | External inbound delivery | <input type="checkbox"/> B | Expected goods receipt |
| <input type="checkbox"/> C | External inbound delivery notification | <input type="checkbox"/> D | Expected inbound delivery |

101. You can use the following production planning (PP) application components for production supply in EWM Note: There are 2 correct answers to this question

- | | | | |
|----------------------------|---------------------------|----------------------------|---------------------------|
| <input type="checkbox"/> A | Material Management (MM) | <input type="checkbox"/> B | Process order (PP-PI_POR) |
| <input type="checkbox"/> C | Production order (PP-SFC) | <input type="checkbox"/> D | Logistics (LO) |

102. Which of the following sentence is true about Transportation cross-docking (TCD)? Select the correct answers to this question.

- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | Transportation cross-docking does not support returns | <input type="checkbox"/> B | You can not use TCD to transport HUs to your own final warehouse. |
| <input type="checkbox"/> C | In unplanned cross-docking, you define in Customizing how the cross-docking process is to proceed | <input type="checkbox"/> D | In a supply chain in transportation cross-docking, the final destination can not be located domestically |

103. Examples of indirect labor tasks in EWM are? There are 2 correct answers to this question

- | | | | |
|----------------------------|----------|----------------------------|---------|
| <input type="checkbox"/> A | Putaway | <input type="checkbox"/> B | Picking |
| <input type="checkbox"/> C | Cleaning | <input type="checkbox"/> D | Loading |
| <input type="checkbox"/> E | Meetings | | |

104. Material and location master data are transferred to the EWM system using what technique? Choose the correct answer(s).

- | | |
|---------------------------------|---|
| <input type="checkbox"/> A BAdI | <input type="checkbox"/> B BAPI |
| <input type="checkbox"/> C IDoc | <input type="checkbox"/> D APO core interface |

105. Which of the following are stock removal strategies? There are 4 correct answers to this question.

- | | |
|---------------------------------|---|
| <input type="checkbox"/> A FIFO | <input type="checkbox"/> B Near fixed bin |
| <input type="checkbox"/> C SLED | <input type="checkbox"/> D Partial quantities |
| <input type="checkbox"/> E LIFO | |

106. What are the three kitting processes available in EWM? There are 3 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Reverse kitting | <input type="checkbox"/> B Kit-to-stock |
| <input type="checkbox"/> C Kit de-stocking | <input type="checkbox"/> D Kit-to-order |
| <input type="checkbox"/> E Kit rebuild | |

107. The Putaway Control Indicator used to determine the storage type is obtained from the ... Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Warehouse product master | <input type="checkbox"/> B Storage type |
| <input type="checkbox"/> C Party entitled to dispose | <input type="checkbox"/> D Inbound delivery document |
| <input type="checkbox"/> E Configuration table | |

108. How can you configure the storage of products in a temperature-controlled area of warehouse? There are 3 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Create a new put away control indicator | <input type="checkbox"/> B Configuration a storage type search sequences |
| <input type="checkbox"/> C Create a new storage bin type | <input type="checkbox"/> D Configuration a material staging indicator |
| <input type="checkbox"/> E Create a new storage type | |

109. An exception code can be triggered by the system or entered by a user. What must
/>you assign to a customer specific exception code?
Please choose the correct
answer.

- | | |
|---|---|
| <input type="checkbox"/> A A workflow as follow-on action | <input type="checkbox"/> B An internal exception code |
| <input type="checkbox"/> C A business context | <input type="checkbox"/> D An Internal process code |

110. The three type of physical inventory procedures are?
There are 3 correct answers to
this question.

- | | |
|---|---|
| <input type="checkbox"/> A Periodic | <input type="checkbox"/> B Fixed bin counting |
| <input type="checkbox"/> C Cycle counting | <input type="checkbox"/> D RFdirected |
| <input type="checkbox"/> E Continuous | |

111. You want to setup tolerance groups to control how physical inventory differences
are
posted from SAP EWM to SAP ERP using the difference Analyzer.
Which parameters
control this type of tolerance groups?
There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Warehouse number | <input type="checkbox"/> B Value-based tolerance |
| <input type="checkbox"/> C Percentage quantity based tolerance | <input type="checkbox"/> D Storage type |

112. Which of the following data must you enter when processing a document (such as a
warehouse order) where the activity is connected with a Labor Management
process step?
There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Start time | <input type="checkbox"/> B Material |
| <input type="checkbox"/> C Warehouse number | <input type="checkbox"/> D Finish time |
| <input type="checkbox"/> E Processor | |

113. When you experience a difference in counting, which of the following task should
be
performed?
Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Enter a cost center, to which the
difference should be charged | <input type="checkbox"/> B Enter a warehouse process type, to
determine the difference bin |
| <input type="checkbox"/> C Enter the exception code, to determine
the follow up function | |

114. In the EWM system, what fields are used to map the ERP warehouse to the EWM
warehouse.
There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Business system | <input type="checkbox"/> B Logical System |
| <input type="checkbox"/> C MRPArea | <input type="checkbox"/> D Plant |
| <input type="checkbox"/> E ERP Warehouse Number | |

115. Which assignment do you make to create external process steps in process oriented
storage control?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A external process step to and SAP internal process step | <input type="checkbox"/> B external process step to a storage type |
| <input type="checkbox"/> C external process step to a work Centre | <input type="checkbox"/> D external process step to a packaging specification |

116. Which of the following are replenishment types?
There are 4 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage type replenishment | <input type="checkbox"/> B Order-related replenishment |
| <input type="checkbox"/> C Direct Replenishment | <input type="checkbox"/> D Automatic replenishment |
| <input type="checkbox"/> E Planned replenishment | |

117. In planned replenishment, when is replenishment triggered?
Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A Only when it is triggered manually | <input type="checkbox"/> B When the stock is less than the minimum quantity |
| <input type="checkbox"/> C On a predefined date | <input type="checkbox"/> D When the stock reaches zero |

118. Which of the following are examples of indirect labor tasks?
There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Cleaning | <input type="checkbox"/> B Picking |
| <input type="checkbox"/> C Meeting | <input type="checkbox"/> D Inventory counting |
| <input type="checkbox"/> E Housekeeping | |

119. The sort profile for task sorting in warehouse orders can have a maximum of how many sort fields? Choose the correct answer(s).

- | | |
|-------------------------------|-------------------------------|
| <input type="checkbox"/> A 10 | <input type="checkbox"/> B 15 |
| <input type="checkbox"/> C 5 | <input type="checkbox"/> D 20 |
| <input type="checkbox"/> E 30 | |

120. The following are examples of actions in PPF: There are 4 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Starting a workflow | <input type="checkbox"/> B Triggering a BAdI |
| <input type="checkbox"/> C Sending an email | <input type="checkbox"/> D Printing |
| <input type="checkbox"/> E Goods receipt posting | |

121. Where do you enable opportunistic cross-docking? Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A In the warehouse and the document type | <input type="checkbox"/> B In the warehouse and the product |
| <input type="checkbox"/> C In the product and the storage type | <input type="checkbox"/> D In the product and the warehouse process type |

122. Types of Physical Inventory procedures? There are 3 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Periodic | <input type="checkbox"/> B Continuous |
| <input type="checkbox"/> C Fixed Bin Counting | <input type="checkbox"/> D RF directed |
| <input type="checkbox"/> E Cycle Counting | |

123. What do you use to control what is displayed on the mobile device? There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Personalization profile | <input type="checkbox"/> B Queue type |
| <input type="checkbox"/> C Presentation profile | <input type="checkbox"/> D User profile |

124. Some kinds of material; for example, certain fluids are not suited to interim storage in a goods receipt area. They are taken directly to the destination storage bin when they arrive (for example, in a road tanker). In this case, the goods receipt posting in the Inventory Management should not trigger the creation of transfer requirement. How can we set this? Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A Special Storage indicator | <input type="checkbox"/> B Special movement indicator |
| <input type="checkbox"/> C Special Material Indicator | <input type="checkbox"/> D Bin putaway indicator |

125. Which of the following are ways that you can represent a yard in EWM?
There are 3 correct answers to this question.

- ☐ A separate warehouse number that includes a storage type with the role yard
- ☐ B A storage type with an unspecified role
- ☐ C A storage type with the role yard in the warehouse
- ☐ D A storage section
- ☐ E A physical location or address

126. Which options are available in the packaging profile that is assigned to the
warehouse order creation rule?
There are 3 correct answers to this question.

- ☐ A Limit the number of items to be packed in the pick handling unit
- ☐ B Create items in the outbound delivery for the packaging material
- ☐ C Consider length, width, and height
- ☐ D Skip a warehouse task that no longer fits into the pick handling unit
- ☐ E Use a simple algorithm, a complex algorithm, or a BAdI

127. What document in EWM contains the same basic information as the inbound
delivery document in SAP ERP? Choose the correct answer(s).

- ☒ A The inbound delivery requirement document.
- ☐ B The inbound delivery document.
- ☐ C The inbound delivery notification document.
- ☐ D The transfer requirement

128. When staging is triggered from SAP ERP with the advanced production integration
which of the following occurs?
Please choose the correct answer

- ☐ A An outbound delivery and an inbound delivery are created in SAP ERP.
- ☐ B An outbound delivery is created in ERP and copied to SAP EWM as posting change.
- ☐ C A production material request is created in SAP EWM.

129. Which objects can you display on the SAP standard warehouse management monitor?
There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Application log | <input type="checkbox"/> B Outbound deliveries |
| <input type="checkbox"/> C Overdue warehouse tasks | <input type="checkbox"/> D Inventory list of hazardous substances for the fire department |
| <input type="checkbox"/> E Material flow system telegram list | |

130. Which data is transferred from SAP ERP to SAP EWM?
There are 3 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Purchase order | <input type="checkbox"/> B Inbound delivery document |
| <input type="checkbox"/> C Vendor | <input type="checkbox"/> D Material master |
| <input type="checkbox"/> E Warehouse order | |

131. which of the following dates are delivery scheduling dates in ERP?
Please select all the correct answers that apply.

- | | |
|---|---|
| <input type="checkbox"/> A Customer requested delivery date | <input type="checkbox"/> B Material availability date |
| <input type="checkbox"/> C Transportation planning date | <input type="checkbox"/> D Loading date |
| <input type="checkbox"/> E Goods issue date | |

132. What is required to perform explicit counting using the Quality Inspection rule?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Work Center | <input type="checkbox"/> B Inspection rule |
| <input type="checkbox"/> C Resource | <input type="checkbox"/> D Sampling procedure |

133. What are the two basic methods of storage control in EWM?
There are 2 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Process-oriented | <input type="checkbox"/> B Combined |
| <input type="checkbox"/> C HU managed | <input type="checkbox"/> D Layout-oriented |

134. Which of the following objects can you assign to a resource?
There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A resource type | <input type="checkbox"/> B standard Bin |
| <input type="checkbox"/> C Queue | <input type="checkbox"/> D resource equipment |
| <input type="checkbox"/> E resource element | |

135. Identify the four different organizational models for production supply.
There are 4 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A One EWM Managed storage location | <input type="checkbox"/> B Three EWM managed storage locations in one warehouse |
| <input type="checkbox"/> C Two EWM managed storage locations in two warehouses | <input type="checkbox"/> D Two EWM managed storage locations in one warehouse |
| <input type="checkbox"/> E MM-IM managed storage location | |

136. Which of the following objects is assigned to a wave?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A Outbound delivery order header | <input type="checkbox"/> B Outbound delivery request item |
| <input type="checkbox"/> C Warehouse resource | <input type="checkbox"/> D Warehouse request item |

137. Which stocks can be displayed in the SAP extended warehouse management SAP
EWM warehouse management monitor?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Stock in transit | <input type="checkbox"/> B stock at third party |
| <input type="checkbox"/> C stock in transportation units | <input type="checkbox"/> D stock on resources |

138. Which quality management activities are performed during inbound processing?
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Recurring inspection | <input type="checkbox"/> B Quality inspection |
| <input type="checkbox"/> C Sample size maintenance | <input type="checkbox"/> D Counting |

139. Which document is created in SAP Extended warehouse management when you use
advanced production integration?
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Production order | <input type="checkbox"/> B Outbound delivery |
| <input type="checkbox"/> C Outbound delivery request | <input type="checkbox"/> D Production material request |

140. What are some of the characteristics of QIE?
There are 3 correct answers to this question.

- ☐ A QIE supports the counting function in EWM. ☐ B QIE is a component of EWM.
- ☐ C QIE can be run in a decentralized mode. ☐ D A number of inspection object types have been pre-defined by SAP for use in EWM.

141. Your customer has two warehouse numbers that share the same physical yard. How
do you set up the yard to enable yard management?
Please choose the correct answer

- ☐ A You define a storage type for a yard in each warehouse number and connect the two
storage types with doors to each other ☐ B You define a storage type for a yard in each warehouse number without any other
settings
- ☐ C You define a storage type for a yard in each warehouse number and connect the two
storage types with a common checkpoint. ☐ D You define a storage type for a yard in one of the warehouse numbers and connect the
yard with doors to the warehouse numbers

142. What is the default requirement for a goods receipt process in SAP extended
warehouse management?
Please choose the correct answer.

- ☐ A An expected goods receipt ☐ B An inbound delivery
- ☐ C A purchase order ☐ D A handling unit

143. What do you influence with a resource group definition?
Please choose the correct answer.

- ☐ A The work environment of the resources (either radio frequency or non-radio
frequency) ☐ B The horizontal and vertical speed of a resource
- ☐ C The menu on the user's mobile device ☐ D The queues a resource should process

144. With the control cycle you define the type of material staging for each material.
Please choose correct type of material staging.
There are 3 correct answers to this question

- ☐ A Transportation Unit ☐ B Shipping point
- ☐ C Release order parts ☐ D Crate parts
- ☐ E Pick parts

145. Which of the following actions can you perform from shipping cockpit?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Post goods receipts | <input type="checkbox"/> B Create and check in transportation units |
| <input type="checkbox"/> C Create waves | <input type="checkbox"/> D Assign outbound delivery orders and inbound deliveries to transportation units |

146. What predefined types of warehouse tasks does SAP Extended Warehouse
Management (SAP EWM) provide?
There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Resource | <input type="checkbox"/> B Product |
| <input type="checkbox"/> C Replenishment | <input type="checkbox"/> D Handling unit |

147. When you create a direct outbound delivery order, where can availability checks
happen?
There are 2 correct answers to this question.

- | | |
|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> A In SAP APO | <input type="checkbox"/> B In SAP CRM |
| <input type="checkbox"/> C In SAP TM | <input type="checkbox"/> D In SAP EWM |

148. Acceptance sampling can be used for which of the following?
Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Internal procured goods | <input type="checkbox"/> B Both External & internal procured goods |
| <input type="checkbox"/> C External procured goods | |

149. Which of the following are documents created by EWM in the goods receipt
process?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Purchase order | <input type="checkbox"/> B Inbound delivery request |
| <input type="checkbox"/> C Inbound delivery notification | <input type="checkbox"/> D Inbound delivery |

150. Physical inventories can be carried out for the following stock types:
There are 4 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Production stock | <input type="checkbox"/> B Blocked stock in putaway |
| <input type="checkbox"/> C Unrestricted stock in putaway | <input type="checkbox"/> D Quality inspection stock in putaway |
| <input type="checkbox"/> E Unrestricted stock in the warehouse | |

151. what document in EWM serves as the reference for the warehouse tasks that move the received products to their putaway storage bins? Choose the correct answer(s).

- | | |
|---|--|
| <input type="checkbox"/> A Inbound delivery notification document | <input type="checkbox"/> B Inbound delivery order |
| <input type="checkbox"/> C Transfer order document | <input type="checkbox"/> D Inbound delivery document |
| <input type="checkbox"/> E Warehouse order document | |

152. An activity area is used to represent a group of: Choose the correct answer(s).

- | | |
|---|---|
| <input type="checkbox"/> A Storage Sections | <input type="checkbox"/> B Material Staging Areas |
| <input type="checkbox"/> C Storage types | <input type="checkbox"/> D Storage Bins |

153. In a yard, which of the following entities can you have? There are 2 correct answers to this question.

- | | |
|---|---------------------------------------|
| <input type="checkbox"/> A Vehicles | <input type="checkbox"/> B Containers |
| <input type="checkbox"/> C Transportation units | |

154. Which of the following processes are considered part of the EWM inbound process? There are 4 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Quality checking | <input type="checkbox"/> B Deconsolidation |
| <input type="checkbox"/> C Wave processing | <input type="checkbox"/> D Slotting |
| <input checked="" type="checkbox"/> E Value-Added Services (VAS) | |

155. What is required to move a transportation unit with a warehouse task within the yard? Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Vehicle | <input type="checkbox"/> B Yard management |
| <input type="checkbox"/> C Assignment to a door | <input type="checkbox"/> D Parking space |

156. What types of EWM data can be displayed using the warehouse monitor? There are 4 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A EWM storage bin data | <input type="checkbox"/> B Warehouse product master data |
| <input type="checkbox"/> C Alerts | <input type="checkbox"/> D Process related data |
| <input type="checkbox"/> E EWM documents | |

157. Which of the following actions are possible based on a value-added service(VAS) order? There are 3 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Assemble a kit | <input type="checkbox"/> B Perform quality inspection |
| <input type="checkbox"/> C Consume auxiliary products | <input type="checkbox"/> D Capture time required |
| <input type="checkbox"/> E Capture costs | |

158. Which cross-docking methods require the use of SAP Advance planning and Optimization? There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A EWM-triggered opportunistic cross-docking | <input type="checkbox"/> B Push deployment |
| <input type="checkbox"/> C Pick from goods receipts | <input type="checkbox"/> D Recipient-driven flow-through |

159. Which customizing setting in process-oriented storage control, what can you use rule-based determination for? Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A To determine the HU type group | <input type="checkbox"/> B To determine the warehouse process type |
| <input type="checkbox"/> C To determine the destination storage bin | <input type="checkbox"/> D To determine the processing time |

160. Which of the following uniquely identify an integration model? There are 3 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Application | <input type="checkbox"/> B Shipping Point |
| <input type="checkbox"/> C Name | <input type="checkbox"/> D Target System |

161. Advanced production integration is typically used in which of the following scenarios? There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Process industry | <input type="checkbox"/> B Mechanical Engineering |
| <input type="checkbox"/> C Consumer products | |

162. To which objects can you assign a warehouse door? There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse number | <input type="checkbox"/> B Storage section |
| <input type="checkbox"/> C Yard | <input type="checkbox"/> D Storage bin |

163. The collaboration with appointment planners for carriers is based on which of the following? There are 3 correct answers to this question.

- | | | | |
|----------------------------|--------------------------------------|----------------------------|--|
| <input type="checkbox"/> A | A user with complete authorization | <input type="checkbox"/> B | A business partner that represents an appointment planner for a carrier |
| <input type="checkbox"/> C | A user with restricted authorization | <input type="checkbox"/> D | An assignment of the appointment planner for carrier to a specific carrier |

164. Which statement is true regarding Outbound Process Documents? There are 2 correct answers to this question

- | | | | |
|----------------------------|--|----------------------------|--|
| <input type="checkbox"/> A | The outbound delivery is a document representing the goods to be delivered together to a billing document. | <input type="checkbox"/> B | The outbound delivery request is a document containing all the relevant logistics data in the inbound delivery process from the origin of the outbound delivery process. |
| <input type="checkbox"/> C | The outbound delivery request is a document containing all the relevant logistics data in the outbound delivery process from the origin of the outbound delivery process | <input type="checkbox"/> D | The outbound delivery order is a document containing all the data required for triggering and monitoring the complete outbound delivery process. |

165. What can you use to define engineered labor standards? There are 2 correct answers to this question.

- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | Value-added services and inspection documents | <input type="checkbox"/> B | External process steps and work step sequences |
| <input type="checkbox"/> C | Travel distance calculation | <input type="checkbox"/> D | Labor activities and BRF plus |

166. What do you use to control what is displayed on the mobile device? There are 2 correct answers to this question

- | | | | |
|----------------------------|-------------------------|----------------------------|----------------------|
| <input type="checkbox"/> A | User profile | <input type="checkbox"/> B | Queue type |
| <input type="checkbox"/> C | Personalization profile | <input type="checkbox"/> D | Presentation profile |

167. In EWM a warehouse is identified by the: Please choose the correct answers

- | | | | |
|----------------------------|------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> A | StorageType | <input type="checkbox"/> B | Warehouse organization code |
| <input type="checkbox"/> C | Warehouse Number | <input type="checkbox"/> D | Warehouse complex code |

168. Which parameters indicates the type of goods movement when you define a new warehouse process type? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A storage process | <input type="checkbox"/> B availability group |
| <input type="checkbox"/> C activity | <input type="checkbox"/> D warehouse process category |

169. In Warehouse Order Assignment to Queue, When the system creates a warehouse task (WT), it searches for an appropriate queue to assign to it, based on the following WT parameters. There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Yard Access Type | <input type="checkbox"/> B Source activity area |
| <input type="checkbox"/> C Destination activity area | <input type="checkbox"/> D Bin Activity Area |

170. In warehouse order creation, what function can be used to limit the amount of work assigned to a warehouse order? Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A Sort rules | <input type="checkbox"/> B Activity areas |
| <input type="checkbox"/> C Consolidation groups | <input type="checkbox"/> D Filters and limit values |

171. What can the mobile user do when working with semi-system guided processing? Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Select the source bin | <input type="checkbox"/> B Created ad hoc warehouse tasks |
| <input type="checkbox"/> C Pick any batch that can be found | <input type="checkbox"/> D Select the handling unit to be processed. |

172. In Measurement Services and Warehouse Cockpit, which sentence is correct regarding For a tailored measurement service? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A You connect single tailored measurements services in a complex formula | <input type="checkbox"/> B You connect multiple tailored measurements services in a complex formula |
| <input type="checkbox"/> C You assign a selection variant to a basic measurement service to specify the key figure you like to see | <input type="checkbox"/> D You connect multiple tailored measurements services in a complex formula |

173. What are the two forms of counting? Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Implicit and Explicit | <input type="checkbox"/> B Cycle counting and continuous |
| <input type="checkbox"/> C Internal and external | <input type="checkbox"/> D Direct and Indirect |

174. In Radio Frequency Framework, Through what Character-based devices are linked to the system? Please choose the correct answer

- | | |
|---|--|
| <input type="checkbox"/> A RF terminals | <input type="checkbox"/> B HTMLBusiness |
| <input type="checkbox"/> C ITSmobile | <input type="checkbox"/> D WebSAPConsole |

175. After completing all value-added services, the system moves the products in the following areas There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A final storage bin | <input type="checkbox"/> B Shipping plant |
| <input type="checkbox"/> C goods issue area | <input type="checkbox"/> D Final Warehouse |

176. Which standard function can be executed in the background when you enter an exception code in a radio frequency (RF) transaction? There are 3 correct answers to those question

- | | |
|--|---|
| <input type="checkbox"/> A delete delivery document | <input type="checkbox"/> B direct picker to another Bin |
| <input type="checkbox"/> C generate workflow process | <input type="checkbox"/> D Confirm warehouse order |
| <input type="checkbox"/> E create Bin replenishment | |

177. What document in EWM contains the same basic information as the inbound delivery document in SAP ERP? Choose the correct answer(s).

- | | |
|--|---|
| <input type="checkbox"/> A The inbound delivery notification document. | <input type="checkbox"/> B The inbound delivery requirement document. |
| <input type="checkbox"/> C The transfer requirement. | <input type="checkbox"/> D The inbound delivery document |

178. The system uses the following criteria to automatically determine the quantity of respective auxiliary products that is to be posted: There are 3 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage bin allocation | <input type="checkbox"/> B Shipping date determination |
| <input type="checkbox"/> C The quantity confirmation for a VAS activity | <input type="checkbox"/> D The status confirmation for a VAS order |
| <input type="checkbox"/> E The VAS activity confirmation | |

179. What does SAP Extended Warehouse Management use to determine a wave template? Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Wave capacity profile | <input type="checkbox"/> B Warehouse order creation rule |
| <input type="checkbox"/> C Wave release method | <input type="checkbox"/> D Condition technique |

180. What SAP component supports RFID processing in EWM?
Choose the correct answer(s).

- | | |
|---|---|
| <input type="checkbox"/> A Active ID Identification (AII) | <input type="checkbox"/> B Auto-Id Infrastructure (AII) |
| <input type="checkbox"/> C Auto RFID (ARFID) | <input type="checkbox"/> D Automatic Input Identification (AII) |

181. WOCR's are determined by which of the following?
There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Activity type | <input type="checkbox"/> B Activity area |
| <input type="checkbox"/> C Storage section | <input type="checkbox"/> D Storage type |
| <input type="checkbox"/> E Bin type | |

182. Which of the following is used to perform activities like picking, put away or a
physical inventory?
Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Storage Section | <input type="checkbox"/> B Storage Bin |
| <input type="checkbox"/> C Activity Areas | <input type="checkbox"/> D None of the above |

183. RF Function Key F6 is used for which function?
Please choose the correct answer.

- | | |
|---------------------------------|----------------------------------|
| <input type="checkbox"/> A Back | <input type="checkbox"/> B Clear |
| <input type="checkbox"/> C List | <input type="checkbox"/> D More |

184. When you combine the process-oriented control with the layout-oriented storage
control, which of the following is true?
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A SAP EWM always determines the layout-oriented storage control first. | <input type="checkbox"/> B SAP EWM always determines the process-oriented storage control first. |
| <input type="checkbox"/> C It does not matter which type of storage control is determined first | |

185. Which of these tasks are carried out in the warehouse Activity Areas?
Please select all the correct answers that apply.

- | | |
|---|------------------------------------|
| <input type="checkbox"/> A Putaway | <input type="checkbox"/> B Picking |
| <input type="checkbox"/> C Physical Inventory | |

186. Which of the following are internal goods movements?
There are 3 correct answers to this question.
- ☐ A Direct putaway ☐ B Ad hoc movements
- ☐ C Slotting ☐ D Replenishment
- ☐ E Warehouse Reorganization
187. What are packing specifications used for?
There are 2 correct answers to this question
- ☐ A For pick HUs ☐ B For unloading
- ☐ C For palletization
188. Which scenario uses process-oriented storage control?
Please choose the correct answer.
- ☐ A Weight check before moving to high-rack storage area ☐ B Value-added service before putaway
- ☐ C Unloading before counting ☐ D Staging before loading
189. Which statement is true about relationship between Activity Area and Storage Type?
Please choose the correct answer
- ☐ A One storage type is assign to only one activity area ☐ B One storage type is assign to multiple activity area
- ☐ C Multiple storage type is assign to multiple activity area ☐ D Multiple storage type is assign to One activity area
190. Layout-oriented storage control is normally used when stock movements in the warehouse do not travel directly from a source storage bin to a destination location. Instead, they travel through an intermediate storage bin or many intermediate storage bins.
What is/are the exceptions(s)?
There are 2 correct answers to this question.
- ☐ A When you want to switch resources ☐ B When you want to pack the material at a work center
- ☐ C When you want to apply a value added service ☐ D When pick points are used

191. When handling unit contains different products and products has to put away in different storage sections, which of the following is used? Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Stock Denial | <input type="checkbox"/> B De-consolidation function |
| <input type="checkbox"/> C Put Away task | <input type="checkbox"/> D Activity Area |

192. Which objects can you add to the warehouse cockpit? There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Calculated measurement services | <input type="checkbox"/> B Basic measurement services |
| <input type="checkbox"/> C Alert from alert management | <input type="checkbox"/> D Tailored measurement services |

193. Which level to activate pick denial? There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Device item type level | <input type="checkbox"/> B Warehouse level |
| <input type="checkbox"/> C Process step level | <input type="checkbox"/> D Warehouse process type level |

194. The EWM Warehouse Monitor is a customizable, central tool: There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Providing alert-monitoring capabilities | <input type="checkbox"/> B To keep warehouse managers informed about the current situation in the warehouse |
| <input type="checkbox"/> C Planning resources for the warehouse | |

195. Movements involving the Inventory Management system use storage areas that are defined as storage types in the Warehouse Management system and as storage locations in the IM system. The goods receipt for a purchase order is posted first in Inventory Management and the goods are then brought into the warehouse via a storage area, the goods receipt area. What are these storage areas called? Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A One storage | <input type="checkbox"/> B Putaway |
| <input type="checkbox"/> C Interim storage area | <input type="checkbox"/> D Storage sections |

196. Where can a batch be created? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Batches can only be created in EWM | <input type="checkbox"/> B Batches can only be created in ERP |
| <input type="checkbox"/> C Batches can be created in ERP and EWM | |

197. Which of the following is not part of Warehouse Structural Elements?
Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Activity area | <input type="checkbox"/> B Storage bin |
| <input type="checkbox"/> C Yard | <input type="checkbox"/> D Storage type |

198. Which of the following actions can you perform from shipping cockpit?
There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Create and check in transportation units | <input type="checkbox"/> B Assign outbound delivery orders and inbound deliveries to transportation units |
| <input type="checkbox"/> C Post goods receipts | <input type="checkbox"/> D Create waves |

199. What organizational unit is used to represent parking spaces, checkpoints and
doors.
Choose the correct answer(s).

- | | |
|---|--|
| <input type="checkbox"/> A Storage bin | <input type="checkbox"/> B Material staging area |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Storage section |

200. Which of the following are examples of EWM internal functions/processes?
There are 4 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Value Added Services | <input type="checkbox"/> B Quality Inspection |
| <input type="checkbox"/> C RFID | <input type="checkbox"/> D Yard Management |
| <input checked="" type="checkbox"/> E Task and Resource Management | |

201. Which statements are correct regarding Yard Management Setup
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A You can define a warehouse with multiple yards | <input type="checkbox"/> B You cannot define a warehouse with multiple yards |
| <input type="checkbox"/> C You cannot use one yard for multiple warehouses | <input type="checkbox"/> D A yard represents a separate storage type in a warehouse |

202. You can use physical inventory functions in EWM to carry out a physical inventory
of products and handling units (HUs) for stock control and balance sheet purposes.
Which of the following are physical inventory functions in EWM?
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage-type-specific physical inventory | <input type="checkbox"/> B HU-specific physical inventory |
| <input type="checkbox"/> C Storage-bin-specific physical inventory | <input type="checkbox"/> D Product-specific physical inventory |

203. You need to use an organizational unit to represent the subdivision of a storage type based on hazardous material classifications. Which organizational unit would you use? Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Activity Area | <input type="checkbox"/> B Storage bin |
| <input type="checkbox"/> C Quant | <input type="checkbox"/> D Storage section |

204. With integration SAP QM, Which of the following statement is true in relation to sample size? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A A sample size is always calculated in SAP EWM and used for deconsolidation. | <input type="checkbox"/> B It is not possible to use sample size. |
| <input type="checkbox"/> C A sample size is calculated in SAP ERP and displayed as information in the work center. | |

205. What are some requirements for automatic wave creation? There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Cartelization planning is done | <input type="checkbox"/> B Conditions and condition records exist |
| <input type="checkbox"/> C Transportation unit planning is finalized | <input type="checkbox"/> D Wave templates are defined |

206. What SAP component generates unchecked delivery documents? Choose the correct answer(s).

- | | |
|--|---|
| <input checked="" type="checkbox"/> A SAP Customer Relationship Management (SAP CRM) | <input type="checkbox"/> B Logistics execution |
| <input type="checkbox"/> C EWM | <input type="checkbox"/> D Sales and distribution |

207. What are some of the characteristics of QIE? There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A QIE can be run in a decentralized mode. | <input type="checkbox"/> B QIE is a component of EWM. |
| <input type="checkbox"/> C QIE supports the counting function in EWM. | <input type="checkbox"/> D A number of inspection object types have been pre-defined by SAP for use in EWM |

208. Which role must be assigned to the business partner in Labor Management? Please choose the correct answer.

- | | |
|------------------------------------|--------------------------------------|
| <input type="checkbox"/> A Partner | <input type="checkbox"/> B Processor |
| <input type="checkbox"/> C Worker | <input type="checkbox"/> D Resource |

209. Which staging methods are available in delivery-based production integration?
There are 2 correct answers to this question

- | | | | |
|----------------------------|----------------------|----------------------------|---------------------|
| <input type="checkbox"/> A | Cross order staging | <input type="checkbox"/> B | Pick parts |
| <input type="checkbox"/> C | Single order staging | <input type="checkbox"/> D | Release order parts |

210. Which two of the following types of labor time are tracked in Labor Management?
There are 2 correct answers to this question.

- | | | | |
|----------------------------|-------------------|----------------------------|----------------|
| <input type="checkbox"/> A | Indirect Labor | <input type="checkbox"/> B | Direct Labor |
| <input type="checkbox"/> C | Unproductive Time | <input type="checkbox"/> D | Scheduled Time |

211. The Quality Inspection Engine (QIE) provides services to trigger inspection,
decisions about quality and quality control levels, and:
There are 3 correct answers to this question

- | | | | |
|----------------------------|--------------------------------------|----------------------------|--|
| <input type="checkbox"/> A | Assigning warehouse staff to quality | <input type="checkbox"/> B | Printing of work papers |
| <input type="checkbox"/> C | Recording of inspection results | <input type="checkbox"/> D | Creation of samples and calculation of sample size |

212. When you release a wave to generate warehouse tasks, EWM copies the
staging area and the mode of the wave to warehouse task. You can release waves
multiple times. For example, if you release a wave, but EWM can only generate
some of the required warehouse tasks since there is not enough stock, you can
release the wave again at a later point in time.
You can display the log by using the Release Log button. To do so, on the SAP Easy
Access screen, choose path from given options.
Please choose the correct answer

- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | Extended Warehouse Management
→Maintain Waves → Wave Management
→ Work Scheduling | <input type="checkbox"/> B | Extended Warehouse
Management→Work Scheduling →
Maintain Waves → Wave Management |
| <input type="checkbox"/> C | Extended Warehouse Management →
Work Scheduling → Wave Management
→Maintain Waves | <input type="checkbox"/> D | Extended Warehouse Management →
Wave Management → Work Scheduling →
Maintain Waves |

213. Product Master Data includes which of the following pieces of information
There are 2 correct answers to this question.

- | | | | |
|----------------------------|-------------------------|----------------------------|------------------------|
| <input type="checkbox"/> A | Product properties | <input type="checkbox"/> B | Product classification |
| <input type="checkbox"/> C | Product unit of measure | <input type="checkbox"/> D | Product stock levels |

214. You are using delivery-based production integration. Which of the following are created for the outbound delivery in ERP for staging? There are 2 correct answers to this question.

- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | A posting change document in EWM when the supplying and receiving storage locations are assigned to the same warehouse number | <input type="checkbox"/> B | An internal stock transfer in EWM when the supplying and the receiving storage locations are the same. |
| <input type="checkbox"/> C | An inbound delivery in the receiving warehouse when the supplying and the receiving storage locations are assigned to different warehouse numbers | <input type="checkbox"/> D | An outbound delivery order in EWM when the supplying storage location is connected to EWM and the receiving storage location has NO warehouse management |

215. Where does the system obtain the Storage Section Indicator used to determine the storage section? Choose the correct answer(s).

- | | | | |
|----------------------------|--------------|----------------------------|---------------------------|
| <input type="checkbox"/> A | Storage bin | <input type="checkbox"/> B | Warehouse product master |
| <input type="checkbox"/> C | Plant | <input type="checkbox"/> D | Hazardous material master |
| <input type="checkbox"/> E | Storage Type | | |

216. What organizational unit is the Supply Chain Unit assigned? Choose the correct answer(s).

- | | | | |
|----------------------------|---------------|----------------------------|----------------------|
| <input type="checkbox"/> A | Activity Area | <input type="checkbox"/> B | Plant |
| <input type="checkbox"/> C | Storage Type | <input type="checkbox"/> D | EWM Warehouse Number |

217. What are the key fields to define a delivery document in SAP extended warehouse Management? There are 2 correct answers to this question

- | | | | |
|----------------------------|------------------|----------------------------|-------------------|
| <input type="checkbox"/> A | Warehouse number | <input type="checkbox"/> B | System profile |
| <input type="checkbox"/> C | Document type | <input type="checkbox"/> D | Document category |

218. In EWM Delivery Document, Contained in the delivery header is general data information and data that is relevant for inbound and outbound delivery documents, posting changes and internal stock transfers. What header info you can find? There are 3 correct answers to this question

- | | | | |
|----------------------------|---|----------------------------|-----------------|
| <input type="checkbox"/> A | Weights and volumes for the complete delivery | <input type="checkbox"/> B | Scheduling data |
| <input type="checkbox"/> C | Goods receiving office or shipping office | <input type="checkbox"/> D | Sold from party |
| <input type="checkbox"/> E | Confirmation date | | |

219. Which of the following data must you enter when processing a document (such as a
warehouse order) where the activity is connected with a Labor Management
process step? There are 3 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Start time | <input type="checkbox"/> B Processor |
| <input type="checkbox"/> C Material | <input type="checkbox"/> D Finish time |
| <input type="checkbox"/> E Warehouse number | |

220. The document header information is defined in the EWM system by a combination
of what two codes? There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Status profile | <input type="checkbox"/> B Document type |
| <input type="checkbox"/> C Document category | <input type="checkbox"/> D Schedule line category |
| <input type="checkbox"/> E Item category | |

221. What are the two basic methods of storage control in EWM? There are 2 correct
answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Combined | <input type="checkbox"/> B HU managed |
| <input type="checkbox"/> C Process-oriented | <input type="checkbox"/> D Layout-oriented |

222. Which technology generally used for communication between ERP and SCM? Please
choose the correct answer

- | | |
|----------------------------------|--------------------------------|
| <input type="checkbox"/> A qRFCs | <input type="checkbox"/> B CIF |
| <input type="checkbox"/> C BAPI | <input type="checkbox"/> D EWM |

223. Your customer wants to use batch management in SAP Extended Warehouse
Management (SAP EWM). When do you have to create a batch during the inbound
process? Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A Before the goods receipt is posted in SAP EWM | <input type="checkbox"/> B Before the inbound delivery is created in SAP ERP |
| <input type="checkbox"/> C Before the inbound delivery is created in SAP EWM | <input type="checkbox"/> D Before the inbound delivery is distributed from SAP ERP to SAP EWM |

224. Cartonization planning can happen for which of the following processes or
document? There are 3 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A During putaway | <input type="checkbox"/> B Outbound delivery orders |
| <input type="checkbox"/> C During packing | <input type="checkbox"/> D During picking |

225. Which of the following settings need to be configured for pick denial?
Please select all the correct answers that apply.
- ☐ A Configure the pick denial processing actions.
- ☐ B Activate pick denial at the warehouse level
- ☐ C Enable the workflow process for a workflow process to be triggered
- ☐ D Define the "external" exception codes representing the pick denial options and
assign them to the internal exception codes that are predefined in the SAP EWM
system.
226. Which statements are false regarding System-guided processing?
There are 2 correct answers to this question
- ☐ A Warehouse task is locked
- ☐ B Warehouse task is not locked
- ☐ C You only see the source storage bin and the input field for the HU.
- ☐ D The screen shows you various data, such as HU, product, quantity, batch, and so on
227. EWM can be deployed as follows:
There are 2 correct answers to this question
- ☐ A only in the SAP SCM server environment.
- ☐ B only in a standalone, decentralized server environment
- ☐ C as a component of an SAP SCM 5.0/SCM 2007 server environment
- ☐ D either as a component of the SAP SCM 5.0/SCM 2007 server environment, or as an
add-on to an SAP ERP server environment.
228. Which level to activate 2-step picking?
Please choose the correct answer
- ☐ A Activity area
- ☐ B HU type
- ☐ C Warehouse number
- ☐ D Storage type
229. Packing mode to control creation of pick HU
There are 3 correct answers to this question
- ☐ A Limit value
- ☐ B Complex
- ☐ C BADI
- ☐ D Simple algorithm
- ☐ E Consolidation group

230. The following fields are used to determine the warehouse process type.
There are 4 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Storage type | <input type="checkbox"/> B Warehouse number |
| <input type="checkbox"/> C Document type | <input type="checkbox"/> D Process type determination control indicator |
| <input type="checkbox"/> E Item type | |

231. Which field in the warehouse process type is used to determine warehouse order
creation rules (WORC)?
Please choose the correct answer.

- | | |
|--|---------------------------------------|
| <input type="checkbox"/> A consolidation group | <input type="checkbox"/> B activity |
| <input type="checkbox"/> C delivery priority | <input type="checkbox"/> D stock type |

232. What are the key fields to define a delivery document in SAP extended warehouse
Management?
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse number | <input type="checkbox"/> B System profile |
| <input type="checkbox"/> C Document type | <input type="checkbox"/> D Document category |

233. Which of these functions are available in Warehouse Management?
There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Processing sales orders | <input type="checkbox"/> B Managing inventory at the storage bin level |
| <input type="checkbox"/> C Purchasing goods | <input type="checkbox"/> D Processing goods movements |

234. Slotting is used to determine the following indicators for optimal putaway:
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Storage section indicator | <input type="checkbox"/> B Cycle counting indicator |
| <input type="checkbox"/> C Putaway control indicator | |

235. What data in the SAP ERP system triggers the goods receipt processing in EWM?
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Posting changes | <input type="checkbox"/> B The inbound delivery document creation. |
| <input type="checkbox"/> C The transfer order. | <input type="checkbox"/> D The transfer requirement |

236. What can the mobile user do when working with semi-system guided processing?
Please choose the correct answer

- ☐ A Pick any batch that can be found ☐ B Created ad hoc warehouse tasks
☐ C Select the handling unit to be processed. ☐ D Select the source bin

237. Which of these tasks are carried out in the warehouse Activity Areas?
Please select all the correct answers that apply

- ☐ A Picking ☐ B Physical Inventory
☐ C Putaway

238. Examples of warehouse process categories are.
There are 3 correct answers to this question

- ☐ A Stock removal ☐ B Posting change
☐ C Putaway ☐ D Packing
☐ E Check-in

239. To successfully integrate SAP ERP with SAP EWM in SAP ERP a plant and a storage
location are assigned to which of the following?
Please choose the correct answer.

- ☐ A Warehouse ☐ B Logical system
☐ C Storage type ☐ D Distribution Model

240. Your company decided to perform EWM system for Automatic Wave Assignment
with Wave Templates, which Prerequisites you need to perform
There are 3 correct answers to this question.

- ☐ A Set Wave Type Automatic ☐ B set the Automatic Wave Creation indicator for the warehouse process type that is
found for the warehouse request item
☐ C Control for bin denial ☐ D Create wave templates
☐ E define the conditions for wave template determination

241. In Labor Management, what document contains all of the relevant data that can be used to compare the planned and actual times? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Tailored measurement services | <input type="checkbox"/> B Executed workload |
| <input type="checkbox"/> C Planned workload | <input type="checkbox"/> D Performance document |
| <input type="checkbox"/> E Inbound delivery | |

242. What are the two types of warehouse tasks? There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Location tasks | <input type="checkbox"/> B Transfer tasks |
| <input type="checkbox"/> C Stock movement tasks | <input type="checkbox"/> D Product tasks |
| <input type="checkbox"/> E HU tasks | |

243. Identify the four different organizational models for production supply. There are 4 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A One EWM Managed storage location | <input type="checkbox"/> B Three EWM managed storage locations in one warehouse |
| <input type="checkbox"/> C Two EWM managed storage locations in two warehouses | <input type="checkbox"/> D Two EWM managed storage locations in one warehouse |
| <input type="checkbox"/> E MM-IM managed storage location | |

244. Which of the following are process steps in process-oriented storage control for outbound processing? There are 4 correct answers to this question

- | | |
|--|------------------------------------|
| <input type="checkbox"/> A VAS | <input type="checkbox"/> B Loading |
| <input type="checkbox"/> C deconsolidation | <input type="checkbox"/> D Picking |
| <input type="checkbox"/> E Packing | |

245. Inspection rules contain which of the following parameters? There are 3 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Possible decision, Finding and follow up action | <input type="checkbox"/> B Preliminary inspection |
| <input type="checkbox"/> C Type of inspection | <input type="checkbox"/> D Checking criteria |

246. How do you deploy SAP Extended Warehouse Management to achieve optimal system performance and maintenance benefits? Please choose the correct answer

- | | |
|---|--|
| <input type="checkbox"/> A As an add-on to an SAP Supply Chain Management application | <input type="checkbox"/> B As an add-on to an SAP ERP system instance |
| <input type="checkbox"/> C As a standalone application | <input type="checkbox"/> D SAP EWM deployment type has NO effect on system performance and maintenance benefits. |

247. Which sentence is not correct w.r.t Final shipment? Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A Most of Final shipments are already packed or loaded | <input type="checkbox"/> B Final shipments are fixed with regard to type and size, in other words, they are confirmed |
| <input type="checkbox"/> C Planned shipment can be replaced by a final shipment | <input type="checkbox"/> D Final shipments are not fixed with regard to type and size. |

248. In a direct putaway, the system obtains the source storage type and bin from which of the following? Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Warehouse process type | <input type="checkbox"/> B Storage section |
| <input type="checkbox"/> C Packaging specification | <input type="checkbox"/> D Storage type |

249. In the EWM system, go to the IMG and determine the Logical System number that is assigned to the Client Number assigned in the ERP server to your course. From where you can get this setting in IMG? Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A ERP IMG: Integration with Other mySAP.com Components → Basic Settings for Setting Up the System Landscape → Extended Warehouse Management → Assign Logical System to a Client | <input type="checkbox"/> B ERP IMG: Integration with Other mySAP.com Components → Extended Warehouse Management → Basic Settings for Setting Up the System Landscape → Assign Logical System to a Client |
| <input type="checkbox"/> C ERP IMG: Integration with Other mySAP.com Components → Extended Warehouse Management → Assign Logical System to a Client → Basic Settings for Setting Up the System Landscape | <input type="checkbox"/> D ERP IMG: Integration with Other mySAP.com Components → Basic Settings for Setting Up the System Landscape → Extended Warehouse Management → Assign Logical System to a Client |

250. EWM uses which document type to differentiate that an EWM inbound delivery from production takes place? Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Outbound Delivery from Production | <input type="checkbox"/> B Inbound Delivery from Warehouse |
| <input type="checkbox"/> C Inbound Delivery from Production | <input type="checkbox"/> D Inbound Process from Production |

251. The RF framework supports the use of bar codes for identification and verification purposes. SAP currently supports which bar code types? Please choose the correct answer

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> A EAN 128 | <input type="checkbox"/> B EAN 64 |
| <input type="checkbox"/> C ENA 128 | <input type="checkbox"/> D EAN 256 |

252. An Inspection lot summary can be done for which of the following? There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Product/Batch | <input type="checkbox"/> B Product/Batch/Reference Document |
| <input type="checkbox"/> C Product/Batch/Vendor | |

253. What fields are used to determine the availability group? There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Logical system number | <input type="checkbox"/> B Storage location |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Plant |
| <input type="checkbox"/> E Warehouse number | |

254. In what system is the APO core interface model created to transfer master data? Choose the correct answer(s).

- | | |
|--|---------------------------------------|
| <input type="checkbox"/> A SAP SCM APO | <input type="checkbox"/> B EWM system |
| <input type="checkbox"/> C Either the SAP ERP or the SAP SCM system. | <input type="checkbox"/> D SAPERP |

255. A VAS order is created with reference to: There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A A Picking List | <input type="checkbox"/> B An outbound delivery order |
| <input type="checkbox"/> C The required packaging specification | <input type="checkbox"/> D A manufacturing request |

256. Your customer requires each product to be stored in its own preassigned place in the warehouse. Which putaway strategy meets this requirement? Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Fixed storage bin | <input type="checkbox"/> B Addition to existing stock |
| <input type="checkbox"/> C Empty storage bin | <input type="checkbox"/> D Manual entry |

257. A packaging specification consists of a header, a level component, an element group, and which two of the following structural components? There are 2 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Contents | <input type="checkbox"/> B Max no. of bins |
| <input type="checkbox"/> C Pilferable indicator | <input type="checkbox"/> D Element |

258. What are the fields in the warehouse product master that play a central role in replenishment of storage bins? There are 3 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Replenishment Quantity | <input type="checkbox"/> B EOQ |
| <input type="checkbox"/> C Minimum stocking quantity | <input type="checkbox"/> D Maximum stocking quantity |
| <input type="checkbox"/> E Storage Type Control | |

259. Each client in an SAP server is assigned a unique name that is used in ALE communications. What is the name of the field? Choose the correct answer(s).

- | | |
|---|---|
| <input type="checkbox"/> A Logical System | <input type="checkbox"/> B Server-ID |
| <input type="checkbox"/> C Client System ID | <input type="checkbox"/> D Logical Server |

260. Which of the following can you include in a storage type search sequence? There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A A list of storage type groups | <input type="checkbox"/> B A storage bin type |
| <input type="checkbox"/> C A list of storage types | <input type="checkbox"/> D A list of storage sections |

261. Which of the following are inbound process steps? There are 2 correct answers to this question

- | | |
|-------------------------------------|---|
| <input type="checkbox"/> A Picking | <input type="checkbox"/> B deconsolidation |
| <input type="checkbox"/> C stacking | <input type="checkbox"/> D value added services |

262. When you create a direct outbound delivery order, where can availability checks happen? There are 2 correct answers to this question

- | | |
|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> A In SAP TM | <input type="checkbox"/> B In SAP EWM |
| <input type="checkbox"/> C In SAP APO | <input type="checkbox"/> D In SAP CRM |

263. Which objects in the SAP Extended Warehouse Management (SAP EWM) application
/>are used to map an SAP ERP warehouse to an SAP EWM warehouse?
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage location | <input type="checkbox"/> B Plant |
| <input type="checkbox"/> C Warehouse number | <input type="checkbox"/> D Business system |

264. What data is entered in order to perform the availability check?
There are 4 correct answers to this question.

- | | |
|--|---------------------------------------|
| <input type="checkbox"/> A Ship-to party | <input type="checkbox"/> B Item |
| <input type="checkbox"/> C Quantity | <input type="checkbox"/> D Stock type |
| <input type="checkbox"/> E User ID | |

265. To which objects can you assign external process step?
Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A Storage type | <input type="checkbox"/> B Work center |
| <input type="checkbox"/> C handling unit type | <input type="checkbox"/> D delivery item type |

266. When staging products for a production order with the delivery based production
integration, three types of staging are available. What are they?
There are 3 correct answers to this question.

- | | |
|--|--|
| <input checked="" type="checkbox"/> A HU-Parts | <input type="checkbox"/> B Crate Parts |
| <input type="checkbox"/> C Release Order Parts | <input type="checkbox"/> D Pick Parts |

267. For which processes can you create a direct outbound delivery order?
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A customer pickup | <input type="checkbox"/> B inventory difference |
| <input type="checkbox"/> C Replenishment | <input type="checkbox"/> D issue to cost center |
| <input type="checkbox"/> E scrapping | |

268. Rack, Open, Shelf, Damage represents the?
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Stock Types | <input type="checkbox"/> B None |
| <input type="checkbox"/> C Plant Type | <input type="checkbox"/> D Storage Types |

269. With SAP S/4HANA embedded EWM or EWM 9.5 you can skip certain document categories. Which document category combination is still mandatory? Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A An outbound delivery request and an outbound delivery | <input type="checkbox"/> B An outbound delivery order and an outbound delivery |
| <input type="checkbox"/> C An outbound delivery and a production material request | <input type="checkbox"/> D An outbound delivery request and an outbound delivery order |

270. What organizational units must be assigned to each warehouse product master record? There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Plant | <input type="checkbox"/> B EWM warehouse number |
| <input type="checkbox"/> C Storage location | <input type="checkbox"/> D Shipping point |
| <input type="checkbox"/> E Party Entitled to Dispose | |

271. Your customer wants to use batches with SAP Extended Warehouse Management. At which level can you activate batch management in SAP ERP? There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Client level | <input type="checkbox"/> B Plant level |
| <input type="checkbox"/> C Warehouse number level | <input type="checkbox"/> D Storage location level |

272. Control cycles are required to control which of the following processes? Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A How a material is staged | <input type="checkbox"/> B What costs are to be calculated? |
| <input type="checkbox"/> C Which warehouse process type is used for picking? | |

273. Which of the following tools can you use to display the stock balance of a product in storage bins? There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Easy Graphics Framework (EGF) | <input type="checkbox"/> B Warehouse cockpit |
| <input type="checkbox"/> C Stock Overview report | <input type="checkbox"/> D RF Framework |
| <input type="checkbox"/> E Warehouse Monitor | |

274. In the EWM system, go to the IMG and determine the Logical System number that is assigned to the Client Number assigned in the ERP server to your course. From where you can get this setting in IMG? Please choose the correct answer.

- | | |
|---|---|
| <p><input type="checkbox"/> A ERP IMG: Integration with Other mySAP.com Components → Basic Settings for Setting Up the System Landscape → Extended Warehouse Management → Assign Logical System to a Client</p> | <p><input type="checkbox"/> B ERP IMG: Integration with Other mySAP.com Components → Basic Settings for Setting Up the System Landscape → Extended Warehouse Management → Assign Logical System to a Client</p> |
| <p><input type="checkbox"/> C ERP IMG: Integration with Other mySAP.com Components → Extended Warehouse Management → Assign Logical System to a Client → Basic Settings for Setting Up the System Landscape</p> | <p><input type="checkbox"/> D ERP IMG: Integration with Other mySAP.com Components → Extended Warehouse Management → Basic Settings for Setting Up the System Landscape → Assign Logical System to a Client</p> |

275. Which of the following can you include in a storage type search sequence? There are 2 correct answers to this question

- | | |
|--|---|
| <p><input type="checkbox"/> A A list of storage types</p> | <p><input type="checkbox"/> B A storage bin type</p> |
| <p><input type="checkbox"/> C A list of storage sections</p> | <p><input type="checkbox"/> D A list of storage type groups</p> |

276. You define new SAP Extended warehouse management (SAP EWM) delivery document types for outbound delivery process. Which additional customizing step is required in SAP EWM? Please choose the correct answer.

- | | |
|---|--|
| <p><input type="checkbox"/> A Create a new system profile for the field control</p> | <p><input type="checkbox"/> B Define a document category for the outbound process.</p> |
| <p><input type="checkbox"/> C Map an SAP ERP document type to the delivery document type.</p> | <p><input type="checkbox"/> D Define a delivery item type for the outbound process</p> |

277. Which of the following objects exist at the item level within a delivery document in SAP Extended Warehouse Management? There are 2 correct answers to this question.

- | | |
|---|--|
| <p><input type="checkbox"/> A Delivery quantity</p> | <p><input type="checkbox"/> B Ship-from or ship-to party</p> |
| <p><input type="checkbox"/> C Over-delivery and under-delivery quantity tolerance</p> | <p><input type="checkbox"/> D Goods receiving or shipping office</p> |

278. Which of the following is a prerequisite for assigning a warehouse order to a resource? Please choose the correct answer.
- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | The warehouse order must be picked from the same activity area that is assigned to the resource | <input type="checkbox"/> B | The resource group of the resource must be assigned to the warehouse order creation |
| <input type="checkbox"/> C | The warehouse order must be in a queue with the same operating environment as the resource | <input type="checkbox"/> D | The creation of a pick handling unit must be done automatically with a packaging specification |
279. What can you use to define engineered labor standards? There are 2 correct answers to this question
- | | | | |
|----------------------------|-------------------------------|----------------------------|--|
| <input type="checkbox"/> A | Travel distance calculation | <input type="checkbox"/> B | External process steps and work step sequences |
| <input type="checkbox"/> C | Labor activities and BRF plus | <input type="checkbox"/> D | Value-added services and inspection documents |
280. What are the components that are contained within a VAS order? There are 4 correct answers to this question.
- | | | | |
|----------------------------|------------------------|----------------------------|--------------------|
| <input type="checkbox"/> A | List of VAS activities | <input type="checkbox"/> B | Auxiliary products |
| <input type="checkbox"/> C | Order header | <input type="checkbox"/> D | Bill-of-material |
| <input type="checkbox"/> E | Items | | |
281. Which of the following are organizational units within EWM? There are 3 correct answers to this question
- | | | | |
|----------------------------|---------------|----------------------------|------------------|
| <input type="checkbox"/> A | Storage types | <input type="checkbox"/> B | Storage section |
| <input type="checkbox"/> C | Storage bins | <input type="checkbox"/> D | Warehouse number |
282. Examples of location-related data that is transferred from the SAP ERP system to the SAP EWM system are: There are 4 correct answers to this question
- | | | | |
|----------------------------|-----------------|----------------------------|-----------------|
| <input type="checkbox"/> A | Vendor Master | <input type="checkbox"/> B | Plants |
| <input type="checkbox"/> C | Shipping points | <input type="checkbox"/> D | Customer Master |
| <input type="checkbox"/> E | Storage bins | | |

283. What are the two types of tags in use today in RFID?
There are 2 correct answers to this question.

- | | |
|------------------------------------|---------------------------------------|
| <input type="checkbox"/> A local | <input type="checkbox"/> B hard-wired |
| <input type="checkbox"/> C active | <input type="checkbox"/> D cpu-direct |
| <input type="checkbox"/> E passive | |

284. A production supply area is required in SAP ERP and in SAP EWM. What possibilities
do you have to create the PSA?
There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A A PSA is manually created in SAP ERP, manually created in SAP EWM and a manual
mapping is required | <input type="checkbox"/> B A PSA is manually created in SAP ERP and then replicated into SAP EWM with
automatic mapping |
| <input type="checkbox"/> C A PSA is manually created in SAP EWM and then replicated to SAP ERP | |

285. A work center in EWM is represented by what organizational unit?
Choose the correct answer(s).

- | | |
|--|---|
| <input type="checkbox"/> A Storage Section | <input type="checkbox"/> B Storage Type |
| <input type="checkbox"/> C Activity Area | <input type="checkbox"/> D StorageBin |

286. What document in EWM represents an executable work package?
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Inbound delivery document | <input type="checkbox"/> B Warehouse order |
| <input type="checkbox"/> C Transfer order document | <input type="checkbox"/> D Warehouse task |

287. In EWM a warehouse is identified by the:
Please choose the correct answers.

- | | |
|---|--|
| <input type="checkbox"/> A StorageType | <input type="checkbox"/> B Warehouse Number |
| <input type="checkbox"/> C Warehouse complex code | <input type="checkbox"/> D Warehouse organization code |

288. The Putaway Control Indicator used to determine the storage type is obtained from
the ...
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Inbound delivery document | <input type="checkbox"/> B Storage type |
| <input type="checkbox"/> C Configuration table | <input type="checkbox"/> D Party entitled to dispose |
| <input type="checkbox"/> E Warehouse product master | |

289. What is the required status of the physical inventory document before you can trigger a recount? Please choose the correct answer.
- ☐ A Posted ☐ B Counted
- ☐ C Recounted ☐ D Active
290. Your company decided to perform EWM system for Automatic Wave Assignment with Wave Templates, which Prerequisites you need to perform? There are 3 correct answers to this question
- ☐ A set the Automatic Wave Creation indicator for the warehouse process type that is found for the warehouse request item ☐ B Create wave templates
- ☐ C Set Wave Type Automatic ☐ D define the conditions for wave template determination
- ☐ E Control for bin denial
291. The standard EWM document type for posting changes is which of the following? Choose the correct answer(s).
- ☐ A TWPR ☐ B ODR
- ☐ C IDN ☐ D IDR
- ☐ E OD
292. Under what circumstances can you use direct outbound delivery orders? There are 4 correct answers to this question.
- ☐ A Scrapping ☐ B Pickup
- ☐ C Immediate deliveries ☐ D Kit to stock or reverse kitting
- ☐ E Kit to order
293. Which of the following factors influence replenishment quantity? There are 2 correct answers to this question
- ☐ A Supplier availability ☐ B Predefined stock levels
- ☐ C Availability of transportation ☐ D Demand forecasts
- ☐ E Cost

294. The following are structural elements that must be defined in customizing to set up an EWM warehouse. There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Warehouse Number | <input type="checkbox"/> B Picking Area |
| <input type="checkbox"/> C StorageBin | <input type="checkbox"/> D StorageSection |
| <input type="checkbox"/> E Storage Type | |

295. Which options are available in the packaging profile that is assigned to the warehouse order creation rule? There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Skip a warehouse task that no longer fits into the pick handling unit | <input type="checkbox"/> B Use a simple algorithm, a complex algorithm, or a BAdI |
| <input type="checkbox"/> C Consider length, width, and height | <input type="checkbox"/> D Create items in the outbound delivery for the packaging material |
| <input type="checkbox"/> E Limit the number of items to be packed in the pick handling unit | |

296. What are the possible reference document in ERP for the notification of goods receipt document? There are 2 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Material requirement | <input type="checkbox"/> B Purchase requisition |
| <input type="checkbox"/> C Purchase order | <input type="checkbox"/> D Transfer requirement |
| <input type="checkbox"/> E Production order | |

297. For the staging of which parts, no production order is required? Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A Spare parts | <input type="checkbox"/> B Crate parts |
| <input type="checkbox"/> C Release order parts | <input type="checkbox"/> D Pick parts |

298. When staging is triggered from SAP ERP with the advanced production integration which of the following occurs? Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A An outbound delivery is created in ERP and copied to SAP EWM as posting change. | <input type="checkbox"/> B An outbound delivery and an inbound delivery are created in SAP EWM. |
| <input type="checkbox"/> C A production material request is created in SAP EWM. | |

299. You can also create a kit without a VAS order at a work center. You can configure a
work center where you also pack in such a way that you can confirm generated kits
there. This process is suitable for the following cases
There are 2 correct answers to this question
- ☐ A You do not require detailed documentation of the kitting procedure in EWM
- ☐ B You require detailed documentation of the kitting procedure in EWM
- ☐ C You are not performing kitting in one special kitting work center, but at a work center
where you cannot packing
- ☐ D You are not performing kitting in one special kitting work center, but at a work center
where you are also packing
300. The maximum number of characters in an EWM bin coordinate is
Choose the correct answer(s).
- ☐ A 12
- ☐ B 20
- ☐ C 15
- ☐ D 18
- ☐ E 10
301. In planned replenishment, when is replenishment triggered?
Please choose the correct answer
- ☐ A Only when it is triggered manually
- ☐ B When the stock is less than the minimum quantity
- ☐ C When the stock reaches zero
- ☐ D On a predefined date
302. What types of EWM data can be displayed using the warehouse monitor?
There are 4 correct answers to this question.
- ☐ A Warehouse product master data
- ☐ B EWM documents
- ☐ C Process related data
- ☐ D Alerts
- ☐ E EWM storage bin data
303. When an inspection document is activated in EWM, the QIE triggers the creation of
an inspection lot in ERP QM. In which one of the following systems is the inspection
process then executed?
Please choose the correct answer.
- ☐ A The external QIE system
- ☐ B The ERP QM system
- ☐ C The EWM QM system

304. Which standard process is supported in the SAP Extended Warehouse Management (SAP EWM) radio frequency (RF) framework? There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Deconsolidation | <input type="checkbox"/> B Delivery creation |
| <input type="checkbox"/> C Warehouse order confirmation | <input type="checkbox"/> D Goods issue posting |

305. Where do you enable opportunistic cross-docking? Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A In the product and the warehouse process type | <input type="checkbox"/> B In the product and the storage type |
| <input type="checkbox"/> C In the warehouse and the document type | <input type="checkbox"/> D In the warehouse and the product |

306. What do you need for the preliminary inspection of handling units, inspection object type 6? Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A An inspection document created using RF | <input type="checkbox"/> B A special decision code in EWM |
| <input type="checkbox"/> C An inspection type with inspection lot origin 17 | <input type="checkbox"/> D An inspection rule for relevant HU-types |

307. In EWM Travel Distance Calculation, When calculating the distance while creating the warehouse order, the system estimates the following values There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Instead of the known position of the resource, a default distance to be covered to reach the first position in a storage type is specified | <input type="checkbox"/> B For the speed, the system uses the speed of the slowest resource (pessimistic approach). |
| <input type="checkbox"/> C For the speed, the system uses the speed of the fastest resource (Optimistic approach). | <input type="checkbox"/> D The route network used (if available) contains all defined routes with resource type restrictions |
| <input type="checkbox"/> E The route network used (if available) contains all defined routes without resource type restrictions | |

308. Which applications in SAP EWM allow you to adjust the analysis data displayed to fit your needs? There are 3 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse management monitor | <input type="checkbox"/> B Shipping cockpit |
| <input type="checkbox"/> C Graphical warehouse layout | <input type="checkbox"/> D Warehouse cockpit |
| <input type="checkbox"/> E Dock appointment scheduling | |

309. What document is used to execute goods movements in EWM?
Choose the correct answer(s).

- | | |
|--|--|
| <input type="checkbox"/> A warehouse task | <input type="checkbox"/> B warehouse request |
| <input type="checkbox"/> C warehouse order | <input type="checkbox"/> D transfer order |

310. The system then creates tasks that contain a work center as
the destination storage location in accordance with the VAS order.
Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A handling warehouse unit | <input type="checkbox"/> B complete warehouse unit |
| <input type="checkbox"/> C unit warehouse handling | <input type="checkbox"/> D handling unit warehouse |

311. Which replenishment method starts when a warehouse task is confirmed?
Please choose the correct answer

- | | |
|--|---|
| <input type="checkbox"/> A Automatic replenishment | <input type="checkbox"/> B Planned replenishment |
| <input type="checkbox"/> C Order-related replenishment | <input type="checkbox"/> D Create parts replenishment |

312. Which of the following are profiles that can be used to create a WOCR?
There are 4 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Storage Type filter | <input type="checkbox"/> B WO sorting |
| <input type="checkbox"/> C Packing profile | <input type="checkbox"/> D Subtotal filter |
| <input type="checkbox"/> E Item filter | |

313. In what system is the APO core interface model created to transfer master data?
Choose the correct answer(s).

- | | |
|---------------------------------------|---|
| <input type="checkbox"/> A SAPERP | <input type="checkbox"/> B SAP SCM APO |
| <input type="checkbox"/> C EWM system | <input type="checkbox"/> D Either the SAP ERP or the SAP SCM system |

314. To which of the following elements can you assign a storage process?
There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Warehouse order creation rule | <input type="checkbox"/> B Storage group |
| <input type="checkbox"/> C Warehouse process type | <input type="checkbox"/> D Activity area |

315. Where does the system obtain the Stock Removal Control Indicator used to
determine the storage type search sequence?
Please choose the correct answer

- | | |
|---|---|
| <input type="checkbox"/> A Customizing | <input type="checkbox"/> B Warehouse product master |
| <input type="checkbox"/> C Warehouse process type | <input type="checkbox"/> D Storage type |

316. What information is used to determine the availability group?
There are 2 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse number | <input type="checkbox"/> B Stock category |
| <input type="checkbox"/> C Plant | <input type="checkbox"/> D Non-location-dependent stock type |

317. To avoid a goods receipt posting with the receipt control you must do which of the
following?
Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A Block the vendor only | <input type="checkbox"/> B Block the product only |
| <input type="checkbox"/> C Block the vendor and the product | |

318. What is the document that begins the outbound process in the EWM system?
Choose the correct answer(s).

- | | |
|--|---|
| <input type="checkbox"/> A Outbound delivery request | <input type="checkbox"/> B Material document |
| <input type="checkbox"/> C Outbound delivery document in ERP | <input type="checkbox"/> D Transfer requirement |

319. RF Function Key F6 is used for which function?
Please choose the correct answer

- | | |
|----------------------------------|---------------------------------|
| <input type="checkbox"/> A Back | <input type="checkbox"/> B More |
| <input type="checkbox"/> C Clear | <input type="checkbox"/> D List |

320. The following are examples of continuous physical inventory procedures:
There are 4 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Low stock check | <input type="checkbox"/> B AdHoc |
| <input type="checkbox"/> C Zero stock check | <input type="checkbox"/> D HU counting |
| <input type="checkbox"/> E Putaway physical inventory | |

321. System can perform staging area and door determination in the background, you
must define determination rules (outbound delivery process). When doing this, you
first specify which values the system is to compare with the values in the delivery.
Which values can be used for the determination of outbound delivery process?
There are 3 correct answers to this question.

- | | |
|--|-----------------------------------|
| <input type="checkbox"/> A Staging area / door determination group | <input type="checkbox"/> B Routes |
| <input type="checkbox"/> C Departure calendar | <input type="checkbox"/> D Yard |
| <input type="checkbox"/> E Warehouse process type | |

322. The Warehouse Cockpit was created as a tool for what EWM application?
Choose the correct answer(s).

- | | |
|--|---|
| <input type="checkbox"/> A Quality Inspection engine | <input type="checkbox"/> B Slotting |
| <input type="checkbox"/> C Labor Management | <input type="checkbox"/> D Physical Inventory |

323. Yard movements enable you to move transportation units (TUs) from one yard bin
to another inside a yard. What are impossible types of yard movements.
Please choose the correct answer

- | | |
|---|--|
| <input type="checkbox"/> A You move a TU from a parking space to the door, or from the door to a parking space | <input type="checkbox"/> B You move a TU within the yard, from one parking space to another door, or from one
door to another parking space |
| <input type="checkbox"/> C You move a TU within the yard, from one parking space to another, or from one door
to another | <input type="checkbox"/> D The TU arrives at the checkpoint and is moved to a parking space or to the door |

324. You can use the following production planning (PP) application components for
production supply in EWM
Note: There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Production order (PP-SFC) | <input type="checkbox"/> B Process order (PP-PI_POR) |
| <input type="checkbox"/> C Material Management (MM) | <input type="checkbox"/> D Logistics (LO) |

325. At which level do you configure two step picking?
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A handling unit type | <input type="checkbox"/> B storage type |
| <input type="checkbox"/> C warehouse number | <input type="checkbox"/> D activity area |

326. In delivery processing, action profiles can be assigned to which of the following?
There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Delivery document header | <input type="checkbox"/> B Warehouse order |
| <input type="checkbox"/> C Warehouse task | <input type="checkbox"/> D Delivery document item |

327. Replenishment types are specified at what level in EWM?
Choose the correct answer(s).

- | | |
|--|---|
| <input type="checkbox"/> A Storage section | <input type="checkbox"/> B Warehouse process type |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Warehouse |
| <input type="checkbox"/> E Warehouse order creation rule | |

328. Your customer requires each product to be stored in its own preassigned place in the warehouse. Which putaway strategy meets this requirement? Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A Empty storage bin | <input type="checkbox"/> B Addition to existing stock |
| <input type="checkbox"/> C Manual entry | <input type="checkbox"/> D Fixed storage bin |

329. Which system function determines which fields are displayed and changed during delivery document processing? Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A Field control | <input type="checkbox"/> B Quantity offsetting |
| <input type="checkbox"/> C Status management | <input type="checkbox"/> D Text management |

330. Movements involving the Inventory Management system use storage areas that are defined as storage types in the Warehouse Management system and as storage locations in the IM system. The goods receipt for a purchase order is posted first in Inventory Management and the goods are then brought into the warehouse via a storage area, the goods receipt area. What are these storage areas called? Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A Storage sections | <input type="checkbox"/> B Putaway |
| <input type="checkbox"/> C One storage | <input type="checkbox"/> D Interim storage area |

331. What do you control with the business context for an exception code? Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A The internal exception code that is assigned to it | <input type="checkbox"/> B The user groups that can use the exception code |
| <input type="checkbox"/> C The process for which the exception code can be used | <input type="checkbox"/> D The work environment in which you can use the exception code |

332. What are some requirements for automatic wave creation? There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Conditions and condition records exist | <input type="checkbox"/> B Wave templates are defined |
| <input type="checkbox"/> C Transportation unit planning is finalized | <input type="checkbox"/> D Cartelization planning is done |

333. Which of the following are outbound process steps? There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Putaway | <input type="checkbox"/> B Quality inspection |
| <input type="checkbox"/> C Value-added services | <input type="checkbox"/> D Remove form stock |

334. The methods used in travel distance calculation are:
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Storage type | <input type="checkbox"/> B Straight line |
| <input type="checkbox"/> C Minimal path | <input type="checkbox"/> D Euclidean |
| <input type="checkbox"/> E Manhattan | |

335. You want to use Labor Management. For which combination must you activate
Labor Management?
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse number and labor activity | <input type="checkbox"/> B Warehouse number and warehouse process type |
| <input type="checkbox"/> C Warehouse number and internal process step | <input type="checkbox"/> D Warehouse number and external process step |

336. The forms of storage control supported by EWM are?
There are 2 correct answers to this question

- | | |
|---|--|
| <input type="checkbox"/> A Process-oriented | <input type="checkbox"/> B Storage type |
| <input type="checkbox"/> C HU-managed | <input type="checkbox"/> D Layout-oriented |
| <input type="checkbox"/> E FIFO | |

337. In storage section determination, what parameters are used to determine the
storage section?
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Storage section indicator from the warehouse product master | <input type="checkbox"/> B Bin Type |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Hazardous attributes |

338. When you or EWM release a wave to generate warehouse tasks, EWM copies the
staging area and the mode of the wave to warehouse task. You can release waves
multiple times. For example, if you release a wave, but EWM can only generate
some of the required warehouse tasks since there is not enough stock, you can
release the wave again at a later point in time.
You can display the log by using the Release Log button. To do so, on the SAP Easy
Access screen, choose path from given options.
Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A Extended Warehouse Management → Maintain Waves → Wave Management → Work Scheduling | <input type="checkbox"/> B Extended Warehouse Management → Work Scheduling → Maintain Waves → Wave
Management |
| <input type="checkbox"/> C Extended Warehouse Management → Work Scheduling → Wave Management →
Maintain Waves | <input type="checkbox"/> D Extended Warehouse Management → Wave Management → Work Scheduling
→ Maintain Waves |

339. Which distribution methods can you use to replicate transactional data from an SAP
ERP system to SAP Extended Warehouse Management?
There are 2 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Manual distribution | <input type="checkbox"/> B Core Interface (CIF) distribution model |
| <input type="checkbox"/> C Immediate distribution at document creation | <input type="checkbox"/> D Distribution via post processing framework (PPF) actions |

340. Which limit values can you use to restrict the size of the warehouse orders?
There are 2 correct answers to this question

- | | |
|--|-------------------------------------|
| <input type="checkbox"/> A Resources | <input type="checkbox"/> B Products |
| <input type="checkbox"/> C Processing time | <input type="checkbox"/> D Items |

341. In the executed workload process, the planned and executed duration can be
compared for which of the following?
There are 3 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Warehouse orders | <input type="checkbox"/> B VAS orders |
| <input type="checkbox"/> C Inbound deliveries | <input type="checkbox"/> D Outbound delivery orders |
| <input type="checkbox"/> E QI documents | |

342. Which of the following are examples of PPF processing types supported by Smart
Forms?
There are 3 correct answers to this question

- | | |
|--|---------------------------------|
| <input type="checkbox"/> A Workflow | <input type="checkbox"/> B Fax |
| <input type="checkbox"/> C Delivery creation | <input type="checkbox"/> D Mail |
| <input type="checkbox"/> E Print | |

343. In Warehouse Order Assignment to Queue, When the system creates a warehouse
task (WT), it searches for an appropriate queue to assign to it, based on the
following WT parameters.
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Source activity area | <input type="checkbox"/> B Bin Activity Area |
| <input type="checkbox"/> C Yard Access Type | <input type="checkbox"/> D Destination activity area |

344. Which of the following might a "yard" storage bin represent?
There are 3 correct answers to this question

- | | |
|--|---|
| <input type="checkbox"/> A Checkpoint | <input type="checkbox"/> B Manufacturing line |
| <input type="checkbox"/> C Parking space | <input type="checkbox"/> D Door |

345. For the Preliminary inspection handling unit, which of the following is true?
Please choose the correct answer

- ☐ A As the first person for HU, decide if it is "good" or "bad"
- ☐ B Need the integration with SAP ERP QM
- ☐ C Firstly, Move the HU's to a work center

346. What documents can be found in the goods issue process?
There are 3 correct answers to this question

- ☐ A Billing document
- ☐ B Transfer order
- ☐ C Sales order
- ☐ D Production order
- ☐ E Outbound delivery

347. What production process are supported with advanced production integration?
There are 2 correct answers to this question.

- ☐ A Production orders
- ☐ B Process orders
- ☐ C Repetitive manufacturing
- ☐ D Kanban

348. The SAP RF framework offers which of the following RF functionalities?
There are 4 correct answers to this question

- ☐ A Split screen
- ☐ B Recovery
- ☐ C Work execution transactions for warehouse processes
- ☐ D Logon
- ☐ E Log Off

349. What types of data can the slotting process use to determine the putaway control
parameters?
There are 3 correct answers to this question

- ☐ A Storage bin quants
- ☐ B Demand forecasts/requirements
- ☐ C Product data
- ☐ D Packaging data
- ☐ E Storage section

350. In addition to the warehouse number, what fields are used for warehouse process
type determination?
Please select all the correct answers that apply

- ☐ A Delivery priority
- ☐ B Document type
- ☐ C Control indicator
- ☐ D Item Type

351. Resource types RT01 and RT02 are assigned to resource execution constraint A1, with a maximum number of two and three respectively. REC storage group GAN is assigned to constraint A1 with the parameter "AND". Which is meaningful sentence is correct? Please choose the correct answer

☐ A This means that a maximum of two resources of type RT02 and three resources of type RT01 can work in A1 at the same time

☐ B This means that a maximum of three resources of type RT02 and three resources of type RT01 can work in A1 at the same time

☐ C This means that a maximum of three resources of type RT02 and two resources of type RT01 can work in A1 at the same time

☐ D This means that a minimum of three resources of type RT02 and two resources of type RT01 can work in A1 at the same time.

352. What are the components of Yard Management? There are 3 correct answers to this question

☐ A Yard security

☐ B Vehicle inspection

☐ C Yard stock

☐ D Yard location management

☐ E Yard movements

353. In the SAP ERP system, the two organizational units used to determine the EWM warehouse are the: There are 2 correct answers to this question

☐ A Plant

☐ B Company Code

☐ C StorageType

☐ D Supply chain unit

☐ E Storage Location

354. In Heuristics for the Travel Distance Calculation, how system calculate Breadth-first
Please choose the correct answer

- | | |
|---|---|
| <p><input type="checkbox"/> A The system looks for all possible routes in the network, and selects the one that has the shortest distance. This heuristic is more performance intensive at runtime, and is only appropriate for small networks</p> | <p><input type="checkbox"/> B The system looks for all possible routes in the network, and selects the one that has the longest distance. This heuristic is more performance intensive at runtime, and is only appropriate for large networks</p> |
| <p><input type="checkbox"/> C The system looks for all possible routes in the network, and selects the one that has the average distance. This heuristic is more performance intensive at runtime, and is only appropriate for complex networks</p> | <p><input type="checkbox"/> D The system looks for all possible routes in the network, and selects the one that has the average distance. This heuristic is more performance intensive at runtime, and is only appropriate for small networks</p> |

355. Which of the following are replenishment types? There are 4 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Planned replenishment | <input type="checkbox"/> B Direct Replenishment |
| <input type="checkbox"/> C Fixed bin replenishment | <input type="checkbox"/> D Order-related replenishment |
| <input type="checkbox"/> E Automatic replenishment | |

356. When staging products for a production order with the delivery based production integration, three types of staging are available. What are they? There are 3 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Release Order Parts | <input type="checkbox"/> B Pick Parts |
| <input type="checkbox"/> C HU-Parts | <input type="checkbox"/> D Crate Parts |

357. What SAP components can be used to perform delivery scheduling? There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A EWM | <input type="checkbox"/> B SAP Event Management |
| <input type="checkbox"/> C SAP APO Global Available to Promise | <input type="checkbox"/> D SAPCRM |
| <input type="checkbox"/> E Sales and Distribution in SAP ERP | |

358. What process can you employ instead of capacity checking?
Please choose the correct answer.
- ☐ A Storage process determination ☐ B Storage bin type determination
- ☐ C Process type determination
359. Which of the following field is used to map date type from ERP system to EWM?
Please choose the correct answer
- ☐ A Warehouse number ☐ B Document category
- ☐ C Item category ☐ D Document type
360. What do you need for the preliminary inspection of handling units, inspection object
type 6?
Please choose the correct answer.
- ☐ A A special decision code in EWM ☐ B An inspection type with inspection lot origin 17
- ☐ C An inspection document created using RF ☐ D An inspection rule for relevant HU-types
361. What can you do with a storage group?
There are 2 correct answers to this question.
- ☐ A Use it to define a logical or physical breakdown of a storage type ☐ B Use it in process and layout oriented storage control
- ☐ C Assign it to multiple storage bins ☐ D Assign it as an intermediate storage group
362. Where does the system obtain the Stock Removal Control Indicator used to
determine the storage type search sequence? Please choose the correct answer
- ☐ A Warehouse product master ☐ B Storage type
- ☐ C Customizing ☐ D Warehouse process type
363. What can a warehouse order include?
There are 2 correct answers to this question.
- ☐ A Physical inventory items ☐ B Wave items
- ☐ C Warehouse tasks ☐ D Warehouse requests
364. What fields in the ERP system are used to determine the 'intermediate' warehouse
number in delivery documents.
There are 2 correct answers to this question.
- ☐ A Shipping condition ☐ B Storage condition
- ☐ C Plant ☐ D Storage Location
- ☐ E Company Code

365. What are the two types of tags in use today in RFID?
There are 2 correct answers to this question

- | | |
|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> A passive | <input type="checkbox"/> B hard-wired |
| <input type="checkbox"/> C cpu-direct | <input type="checkbox"/> D local |
| <input type="checkbox"/> E active | |

366. Which of the following are examples of PPF processing types supported by Smart
Forms?
There are 3 correct answers to this question.

- | | |
|--|---------------------------------|
| <input type="checkbox"/> A Delivery creation | <input type="checkbox"/> B Mail |
| <input type="checkbox"/> C Workflow | <input type="checkbox"/> D Fax |
| <input type="checkbox"/> E Print | |

367. A VAS order is created with reference to:
There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A A manufacturing request | <input type="checkbox"/> B A Picking List |
| <input type="checkbox"/> C An outbound delivery order | <input type="checkbox"/> D The required packaging specification |

368. What structures are possible in Yard
There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Doors | <input type="checkbox"/> B Checkpoints |
| <input type="checkbox"/> C Vehicles | <input type="checkbox"/> D Transportation Units |
| <input type="checkbox"/> E Parking spaces | |

369. Which combination of document category tables and its description is correct?
There are 2 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A ODR --> Outbound Delivery Request | <input type="checkbox"/> B GRN --> Outbound Delivery Request |
| <input type="checkbox"/> C EGR --> Expected Goods Receipt | <input type="checkbox"/> D FDO --> Outbound Delivery Order |

370. Which of the following are examples of warehouse request documents?
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A Outbound Delivery Request | <input type="checkbox"/> B Posting Change Request |
| <input type="checkbox"/> C Outbound Delivery Order | <input type="checkbox"/> D Warehouse task |
| <input type="checkbox"/> E Inbound Delivery | |

371. The following data can be used to determine the Putaway Control Indicator:
There are 4 correct answers to this question.
- | | |
|---|---|
| <input type="checkbox"/> A Sales data | <input type="checkbox"/> B Product data |
| <input type="checkbox"/> C Demand forecasts | <input type="checkbox"/> D Packaging data |
| <input type="checkbox"/> E Storage requirement data | |
372. If SAP APO, SAP ERP, or EWM can only partially confirm the requested quantities or
change the inspection type automatically, EWM displays a dialog box. What
information you find?
There are 3 answers correct
- | | |
|--|---|
| <input type="checkbox"/> A Available quantity | <input type="checkbox"/> B Confirmation date/time |
| <input type="checkbox"/> C Check status, for example Partially Checked | <input type="checkbox"/> D Inspection Error |
| <input type="checkbox"/> E Partial quantity | |
373. To successfully integrate SAP ERP with SAP EWM in SAP ERP a plant and a storage
location are assigned to which of the following?
Please choose the correct answer
- | | |
|---|---|
| <input type="checkbox"/> A Distribution Model | <input type="checkbox"/> B Logical system |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Warehouse |
374. With integration SAP QM, Which of the following statement is true in relation to
sample size?
Please choose the correct answer.
- | | |
|---|---|
| <input type="checkbox"/> A A sample size is always calculated in SAP EWM and used for deconsolidation | <input type="checkbox"/> B A sample size is calculated in SAP ERP and displayed as information in the work
center. |
| <input type="checkbox"/> C It is not possible to use sample size. | |
375. What options are available for creating physical inventories in EWM?
There are 2 correct answers to this question
- | | |
|--|---|
| <input type="checkbox"/> A Cycle counting | <input type="checkbox"/> B Storage bin specific inventory |
| <input type="checkbox"/> C Product specific physical inventory | <input type="checkbox"/> D Fixed bin directed inventory |
| <input type="checkbox"/> E Storage type specific inventory | |

376. labor management is activated at what levels in EWM?
There are 2 correct answers to this question.

- | | |
|--|--|
| <input type="checkbox"/> A Internal process step | <input type="checkbox"/> B Warehouse |
| <input type="checkbox"/> C Activity type | <input type="checkbox"/> D Activity area |
| <input type="checkbox"/> E Storage type | |

377. What do you need to maintain for a capacity check by weight?
There are 2 correct answers to this question.

- | | |
|--|---|
| <input type="checkbox"/> A The capacity check in the storage type | <input type="checkbox"/> B The actual weight of the item in a work center |
| <input type="checkbox"/> C The maximum number of bins in the warehouse product | <input type="checkbox"/> D The maximum allowed weight in the bin |

378. Which level to activate 2-step picking?
Please choose the correct answer.

- | | |
|---|--|
| <input type="checkbox"/> A Warehouse number | <input type="checkbox"/> B HU type |
| <input type="checkbox"/> C Storage type | <input type="checkbox"/> D Activity area |

379. Work centers can be used in the following processes.
There are 3 correct answers to this question

- | | |
|---|-------------------------------------|
| <input type="checkbox"/> A Material staging | <input type="checkbox"/> B Counting |
| <input type="checkbox"/> C RFID | <input type="checkbox"/> D Packing |
| <input type="checkbox"/> E Quality inspection | |

380. List three examples of EWM master data.
There are 3 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Work center | <input type="checkbox"/> B Packaging specifications |
| <input type="checkbox"/> C Warehouse product master | <input type="checkbox"/> D Storage bins |

381. Which sentence is not correct w.r.t Planned shipment
Please choose the correct answer

- | | | | |
|----------------------------|--|----------------------------|---|
| <input type="checkbox"/> A | Planned shipment can never replaced by a final shipment | <input type="checkbox"/> B | They can still change with regard to type and size, for example, due to a subsequent
delivery split in Extended Warehouse Management |
| <input type="checkbox"/> C | Then you create a freight document and assign the planned shipments. | <input type="checkbox"/> D | In EWM a freight document, which groups the planned shipments and automatically
creates a TU and/or a vehicle |

382. To which objects can you assign a warehouse door?
There are 2 correct answers to this question

- | | | | |
|----------------------------|------------------|----------------------------|-----------------|
| <input type="checkbox"/> A | Storage bin | <input type="checkbox"/> B | Storage section |
| <input type="checkbox"/> C | Warehouse number | <input type="checkbox"/> D | Yard |

383. At which level do you configure two step picking?
Please choose the correct answer

- | | | | |
|----------------------------|------------------|----------------------------|--------------------|
| <input type="checkbox"/> A | activity area | <input type="checkbox"/> B | handling unit type |
| <input type="checkbox"/> C | warehouse number | <input type="checkbox"/> D | storage type |

384. Which of the following are documents created by EWM in the goods receipt
process?
There are 2 correct answers to this question.

- | | | | |
|----------------------------|--------------------------|----------------------------|-------------------------------|
| <input type="checkbox"/> A | Inbound delivery | <input type="checkbox"/> B | Inbound delivery notification |
| <input type="checkbox"/> C | Inbound delivery request | <input type="checkbox"/> D | Purchase order |

385. What predefined types of warehouse tasks does SAP Extended Warehouse
Management (SAP EWM) provide?
There are 2 correct answers to this question

- | | | | |
|----------------------------|---------------|----------------------------|---------------|
| <input type="checkbox"/> A | Replenishment | <input type="checkbox"/> B | Handling unit |
| <input type="checkbox"/> C | Product | <input type="checkbox"/> D | Resource |

386. What processes are supported by the SAP TM with EWM?
There are 3 correct answers to this question.

- | | | | |
|----------------------------|--|----------------------------|---|
| <input type="checkbox"/> A | Outbound process with delivery-based transportation planning in SAP TM | <input type="checkbox"/> B | Outbound process with order-based transportation planning in SAP TM |
| <input type="checkbox"/> C | Outbound process with transportation planning in SAP ERP | <input type="checkbox"/> D | Outbound process with transportation planning in SAP EWM |

387. Examples of indirect labor tasks in EWM are:
There are 2 correct answers to this question.

- | | |
|-------------------------------------|-------------------------------------|
| <input type="checkbox"/> A Picking | <input type="checkbox"/> B Cleaning |
| <input type="checkbox"/> C Putaway | <input type="checkbox"/> D Loading |
| <input type="checkbox"/> E Meetings | |

388. What must you keep in mind about system profiles when creating new document
types?
Please choose the correct answer.

- | | |
|--|--|
| <input type="checkbox"/> A That they have to be assigned to your new document type | <input type="checkbox"/> B That you should use the ones created by Business configuration sets (BC Sets) |
| <input type="checkbox"/> C That they are predefined and not changeable | <input type="checkbox"/> D That you have to define your own for your specific processes |

389. Your customer wants to use batches with SAP Extended Warehouse Management.
At which level can you activate batch management in SAP ERP?
There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Plant level | <input type="checkbox"/> B Client level |
| <input type="checkbox"/> C Warehouse number level | <input type="checkbox"/> D Storage location level |

390. Which standard function can be executed in the background when you enter an
exception code in a radio frequency (RF) transaction?
There are 3 correct answers to those question

- | | |
|---|--|
| <input type="checkbox"/> A Confirm warehouse order | <input type="checkbox"/> B generate workflow process |
| <input type="checkbox"/> C direct picker to another Bin | <input type="checkbox"/> D create Bin replenishment |
| <input type="checkbox"/> E delete delivery document | |

391. How are storage bins assigned to an activity area?
Please choose the correct answer.

- | | |
|---|---|
| <input type="checkbox"/> A By bin access type | <input type="checkbox"/> B By aisle, stack, and level |
| <input type="checkbox"/> C By storage bin types | <input type="checkbox"/> D By storage group |

392. The following are examples of actions in PPF:
There are 4 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Printing | <input type="checkbox"/> B Starting a workflow |
| <input type="checkbox"/> C Triggering a BAdI | <input type="checkbox"/> D Goods receipt posting |
| <input type="checkbox"/> E Sending an email | |

393. Physical inventories can be carried out for the following stock types:
There are 4 correct answers to this question.

- | | | | |
|----------------------------|-------------------------------------|----------------------------|-------------------------------------|
| <input type="checkbox"/> A | Production stock | <input type="checkbox"/> B | Unrestricted stock in putaway |
| <input type="checkbox"/> C | Blocked stock in putaway | <input type="checkbox"/> D | Quality inspection stock in putaway |
| <input type="checkbox"/> E | Unrestricted stock in the warehouse | | |

394. Which of the following uniquely identify an integration model?
There are 3 correct answers to this question

- | | | | |
|----------------------------|----------------|----------------------------|-------------|
| <input type="checkbox"/> A | Target System | <input type="checkbox"/> B | Application |
| <input type="checkbox"/> C | Shipping Point | <input type="checkbox"/> D | Name |

395. What are some of the characteristics of the expected goods receipt documents?
Choose the correct answer(s).

- | | | | |
|----------------------------|---|----------------------------|--|
| <input type="checkbox"/> A | They only exist in EWM. | <input type="checkbox"/> B | They are used to create inbound delivery documents in EWM. |
| <input type="checkbox"/> C | They are used to execute goods receipt processing in EWM. | <input type="checkbox"/> D | They are permanent documents and can be archived. |
| <input type="checkbox"/> E | They are temporary. | | |

396. Which role must be assigned to the business partner in Labor Management?
Please choose the correct answer

- | | | | |
|----------------------------|---------|----------------------------|-----------|
| <input type="checkbox"/> A | Partner | <input type="checkbox"/> B | Resource |
| <input type="checkbox"/> C | Worker | <input type="checkbox"/> D | Processor |

397. Which standard process is supported in the SAP Extended Warehouse Management
(SAP EWM) radio frequency (RF) framework?
There are 2 correct answers to this question

- | | | | |
|----------------------------|---------------------|----------------------------|------------------------------|
| <input type="checkbox"/> A | Goods issue posting | <input type="checkbox"/> B | Deconsolidation |
| <input type="checkbox"/> C | Delivery creation | <input type="checkbox"/> D | Warehouse order confirmation |

398. Which scenario uses process-oriented storage control?
Please choose the correct answer

- | | | | |
|----------------------------|------------------------------------|----------------------------|--|
| <input type="checkbox"/> A | Value-added service before putaway | <input type="checkbox"/> B | Weight check before moving to high-rack storage area |
| <input type="checkbox"/> C | Unloading before counting | <input type="checkbox"/> D | Staging before loading |

399. As standard procedure, EWM calls SAP BusinessObjects Global Trade Services in the TCD process for each outbound delivery order or each outbound delivery in the supply chain. You can deactivate this call for all outbound delivery orders or for outbound deliveries in Customizing for each document type. The check criterion is the existence of a final ship-to party, meaning EWM only calls SAP BusinessObjects Global Trade Services for a document type if no final ship-to party has been specified. For more information, see Customizing for EWM at given path: Please choose the correct answer

- | | |
|--|--|
| <p><input type="checkbox"/> A Cross-Process Settings → Planned Cross-Docking → Basic Settings for Transportation Cross-Docking (TCD).</p> | <p><input type="checkbox"/> B Cross-Process Settings → Cross-Docking (CD) → Planned Cross-Docking → Basic Settings for Transportation Cross-Docking (TCD).</p> |
| <p><input type="checkbox"/> C Cross-Process Settings → Planned Cross-Docking → Cross-Docking (CD) → Basic Settings for Transportation Cross-Docking (TCD).</p> | <p><input type="checkbox"/> D Cross-Process Settings → Planned Cross-Docking → Cross-Docking (CD) → Basic Settings for Transportation Cross-Docking (TCD).</p> |

400. What must you configure to use a new SAP Extended Warehouse Management (SAP EWM) stock type? There are 2 correct answers to this question.

- | | |
|--|--|
| <p><input type="checkbox"/> A Non-location-specific stock type</p> | <p><input type="checkbox"/> B Stock type determination</p> |
| <p><input type="checkbox"/> C Stock type table in Logistics Inventory Management Engine (LIME)</p> | <p><input type="checkbox"/> D Warehouse management monitor</p> |

401. Which of these functions are available in Warehouse Management? There are 2 correct answers to this question

- | | |
|--|---|
| <p><input type="checkbox"/> A Purchasing goods</p> | <p><input type="checkbox"/> B Managing inventory at the storage bin level</p> |
| <p><input type="checkbox"/> C Processing goods movements</p> | <p><input type="checkbox"/> D Processing sales orders</p> |

402. Which applications in SAP EWM allow you to adjust the analysis data displayed to fit your needs? There are 3 correct answers to this question.

- | | |
|--|---|
| <p><input type="checkbox"/> A Warehouse management monitor</p> | <p><input type="checkbox"/> B Warehouse cockpit</p> |
| <p><input type="checkbox"/> C Dock appointment scheduling</p> | <p><input type="checkbox"/> D Shipping cockpit</p> |
| <p><input type="checkbox"/> E Graphical warehouse layout</p> | |

403. How many screen sections make up the warehouse monitor display?
Choose the correct answer(s).

- | | |
|----------------------------------|--------------------------------|
| <input type="checkbox"/> A three | <input type="checkbox"/> B one |
| <input type="checkbox"/> C four | <input type="checkbox"/> D two |

404. Which of the following processes are considered part of the EWM inbound process?
There are 4 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Deconsolidation | <input type="checkbox"/> B Slotting |
| <input type="checkbox"/> C Value-Added Services (VAS) | <input type="checkbox"/> D Wave processing |
| <input type="checkbox"/> E Quality checking | |

405. Which parameters indicates the type of goods movement when you define a new
warehouse process type?
Please choose the correct answer.

- | | |
|--|---|
| <input type="checkbox"/> A storage process | <input type="checkbox"/> B warehouse process category |
| <input type="checkbox"/> C activity | <input type="checkbox"/> D availability group |

406. Warehouse tasks can be created from which of the following documents?
Please choose the correct answer

- | | |
|---|--|
| <input type="checkbox"/> A Inbound delivery | <input type="checkbox"/> B ASN |
| <input type="checkbox"/> C Purchase order | <input type="checkbox"/> D Inbound delivery notification |

407. What are the possible reference document in ERP for the notification of goods
receipt document?
There are 2 correct answers to this question

- | | |
|---|---|
| <input type="checkbox"/> A Material requirement | <input type="checkbox"/> B Purchase order |
| <input type="checkbox"/> C Production order | <input type="checkbox"/> D Transfer requirement |
| <input type="checkbox"/> E Purchase requisition | |

408. What is required to perform explicit counting using the Quality Inspection rule
Engine?
There are 2 correct answers to this question.

- | | |
|---|--|
| <input type="checkbox"/> A Inspection rule | <input type="checkbox"/> B Work Center |
| <input type="checkbox"/> C Sampling procedure | <input type="checkbox"/> D Resource |

409. Which methods do you use to transfer transactional data between SAP ERP and SAP Extended Warehouse Management? There are 2 correct answers to this question

- | | |
|---------------------------------|---------------------------------|
| <input type="checkbox"/> A BAPI | <input type="checkbox"/> B qRFC |
| <input type="checkbox"/> C IDoc | <input type="checkbox"/> D IPPE |

410. Which field in the warehouse process type is used to determine warehouse order creation rules (WORC)? Please choose the correct answer

- | | |
|--|--|
| <input type="checkbox"/> A stock type | <input type="checkbox"/> B activity |
| <input type="checkbox"/> C delivery priority | <input type="checkbox"/> D consolidation group |

411. If you use EWM to manage an automatic warehouse, you can use the following functions. There are 3 correct answers to this question

- | | |
|--|--|
| <input type="checkbox"/> A Automatic diversion of HUs that cannot be stored (incorrect contours, excessive weight, unidentified) | <input type="checkbox"/> B Transfer cars for moving storage units (handling units) horizontally to different stages or buffer spaces |
| <input type="checkbox"/> C Configurable paths through storage control | <input type="checkbox"/> D Stacker cranes for accessing storage bins without a driver |
| <input type="checkbox"/> E Automatic identification of HUs using scanners on the automatic storage retrieval facility | |

412. Material and location master data are transferred to the EWM system using what technique? Choose the correct answer(s).

- | | |
|---------------------------------|---|
| <input type="checkbox"/> A BAdI | <input type="checkbox"/> B APO core interface |
| <input type="checkbox"/> C IDoc | <input type="checkbox"/> D BAPI |

413. The following are structural elements that must be defined in customizing to set up an EWM warehouse. There are 3 correct answers to this question.

- | | |
|---|---|
| <input type="checkbox"/> A Storage Type | <input type="checkbox"/> B StorageSection |
| <input type="checkbox"/> C Warehouse Number | <input type="checkbox"/> D Picking Area |
| <input type="checkbox"/> E StorageBin | |

414. Which of the following are internal goods movements?
There are 3 correct answers to this question
- | | |
|---|--|
| <input type="checkbox"/> A Direct putaway | <input type="checkbox"/> B Replenishment |
| <input type="checkbox"/> C Ad hoc movements | <input type="checkbox"/> D Slotting |
| <input type="checkbox"/> E Warehouse Reorganization | |
415. Product Master Data includes which of the following pieces of information
There are 2 correct answers to this question
- | | |
|---|--|
| <input type="checkbox"/> A Product stock levels | <input type="checkbox"/> B Product properties |
| <input type="checkbox"/> C Product classification | <input type="checkbox"/> D Product unit of measure |
416. Which of the following are profiles that can be used to create a WOCR?
There are 4 correct answers to this question
- | | |
|--|---|
| <input type="checkbox"/> A Packing profile | <input type="checkbox"/> B HU storage profile |
| <input type="checkbox"/> C WO sorting | <input type="checkbox"/> D Item filter |
| <input type="checkbox"/> E Subtotal filter | |
417. RF Function Key F8 is used for which function?
Please choose the correct answer.
- | | |
|--|---------------------------------|
| <input type="checkbox"/> A Full Message | <input type="checkbox"/> B More |
| <input checked="" type="checkbox"/> C Back | <input type="checkbox"/> D List |
418. In the MFS, the warehouse to be controlled is mapped via the following
componentszz
There are 3 correct answers to this question
- | | |
|---|--|
| <input type="checkbox"/> A Conveyor Channel | <input type="checkbox"/> B Communication channel |
| <input type="checkbox"/> C Programmable logic point | <input type="checkbox"/> D Communication point |
419. Which of the following put away strategies are used when the system puts away
stock based on the handling unit type?
There are 2 correct answers to this question.
- | | |
|--|--|
| <input type="checkbox"/> A Pallet storage | <input type="checkbox"/> B General storage |
| <input type="checkbox"/> C Additions to existing stock | <input type="checkbox"/> D Bulk storage |

420. Which two of the following types of labor time are tracked in Labor Management?
There are 2 correct answers to this question


- | | | | |
|----------------------------|-------------------|----------------------------|----------------|
| <input type="checkbox"/> A | Unproductive Time | <input type="checkbox"/> B | Indirect Labor |
| <input type="checkbox"/> C | Scheduled Time | <input type="checkbox"/> D | Direct Labor |

421. Which customizing setting in process-oriented storage control, what can you use
rule-based determination for?
Please choose the correct answer

- | | | | |
|----------------------------|--|----------------------------|---|
| <input type="checkbox"/> A | To determine the processing time | <input type="checkbox"/> B | To determine the HU type group |
| <input type="checkbox"/> C | To determine the destination storage bin | <input type="checkbox"/> D | To determine the warehouse process type |

422. Which document is created in SAP Extended warehouse management when you use
advanced production integration?
Please choose the correct answer.

- | | | | |
|----------------------------|-----------------------------|----------------------------|---------------------------|
| <input type="checkbox"/> A | Production material request | <input type="checkbox"/> B | Production order |
| <input type="checkbox"/> C | Outbound delivery | <input type="checkbox"/> D | Outbound delivery request |



Answer Key

1.d	2.a, b	3.c	4.a, c, e
5.a	6.a, c	7.d	8.d
9.a, d	10.c	11.a, c, e	12.a, b
13.c, e	14.a, d, e	15.b, d, e	16.a, b, d, e
17.b, c, d	18.b	19.c, d	20.a, c
21.a, b	22.b	23.b	24.b
25.b, c	26.a, b, c, e	27.b, d	28.a, d
29.c	30.a, b, d	31.b, d	32.a
33.b, c	34.a, d	35.a, c, d	36.c, d, e
37.a, d	38.b, c, d	39.a, b	40.c, d, e
41.b, d, e	42.c, d, e	43.a, d, e	44.b, c
45.a, b, c	46.d	47.a, b	48.b, c
49.b, c	50.d	51.b, c, d, e	52.a
53.b	54.a, b	55.a, b, c, e	56.a, d
57.a, b, c, d, e	58.a, b	59.d	60.a, b
61.b, d	62.a	63.a, c	64.a, c, d
65.a, c	66.d	67.a, c, d, e	68.a, d
69.d	70.a	71.a, b, c, d	72.b, c, d, e
73.b, c	74.a, b, d	75.a	76.a, b, c, d
77.a, c, d, e	78.b	79.b	80.a, c, d
81.a, b, e	82.c	83.a, b, d	84.a, b, d, e
85.b, d	86.b	87.c	88.b
89.c, e	90.c, d	91.a, b, c, d	92.b, c, e
93.a	94.a, c, d	95.b, c, e	96.b, c, d
97.e	98.b	99.c	100.b
101.b, c	102.a	103.c, e	104.d
105.a, c, d, e	106.a, b, d	107.a	108.a, b, e

109.b	110.a, c, e	111.b, c	112.a, d, e
113.c	114.a, e	115.a	116.b, c, d, e
117.b	118.a, c, e	119.b	120.a, b, c, d
121.b	122.a, b, e	123.a, c	124.b
125.a, c, d	126.c, d, e	127.c	128.c
129.a, b, e	130.b, c, d	131.a, b, c, d, e	132.a, b
133.a, d	134.a, b, c	135.a, c, d, e	136.d
137.c, d	138.b, d	139.d	140.a, c, d
141.d	142.b	143.a	144.c, d, e
145.b, c	146.b, d	147.a, d	148.c
149.c, d	150.b, c, d, e	151.d	152.d
153.c	154.a, b, d, e	155.b	156.a, c, d, e
157.a, c, d	158.b, c	159.c	160.a, c, d
161.a, c	162.a, d	163.b, c, d	164.c, d
165.c, d	166.c, d	167.c	168.d
169.b, c	170.d	171.d	172.c
173.a	174.d	175.a, c	176.b, c, e
177.a	178.c, d, e	179.d	180.b
181.a, b	182.c	183.b	184.b
185.a, b, c	186.b, d, e	187.a, c	188.b
189.b	190.b, c	191.b	192.a, d
193.b, d	194.a, b	195.c	196.c
197.c	198.a, d	199.a	200.a, b, c, d
201.a, d	202.c, d	203.d	204.c
205.b, d	206.a	207.a, c, d	208.b
209.b, d	210.a, b	211.b, c, d	212.c
213.a, c	214.a, c	215.b	216.d
217.a, d	218.a, b, c	219.a, b, d	220.b, c
221.c, d	222.b	223.b	224.b, c, d
225.a, b, c, d	226.b, c	227.a, d	228.c

225.d, u, c, u	226.u, c	227.c, u	228.c
229.b, c, d	230.b, c, d, e	231.b	232.a, d
233.b, d	234.a, c	235.b	236.c
237.a, b, c	238.a, b, c	239.a	240.b, d, e
241.b	242.d, e	243.a, c, d, e	244.a, b, d, e
245.a, c, d	246.c	247.d	248.a
249.b	250.c	251.a	252.a, b
253.a, b, d	254.d	255.b, c	256.a
257.a, d	258.a, c, d	259.a	260.a, c
261.b, d	262.b, c	263.c, d	264.a, b, c, d
265.c	266.b, c, d	267.a, d, e	268.d
269.b	270.b, e	271.a, b	272.a
273.d, e	274.d	275.a, d	276.c, d
277.a, c	278.c	279.a, c	280.a, b, c, e
281.a, b, d	282.a, b, c, d	283.c, e	284.a, b
285.b	286.b	287.b	288.e
289.b	290.a, b, d	291.a	292.a, b, c, d
293.b, d	294.a, d, e	295.a, b, c	296.c, e
297.b	298.c	299.a, d	300.d
301.b	302.b, c, d, e	303.b	304.a, c
305.d	306.a	307.a, b, e	308.a, d, e
309.a	310.d	311.a	312.b, c, d, e
313.a	314.a, c	315.b	316.a, c
317.c	318.c	319.c	320.a, b, c, e
321.a, b, c	322.c	323.b	324.a, b
325.c	326.a, d	327.c	328.d
329.a	330.d	331.c	332.a, b
333.c, d	334.d, e	335.c	336.a, d
337.a, c, d	338.c	339.a, c	340.c, d
341.a, b, e	342.b, d, e	343.a, d	344.a, c, d

345.a	346.a, c, e	347.a, b	348.b, c, d, e
349.b, c, d	350.a, b, c, d	351.c	352.c, d, e
353.a, e	354.a	355.a, b, d, e	356.a, b, d
357.c, e	358.b	359.d	360.c
361.b, c	362.a	363.a, c	364.c, d
365.a, e	366.b, d, e	367.c, d	368.a, b, e
369.a, c	370.c, e	371.b, c, d, e	372.a, b, c
373.d	374.b	375.b, c	376.a, b
377.a, d	378.a	379.b, d, e	380.b, c, d
381.a	382.a, c	383.c	384.a, b
385.b, c	386.a, b, d	387.b, e	388.c
389.a, b	390.b, c, d	391.b	392.a, b, c, e
393.b, c, d, e	394.a, b, d	395.a, b, e	396.d
397.b, d	398.a	399.b	400.b, c
401.b, c	402.a, b, c	403.a	404.a, b, c, e
405.b	406.a	407.b, c	408.a, b
409.b, c	410.b	411.a, c, e	412.b
413.a, b, c	414.b, c, e	415.b, d	416.a, c, d, e
417.d	418.a, b, d	419.a, d	420.b, d
421.c	422.a		