AD 2 AERODROMES

FAMO AD 2.1 Aerodrome Location Indicator And Name

FAMO – MOSSEL BAY (CP/KP) (26)

FAMO AD 2.2 Aerodrome Geographical And Administrative Data

1	ARP Coordinates and site at AD	34 09 25S 022 03 41E (THR RWY 28)
2	Direction and distance from city	4nm WNW Mossel Bay Town
3	Elevation/Reference temperature	526 FT/ 14°C
4	Geoid undulation at aerodrome elevation position	NIL INFO AVBL
5	MAG VAR / Annual change	27.5° W / 2021
6	AD operator, address, telephone, telefax, email, AFS address and, if available, website address	Authority Supervising the Aerodrome and Remarks: PRIV AD CHF: Mossel Bay Aero Club, P O Box 345, Mossel Bay, 6500 TEL: +27 44 695 4025 FAX: +27 44 695 4025 E-mail: office@mosselbayaero.com Web: www.mosselbayaero.com
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	NIL

FAMO AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON-FRI: 0600-1500
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing office	NIL
5	ATS reporting office (ARO)	NIL
6	MET briefing office	NIL
7	ATS	NIL
8	Fuelling	MON – SAT 0600 - 1500 After hours contact Bennie on +27 82 920 7709
9	Handling	NIL
10	Security	24 HRS (Buildings only)
11	De-icing	NIL
12	Remarks	NIL

FAMO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	MOGAS, AVGAS 100LL, JET A1, W100

3	Fuelling facilities and capacity	Fuel Pump - 80 000 L JET A1, 80 000 L AVGAS, 14000 Mogas
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Yes (Prior arrangement)
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Tie downs

FAMO AD 2.5 PASSENGER FACILITIES

1	Hotels	Yes (Town)
2	Restaurants	Yes (Town)
3	Transportation	Prior arrangement
4	Medical facilities	Yes (Town)
5	Bank and Post Office	Yes (Town)
6	Tourist office	Yes (Town)
7	Remarks	Clubhouse (Limited hours of duty) Flying Training - Starlite Aviation Group TEL: +27 44 692 0006 Fixed wing and helicopter Web: www.starliteaviation.com 617 Flight School, Fixed Wing, Roger Brink, CEL: +27 82 5775 100 Flying Medicals - Dr Eugene Marais: +27 44 693 1470

FAMO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	CAT I Mosselbay Municipality : Fire Department
2	Rescue equipment	Available at AD: Fire extinguishers, Fire hydrants and Fire hoses.
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

FAMO AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

FAMO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Surface: Asphalt Strength: as per CBR test

2	Designation, width, surface and strength of taxiways	Width: 7,5m Surface: Gravel / Asphalt Strength: As per CBR test
3	ACL location and elevation	Location: 34 09 25S 022 03 41E; Elevation: 526 FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

FAMO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.	NIL
2	RWY and TWY markings and LGT	Runway Edge lights and Threshold lights. Photo cell daylight switch.
3	Stop bar	NIL
4	Remark	NIL

FAMO AD 2.10 AERODROME OBSTACLES

In AREA 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/type, colour	Remarks
a	b	c	d	e	f
NIL INFO AVBL	Hangar	34 09 19S 022 04 00E	NIL INFO AVBL	NO LIGHTS	510 M from THR on final RWY 28
NIL INFO AVBL	High ground	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	900' ALT 1.2 NM NW THR RWY 10.
NIL INFO AVBL	Building	NIL INFO AVBL	30 FT	NO LIGHTS	400 M S of THR RWY 28
NIL INFO AVBL	Powerlines	NIL INFO AVBL	/26 FT	NIL INFO AVBL	Parallel to RWY along old road to Mossel Bay.

In AREA 3					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/type, colour	Remarks
a	b	c	d	e	f
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAMO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET office	Cape Town
2	Hours of service	NIL

	MET office responsible outside hours	
3	Office responsible for TAF preparation and periods of validity	NIL
4	Type of trend forecast and interval of issuance	NIL
5	Briefing / consultation provide	NIL
6	Flight documentation / language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

FAMO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
10	072°T	1143 x 18	As per CBR TEST	340937.87S 0220259.57E	548FT	NIL INFO AVBL
28	252°T	1143 x 18	As per CBR TEST	340925.05S 0220341.47E	544FT	NIL INFO AVBL
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location (which runway end) and description of arresting system (if any);	OFZ	Remarks
8	9	10	11	12	13	14
NIL	NIL	1203 X 60	NIL	NIL	NIL	NIL
REMARKS:						

FAMO AD 2.13 DECLARED DISTANCES

RWY	TORA (M)	TODA (M)	ASDA (M)	LDA (M)
1	2	3	4	5
10	1143	1143	1143	1143
28	1143	1143	1143	1143
Remarks: NIL				

FAMO AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	APCH LGT Type and LEN INTST	THR LGT Colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT, Spacing, colour INTST	RWY Edge LGT, LEN, Spacing, Colour, WBAR	RWY End LGT Colour WBAR	SWY LGT LEN (m) Colour	Remarks
1	2	3	4	5	6	7	8	9	10
10	NIL	GREEN	NIL	NIL	NIL	1143M 47M White	RED	NIL	NIL
28	NIL	GREEN	NIL	NIL	NIL	1143M 47M White	RED	NIL	NIL

FAMO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	NIL
2	LDI location & LGT and anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply and switch-over time	NIL
5	Remarks	RWY lighting controlled by daylight switch.

FAMO AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO / Geoid undulation	NIL
2	TLOF / FATO elevation (m/ft)	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

FAMO AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Remarks	NIL

FAMO AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel (s)	Hours of operation	Remarks
1	2	3	4	5
NIL	NIL	NIL	NIL	NIL

FAMO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAMO AD 2.20 LOCAL AERODROME REGULATIONS

1. Located in high density area (GND/3500 FT ALT)
2. Remain clear of FAGG TMA I (3500 FT/FL145) .
3. Unmanned AD joining procedure by all fixed wing aircraft -Join overhead 2500 FT ALT on FAGG QNH. The dead side to the North of AD not below 1500FT ALT crossing extended RWY CL. Helicopters, Gyrocopters and micro lights join not above 1300 FT ALT on a downwind leg for RWY in use.
4. Fixed wing circuit 1500 FT ALT South of RWY 10/28.
   Helicopters, Gyrocopters and micro lights circuit North of RWY 10/28 not above 1300 FT ALT.
5. Aircraft to remain clear of FAR 150 (GND/1500 FT ALT) 2NM West of THR RWY 10
6. Avoid unnecessary low flying in the vicinity of the aerodrome.
   Ostrich farming, horse riding school south of airfield and residential buildings near airfield.
7. Beware of model flying just North of threshold 28, which is manned on FREQ 124.20 MHz when active.
8. All arriving and departing aircraft to have two- way communication.
9. Parachute jumping DLY. Expect parachutes between GND/15,000FT ALT. Listen out on FREQ 124.20 MHz for paradrop calls. Avoid joining overhead during paradropping. Avoid take-off and landing during paradropping. Paradrop aircraft also in communication with FAGG APCH on FREQ 128.20 MHz.

FAMO AD 2.21 NOISE ABATEMENT PROCEDURES

Avoid unnecessary low approaches, residential buildings on final to RWY 28 and game park on final to RWY 10.

FAMO AD 2.22 FLIGHT PROCEDURES

See AD 2.20

FAMO AD 2.23 ADDITIONAL INFORMATION

1) Caution: Wind shear on approach to RWY 10 easterly winds in excess of 5 knots.

2) Zipline installed at Point Area, Mossel Bay. Launch site at: 341122.49S 0220900.13E (92.39 MSL) and slopes down to site at 341109.97S 0220933.42E (6.08 MSL).
Slope distance 939.7M, Horizontal distance 935.72M. Slope -9.224 PCT.

FAMO AD 2.24 CHARTS RELATED TO AN AERODROME

NIL