An Evaluation of Performance and Competition in Customer Services on Twitter: A UK Telecoms Case Study

Nabeel Albishry
University of Bristol
United Kingdom
n.albishry@bristol.ac.uk

Tom Crick
Swansea University
United Kingdom
thomas.crick@swansea.ac.uk

Theo Tryfonas
University of Bristol
United Kingdom
theo.tryfonas@bristol.ac.uk

Tesleem Fagade
University of Bristol
United Kingdom
tesleem.fagade@bristol.ac.uk

ABSTRACT

With an increasing number of consumers using social media platforms to share both their satisfaction and displeasure about the products and services they use every day, organisations with a customer service focus are recognising the importance of rapid – and genuine – online engagement with their customers. In turn, consumers increasingly judge organisations on the quality of customer service and degree of responsiveness to online queries. This paper presents an extensible framework for evaluating direct engagements of customer service teams with customers on Twitter. Furthermore, this framework provides the capability to measure and analyse indirect engagement with industry sector rivals, especially their patterns, frequency and intensity. By applying graph analysis to these Twitter interactions, our framework generates various analytical measures and visual representations, exemplified through a case study based on seven major UK telecoms companies. With a dataset consisting of 15,000 tweets and 3,500 user profiles, the results provide sustained evidence for indirect engagements between business rivals, with customer queries acting as a trigger for intense competition between companies based in the same industry sub-domain.

CCS CONCEPTS

• **Human-centered computing** → **Social networks**; **Social network analysis**; **Social networking sites**; Information visualization; • **Applied computing** → **Business intelligence**; • **Computing methodologies** → *Information extraction*;

KEYWORDS

Customer services; reply chains; graph construction; social network analysis; Twitter; social media

1 INTRODUCTION

The online news and social networking service Twitter has become one of the most popular social platforms for a variety of demographics across the world. It provides a rich, constantly updating, corpus of big social data to study a range of complex socio-cultural issues, from life event detection [5] and identifying multilingual communities [2], through to sentiment classification [4] and providing deeper insight into personality and behaviour [17]. Unsurprisingly, Twitter is increasingly being used by organisations to communicate with their customers, due to the fast and convenient medium of engagement [15], using a variety of sophisticated human and automated approaches [25, 27]. In 2016, a survey was carried out on 5,450 people who follow small or medium-sized enterprises (SME) on Twitter [24]; the key results show that 83% of people that received a reply felt better about the SME, and 68.7% have made at least one purchase from an SME because of Twitter.

The medium can thus serve as an indicator to underlying issues of performance, management and even strategic matters [11]; in many instances, the majority of complaints deal with product and service-related issues [9]. Many studies have been conducted to explore aspects of customer services experiences in various business domains, such as travel and telecoms [14, 16, 23, 26, 28]. News agencies are not far from social media analysis, using it to uncover users' interests so they can provide more focused contents [18]. While various domains have long applied network analysis techniques – such as for crime detection and prevention [19, 20] – only recently has work has been conducted to see how users relate to brands via network structures [8], how information shared by companies disseminate and their types [22], and what type of engagements from companies was found to be of effect on customers perception of the brand [13]. A common approach in conducting such studies has been to use sentiment analysis, mainly to measure consumer's perception and satisfaction [1, 28].

However, the novel framework presented here aims to provide quantitative insights that can produce a more holistic view of customer service Twitter accounts and their interactions. Rather than focusing on individual posts and their sentiment, the framework helps in identifying complaint conversations that can be exploited by other business rivals, to be interrogated further by analysts or decision makers. With the high volume of activity on Twitter, the framework focuses on detecting possible key issues by using the connected component feature of graph to identify problematic conversations for further analysis. Furthermore, by using streaming and RESTful data, this approach can be applied to live data to catch problematic conversations before they reach certain thresholds.

The remainder of this paper is organised as follows: in Sections 2 we introduce the case study of the UK telecoms sector; in Section 3 our methodology for this project; Section 4 presents the results and key visual representations; Section 5 provides the main discussion; Section 6 concludes the paper with a discussion of potential extensions and wider application of this work.

2 CASE STUDY: UK TELECOMS SECTOR

Most UK households have access to both fixed broadband and a smartphone, with consumers moving seamlessly between fixed and mobile connections. This has been driven by the growing take-up of superfast broadband services, with the proportion of UK households with fixed broadband increasing to 82% in 2017, with telecoms services rising to 3.8% of total household spend. With the increasing convergence of mobile and Wi-Fi connectivity, many customers in the UK have switched from pay-as-you-go tariffs to pay-monthly tariffs in 2016, and nearly two-thirds of mobile connections were 4G-enabled at the end of 2016. Consumers are also using these networks more – average data use per fixed line residential broadband connection increased by 36% year on year to 132GB in June 2016, and average data use per mobile connection increased by 44% to 1.3GB [21]. The UK telecoms sector has continued to grow rapidly over the past five years, with total sector revenues in 2016 of £35.6bn, including mobile retail revenues of £15.3bn [21].

There are four main fixed broadband network operators in the UK: BT, Sky, TalkTalk and Virgin Media; alongside the incumbent BT, alternative providers compete in the retail provision of fixed services (including telephony and broadband), as well as other operators using a variety of wholesale inputs purchased from BT and resellers. There are currently four main mobile network operators (MNOs) in the UK (with 2017 subscriber numbers): BT/EE (29.8m), O2/Telefònica (25m), Vodafone (17.6m), and Three/H3G (12.01m); there are also several mobile virtual network operators (MVNOs), including Virgin Mobile (via EE, 3m), giffgaff (via O2, 420,000) and Sky Mobile (via O2, 335,000) [10].

3 METHODOLOGY

The dataset contains tweets and related replies for seven well-known UK telecoms companies: BT, EE[1], giffgaff, O2, Sky, Virgin Media and Vodafone. The choices were intended to represent companies of various sizes, history and range of services provided. While

a few companies only had one account on Twitter, some of them have multiple accounts alongside the primary Twitter account; in those instances, the dedicated customer services accounts were indicated in the biography of the company's other accounts. Therefore, as the focus of the study is on customer services on Twitter, data were collected from either the company's primary account or its dedicated customer services one (N.B. names throughout the paper will refer to Twitter account handles rather than official company trading names).

Inspired by the approach taken by Cogan et al. [7], this study consists of two main steps: the data collection phases and the graph construction. The data collection phase runs iteratively to obtain reply chains, process them and store them in a database. Once the data collection phase is completed, a large graph that includes all reply nodes and edges is constructed to conduct the initial analysis. The NetworkX Python package [12] was used for the graph construction, while Gephi [3] provided a range of tools for visualisation.

3.1 Streaming

To ensure we were able to collect as much data as possible, the data collection comprised of three steps. First, a stream endpoint is opened to catch activities of accounts under investigation, those accounts will be referred to as 'CS' (customer service) accounts. The Twitter Streaming API[2] is designed to return tweets created by the user, their retweets, replies directed to their tweets, and retweets of their tweets. However, the stream does not include tweets mentioning the user, and replies/retweets by protected users.

3.2 Reply Chains

Returned statuses from the Streaming API may represent reply-to statuses that have not been collected previously. It was found that most missing statuses were either posted before the data collection started, were mentions, or that the user account is protected. This issue could have a significant impact on the quality of the analysis; therefore, once statuses are returned from the stream endpoint, their type is checked first (tweet, retweet, etc). If status is a reply, the ID of the status to which it was replying is extracted from *in_reply_to_status_id*. Then, using the extracted ID, we check if the replied-to status has already been collected and present in the dataset or not. If not, the REST API is then used to collect them. This process runs recursively for newly-collected replies until no further replies are available. Unavailable statuses are often results from either deletion or protected accounts.

An analysis of changes on the graph after the second phase of data collection shows that there were increases in the number of nodes and edges by 43% and 62%, respectively. This increase in connections has resulted in merging 176 conversations into others, which improved connectivity of the graph and, thus, the accuracy of the dependent analyses.

3.3 Graph Construction

The main data structure of conversations on Twitter suggests status-to-status [3] relatioship. In graph concept, statuses represent nodes

---

[3]'status' refer to any type of post, tweet, retweet, reply, or quote

that are linked by directed edges. Therefore, the study follows a graph construction approach in conducting analysis and produces three graphs. First, *base* graph is constructed to capture structure of the dataset, i.e. stuatus-to-status. Then, from the base graph, it generates two graphs; *Users* graph to examine the user-to-user direct engagements, and *Coexistence* graph to uncover and examine indirect engagements amongst rivals.

3.3.1 Base Graph. Once the data are collected, a base graph is generated containing all replies and all related information. Nodes represent status IDs, while edges indicate replying direction; other information is added as attributes to nodes. The information used in this study are *screen_name* of the user, *timestamp* of the reply, *text*, and *CS*. The additional *CS* value is a binary digit set to distinguish accounts – it is set to 1 if the status belongs to one of the CS accounts, otherwise it is 0. This value is required to eliminate the need for user checks in forthcoming analyses. Figure 1 illustrates the conceptual base graph. As a reply can be directed to only one other status, no edge is expected to have weight value other than 1, and no reply status can have outdegree greater than 1. Nodes with 0 outdegree can be either a root node, or it is directed to unavailable statuses. On the other hand, indegree in this graph indicates the number of replies directed to the status node; hence, 0 indegree distinguishes leaf nodes. Special case nodes are those with indegree and outdegree equal to 0; these are isolated/floating nodes and must be removed before we perform the analysis – these nodes do not benefit the analysis as they are not part of a conversation. Furthermore, they will be seen as connected component by themselves, which impacts upon the accuracy of results.


Figure 1: Example of a reply chain graph

3.3.2 Users' Graph. Because most of the analysis focus on relationships between reply posts, they were applied on the base graph. Nevertheless, to allow examination of the relationships between users, another graph is generated from the base graph. This process is carried out by iterating through edges linking reply posts, extracting users' information, and constructing users graph accordingly. In the context of this study, only two attributes are used: screen names and 'CS' values. While nodes represent screen names, 'CS' values are attached to nodes as attribute. For edges, their weights indicate number of replies sent from origin node (sender) to target

node (receiver); therefore, the user graph is directed. Applying this process on the example in Figure 1 results in the users graph in Figure 2.


Figure 2: Example of users' graph extracted from base graph

To examine relationships between users, five network graph properties are measured. There were no special case nodes or edges in this graph, as observed in the base graph. For edges, their orientation indicate direction of replies, while weight reflects number of replies on the edge. Node indegree reflect number of users that have sent reply to the node, and outdegree indicates the number of users that have received reply from the node. Also, weighted measure of indegree and outdegree indicate total received and sent replies, respectively.

3.3.3 Connected Components. Reply conversations in the base graph are not interconnected, which implies that the graph actually consists of many subgraphs, or 'connected components'. Since nodes include screen names, those components can be linked to CS accounts. Then, they are used to measure the size of conversation, their depths, and to identify shared conversations between the CS accounts. In the base graph, the number of connected components reflect the number of conversations. Therefore, in the base graph many components should be expected, depending on activity of the CS accounts and their audience.

To find conversations for a specific CS account, the search run through all components; in each component, the process iterates through nodes and examine the *name* attribute. Once a match is found, the search process stops and the identified component is either analysed on the fly, or returned for further analysis. Additionally, some of those components will be used to construct the coexistence graph, as covered next.

3.3.4 Coexistence Graph. As mentioned previously, this graph aims to measure the indirect engagements amongst the CS accounts. Therefore, all components in the base graph are processed in turn to find which CS accounts appeared. For each component, name attributes for nodes with CS value equal to 1 are extracted. If more than one CS account was found, those accounts are used to created nodes and edges for the coexistence graph. Thus, nodes are generated from CS names, and edges indicate common conversation between linked nodes. Subsequently, if the edge already exists,

its weight is increased. For an illustration of this process, see Figure 3 and Figure 4 to exemplify three common components and the resultant coexistence graph.


**Figure 3: Example of common components (only names included for clarity)**

Figure 4: An example coexistence graph

4 RESULTS

4.1 Delay

Calculating delays is important to provide insight on the performance of the various CS teams. As reply nodes in the base graph include timestamp attribute, measuring delay is achieved by calculating time differences between end nodes on each edge. Table 1 shows key statistics for CS account delays; interestingly, *@skyhelpteam* was found to have an average delay of 45.04 hours, although the rest of the CS accounts' delay ranged between 1.14 and 3.34 hours.

Account	mean	stdev	max	min(sec)
btcare	2.04	16.11	572.46	38
ee	1.46	3.39	19.28	27
giffgagg	1.22	10.25	159.97	73
o2	1.14	2.66	22.48	58
skyhelpteam	45.04	49.16	117.21	44
virginmedia	3.34	9.25	263.98	22
vodaphoneukhelp	1.92	5.01	76.51	50

Table 1: Summary delays statistics

4.2 Interaction and Users

To measure interaction amongst users, user-user graphs were built from the base graph.; the resultant graph contains 3,521 user nodes and 5,938 edges. Although edges in the base graph cannot have a weight greater than one, edge weight in the users graph includes all replies from one user to another. Therefore, the number of nodes and edges in the users graph is lower that those in the base graph.

Properties of the users graph are presented below in Table 2; the table show that *@virginmedia* received that highest number of replies from 866 users with an average of 3.05 per user. Also, the same account scored highest in the number of recipients. The difference between indegrees and outdegrees shows that apart from *@o2*, all accounts have outdegrees bigger that their indegrees. Additionally, the total number of sent replies is found to be more than the number of received replies; this may reflect that those replies were directed to non-reply posts.

Measure	ind	w.ind	%	out	w.oud	%
btcare	330	995	3.02	485	1317	2.72
ee	247	432	1.75	470	778	1.66
giffgagg	77	209	2.71	102	247	2.42
o2	293	463	1.58	260	479	1.84
skyhelpteam	147	254	1.73	305	504	1.65
virginmedia	866	2645	3.05	1215	3421	2.82
vodaphoneukhelp	166	403	2.43	302	660	2.19

Table 2: Centrality measures of user-user graph

4.3 Conversation Components

As discussed in the methodology, each connected component in the base graph represent a conversation component that includes related replies. In this dataset, there were 3,289 conversation components with various number of replies. Observations of their sizes shows that the smallest component consists of one post, while the largest component contains 81 posts. The number of one-post components was 102, and they were all found to belong to CS accounts. Examining those singular components revealed that they were either original tweets that have not received replies, or replies to unavailable statuses. As covered earlier, unavailable replies are those that could not be captured due to a deletion or the posting account being protected. Because they do not have any length, and

hence do not represent conversation, single-node components have been excluded from forthcoming analyses.

Additionally, the majority components were found to have two nodes. Those components were 1,188 and the orientation of their edge's direction suggest that most of these communications were from CS accounts and directed to customer's post. However, 25 of those conversations were initiated by customers. As they are two-node components, it seems that those posts have not been answered by the relevant CS account. Although other means of communications could have been used, such as direct messages, there were no visible sign of further interaction.

4.4 Component Size and Longest Path

It is important to note that the size of connected components does not necessarily reflect length of conversations, although there is a strong correlation between size of component and length of its longest path (0.88). As can be seen in Figure 5, many components measures are positioned in a near-perfect diagonal line; interestingly, the longest path in the biggest component (81 nodes/posts) was only 1.


Figure 5: Size of components and their longest paths

To illustrate properties of connected components, the largest 20 components were chosen for visualisation, as shown in Figure 6. The findings show that components with very high variations in indegree amongst their nodes mostly originate from CS accounts. An example of this claim is illustrated by the three big components in the figure; when observed, they were found to featuring advertising tweets that had received too many replies from Twitter users. For example, the root node in the biggest component was a post by *@o2* that has indegree of 80, and all connected nodes have indegree of zero, i.e. they were not answered. On the other hand, the longest path component was ranked the third biggest component. It was found with a single leaf, and all other nodes along the path were found with indegree=1 and outdegree=1, forming what we call a *simple chain*, uniquely coloured in Figure 6. Additionally, 15 of those components were found to have originated from customer

accounts, and they all take a semi-simple chain as they feature some branches.

Generally, simple chains can be identified where the number of edges equals length of the longest path in component. Simple chains account for 80% of the connected components in graph, of which 47% were found with the length of 1. This is in agreement with the results of connected component sizes presented earlier. Finally, Table 3 presents statistics on chains of individual CS accounts.

Name	count	max	min	mean	stdev
btcare	388	19	1	3.46	3.22
ee	324	9	1	1.98	1.43
giffgagg	147	12	1	2.39	1.98
o2	216	11	1	2.53	2.26
skyhelpteam	252	15	1	2.22	1.99
virginmedia	959	68	1	3.78	4.46
vodaphoneukhelp	248	39	1	2.58	3.29

Table 3: Summary statistics on chain length for CS accounts

4.5 Common Components and Coexistence

As covered earier, connected components in the base graph represent individual conversations. Therefore, those components were utilised to uncover indirect engagement amongst CS accounts. As reply nodes in the base graph include screen name of user, it is possible to identify those components featuring more than one CS account. For each connected component, names in reply nodes are checked if they belong to CS account or public. Components with more than one distinct CS name are then marked as common component. The results show that there were 39 common components in total; 38 include two CS accounts, and one includes three accounts. The graph presented in Figure 7 shows those components, with each CS account given a colour code for identification as the legend clarifies.

To explore these relationships further, coexistence graph was constructed, as clarified in Section 3.3. Edges in this graph are undirected and their weights indicate frequency of CS accounts appearing in same conversation. The resulted graph is shown in Figure 8, where node size is proportional to its degree to indicate how many other CS accounts the node has coexisted with, while darkness of node reflects weighted degree to show the total frequency of coexistence for the node.

The first observation on the graph is that *@giffgaff* account was not found in any common conversation. In contrast, *@o2* was the only account that have shared conversations with all other CS accounts, while *@vodafoneukhelp* was found with the least common conversations. Nevertheless, weighted degree measure shows that *@virginmedia* was the highest in number of common conversations; 21 components, although its degree tells that those conversations were shared with only three other CS teams. The heaviest edge existed between *@virginmedia* and *@btcare*, followed by the edge between *@virginmedia* and *@skyhelpteam*. Also, edges of *@o2* show that it mostly appeared with *@ee*, and for *@vodafoneukhelp* it was *@ee*.

Figure 6: Largest 20 connected components in post-post graph

Additional observation on the coexistence graph provides insight into uncovering more specific service areas within the specific industry or sector. This was clear when the modularity of the graph was examined [6]; the result has unfolded into two communities, as shown in Figure 9. Also, industry knowledge regarding the following CS teams: *@ee*, *@o2*, and *@vodafoneukhelp* belong to a domain that is mostly focused on mobile services, while *@skyhelpteam*, *@virginmedia*, and *@btcare* are mostly known to be focusing on landline and home internet services.

Furthermore, using a similar approach that was used in Section 4.1, the delay was measured in those components to evaluate if presence of competitor has influence on how quick CS team response. Interestingly, improvement in delays of 26%, 43% and 72% were observed for *virginmedia,btcare* and *skyhelpteam*, respectively. These improvements in delays, in addition to the frequency of common conversations for those companies, confirm the existence of online competition amongst them.

5 DISCUSSION

Initially, the performance of CS accounts and their popularity on Twitter were measured by an analysis of activity and users. From this perspective, *@virginmedia* was found to have the highest volume of posts, the least diverse in terms of type of posts (99.7% were replies) and with the highest number of customers served. The

average delays of accounts ranged between 1.14 and 3.34 hours, apart from *@skyhelpteam* which was found with an average delay of 45.04 hours. This may indicate a management issue for the team, such as unclear social media strategy or staff resources.

Most CS teams have clearly specified working hours on their account page, apart from *@giffgaff* and *@o2*. Interestingly, these two accounts were found to have the lowest delay. Nevertheless, high availability, i.e. longer activity hours, was not found to significantly improve speed of reply to customers. For example, while *@giffgaff* was observed active for longer periods, *@o2* was generally found to be faster to reply.

Although the data shows that no CS team has been in a direct engagement with a competitor, analysis of common/shared connected components has uncovered some form of competition amongst CS accounts. Particularly, in the case of *@virginmedia* and *@btcare*, the competition was clear and intense. In all cases, customers were found to be initiators of competing conversations by making use of the Twitter *@-mention* feature to bring different rivals into conversations. In contrast to phone, letter or email, complaints that are made on social media are open for the public to read and follow, and can be potentially reputationally damaging if not handled appropriately. Therefore, it was not surprising to see improvement in the speed of response in a few instances where competitors were included in the same conversation. This shows that with the openness of social

Figure 7: Common connected components

**Figure 8: CS Coexistence Graph**

Figure 9: Modularity classes in coexistence graph

media platforms, such as Twitter, customers may have more chance to obtain better deals or speedy resolution of their problems [9]. In turn, this approach of publicly-posting complaints add pressure onto CS teams to improve their social media engagement, especially when business rivals are included by customers [11].

Some of these issues are particularly pertinent for the mobile virtual network operators (MVNOs) – such as Virgin Mobile, giffgaff and Sky Mobie – who use the infrastructure of the main mobile network operators (MNOs), as presented in Section 2. While this may not directly affect CS operations, especially as many customers

are unlikely to be aware of whether their company owns any underlying network infrastructure, it may have operational and/or performance impacts on the virtual operators depending on their service-level agreements with the infrastructure operators.

6 CONCLUSIONS

The paper has introduced an extensible framework for evaluating customer service performance and competition between industry rivals on Twitter. We have presented methods on how network graph properties can be used to make increasingly sophisticated evaluations, with the framework being tested on selected operators in the competitive UK telecoms sector.

Section 3 highlighted two important techniques that need to be applied prior to starting the analysis phase. First, the recursive reply chain data collection is vital to obtain accurate results. The importance of this stage stems from the fact that it fills the gaps and improve the connectivity of graphs. Second, construction of the initial graph from replies and the removal of floating isolated nodes. In constructing this graph, key information needs to be identified and attached as attributes to nodes. The information used in this study include post *id*, *timestamp*, *screen_name*, *text* and *CS* value. However, the framework could easily be extended to include other information, such as retweets.

A wider aim of this project is to show the importance of connected components in distinguishing users' conversations, as well as analysing competitions and their key features. With the added value of modularity classes, competition analysis has helped in uncovering more specialist communities within the industry sector.

The presented framework could also be used by service providers to reflectively evaluate their social media accounts and interactions, as well as to generate insight into the activities of their key domain competitors; in this way, the presented methods in this study could be used to make real-time observations. Another application would be to identify gaps, competitions, challenges and opportunities in services that can be used in developing strategies for start-ups, for example. The approach could also be applied to other domains or contexts, such as non-profits, charities or the public sector. Also, it can be used for groups of users, such as celebrities and their direct and indirect engagements on Twitter. Moreover, with the emerging practice of signing a reply with a team member's initials, this practice can be exploited to further augment this framework's capabilities; for example, this extension could help in estimating team sizes, working shifts and to evaluate performance of individual team members.

ACKNOWLEDGEMENTS

REFERENCES

[1] Haifa Al-Hussaini and Hmood Al-Dossari. 2017. A Lexicon-based Approach to Build Service Provider Reputation from Arabic Tweets in Twitter. *International Journal of Advanced Computer Science and Applications* 8, 4 (2017).

[2] Nabeel Albishry, Tom Crick, and Theo Tryfonas. 2017. "*Come Together!*": Interactions of Language Networks and Multilingual Communities on Twitter. In *Computational Collective Intelligence*. LNCS, Vol. 10449. Springer.

[3] Mathieu Bastian, Sebastien Heymann, and Mathieu Jacomy. 2009. Gephi: An Open Source Software for Exploring and Manipulating Networks. In *Proceedings of International AAAI Conference on Weblogs and Social Media (ICWSM)*. 361–362.

[4] Benjamin Blamey, Tom Crick, and Giles Oatley. 2012. R U :-) or :-(? Character- vs. Word-Gram Feature Selection for Sentiment Classification of OSN Corpora. In *Research and Development in Intelligent Systems XXIX*. Springer, 207–212.

[5] Benjamin Blamey, Tom Crick, and Giles Oatley. 2013. 'The First Day of Summer': Parsing Temporal Expressions with Distributed Semantics. In *Research and Development in Intelligent Systems XXX*. Springer, 389–402.

[6] Vincent D. Blondel, Jean-Loup Guillaume, Renaud Lambiotte, and Etienne Lefebvre. 2008. Fast unfolding of communities in large networks. *Journal of Statistical Mechanics: Theory and Experiment* 2008, 10 (2008).

[7] Peter Cogan, Matthew Andrews, Milan Bradonjic, W. Sean Kennedy, Alessandra Sala, and Gabriel Tucci. 2012. Reconstruction and analysis of Twitter conversation graphs. In *Proceedings of the First ACM International Workshop on Hot Topics on Interdisciplinary Social Networks Research (HotSocial'12)*. ACM, 25–31.

[8] Jennifer Cutler and Aron Culotta. 2017. Using online social networks to measure consumers' brand perception. *Applied Marketing Analytics* 2, 4 (2017), 312–321.

[9] Sabine A. Einwiller and Sarah Steilen. 2015. Handling complaints on social network sites – An analysis of complaints and complaint responses on Facebook and Twitter pages of large US companies. *Public Relations Review* 41, 2 (2015).

[10] European Commission. 2017. *Europe's Digital Progress Report 2017*. Technical Report.

[11] Yany Grégoire, Audrey Salle, and Thomas M.Tripp. 2015. Managing social media crises with your customers: The good, the bad, and the ugly. *Business Horizons* 58, 2 (2015), 173–182.

[12] Aric A. Hagberg, Daniel A. Schult, and Pieter J. Swart. 2008. Exploring Network Structure, Dynamics, and Function using NetworkX. In *Proceedings of the 7th Python in Science Conference (SciPy 2008)*, Vol. 836. 11–15.

[13] Noor Farizah Ibrahim, Xiaojun Wang, and Humphrey Bourne. 2017. Exploring the effect of user engagement in online brand communities: Evidence from Twitter. *Computers in Human Behavior* 72 (2017), 321–338.

[14] Shaheen Khatoon. 2017. Real-time Twitter Data Analysis of Saudi Telecom Companies for Enhanced Customer Relationship Management. *International Journal of Computer Science and Network Security* 17, 2 (2017), 141–147.

[15] Liye Ma, Baohong Sun, and Sunder Kekre. 2015. The Squeaky Wheel Gets the Grease – An Empirical Analysis of Customer Voice and Firm Intervention on Twitter. *Marketing Science* 34, 5 (2015), 627–645.

[16] Fotis Misopoulos, Miljana Mitic, Alexandros Kapoulas, and Christos Karapiperis. 2014. Uncovering customer service experiences with Twitter: the case of airline industry. *Management Decision* 52, 4 (2014), 705–723.

[17] Mohammed Mostafa, Tom Crick, Ana C. Calderon, and Giles Oatley. 2016. Incorporating Emotion and Personality-Based Analysis in User-Centered Modelling. In *Research and Development in Intelligent Systems XXXIII*. Springer, 383–389.

[18] Aastha Nigam, Salvador Aguinaga, and Nitesh V. Chawla. 2016. Connecting the dots to infer followers' topical interest on Twitter. In *Proceedings of 2016 International Conference on Behavioral, Economic and Socio-cultural Computing*.

[19] Giles Oatley and Tom Crick. 2015. Measuring UK Crime Gangs: A Social Network Problem. *Social Network Analysis and Mining* 5, Article 33 (2015).

[20] Giles Oatley, Tom Crick, and Dee Bolt. 2015. CCTV as a Smart Sensor Network. In *Proceedings of 13th IEEE International Conference on Dependable, Autonomic and Secure Computing (DASC-2015)*. IEEE.

[21] Ofcom. 2017. *Communications Market Report 2017*. Technical Report.

[22] Francesco Piccialli and Jai E. Jung. 2017. Understanding Customer Experience Diffusion on Social Networking Services by Big Data Analytics. *Mobile Networks and Applications* 22, 4 (2017), 605–612.

[23] Moonis Shakeel. 2017. Twitter Presence of Jet Airways – Deriving Customer Insights Using Netnography and Wordclouds. *Procedia Computer Science* 122 (2017), 17–24.

[24] Twitter and Research Now. 2016. *Customer Insights 2016*. Technical Report. https://business.twitter.com/en/resources/follower-insights.html

[25] Tibert Verhagen, Jaap van Nes, Frans Feldberg, and Willemijn van Dolen. 2014. Virtual Customer Service Agents: Using Social Presence and Personalization to Shape Online Service Encounters. *Journal of Computer-Mediated Communication* 19, 3 (2014), 529–545.

[26] Juneth N Wattimena and Wiranto H Utomo. 2017. Social CRM Analysis with Netnography Methods for Increasing Customer's Confidence (A Study Case: PT. Telkom Indonesia). *International Journal of Computer Science and Software Engineering* 6, 3 (2017), 47–54.

[27] Anbang Xu, Zhe Liu, Yufan Guo, Vibha Sinha, and Rama Akkiraju. 2017. A New Chatbot for Customer Service on Social Media. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI'17)*. ACM, 3506–3510.

[28] Libo Zhang, Yihan Sun, and Tiejian Luo. 2016. A framework for evaluating customer satisfaction. In *Proceedings of 10th International Conference on Software, Knowledge, Information Management & Applications (SKIMA)*. 448–453.