Visoka skola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

Web programiranje – Praktikum PHP

Toma Selea 103/14

Beograd, jun 2019.godine

1.Uvod

1.1 Korisceni programski jezici

HTML,CSS, JavaScript, jQuery,BootStrap,jQuery,Ajax, Php,MySql

1.2 Okruzenje

Projekat je pravljen u Visual Studio Code-u i Notepad++

1.3 Opis funkcionalnosti

Index.php strana

Sajt je sinle page, sve ide preko index-a. Navigacioni meni se dinamicki iscitava iz baze. Klikom na neki od proizvoda, ostvara se strana samo o tom postu.

Veritaklni proizvodi su tri najskuplja proizvoda na sajtu.

Vodoravni proizvodi su 4 poslednje dodata proizvoda.

Index.php?page=about

Stranica o autoru na kojoj se nalazi slika i opis. Klikom na dugme export, podaci o autoru se cuvaju u **word file.**

Index.php?page=shop

Stranica na kojoj se nalaze proizvodi. Proizvodi se mogu filtrirati po nazivu(ASC,DESC),po ceni(ASC,DESC), takodje i po kategoriji proizvoda. Uradjena je i paginacija. Svako filtriranje, sortiranje i paginacija su rađeni uz pomoć **AJAX-a.** Klikom na neki od proizvoda otvara se posebna strana na kojoj se nalaze informacije o tom proizvodu.

Index.php?page=product&id=...

Stranica o jednom proizvodu. Klikom na dugme export, u **excel se** upisuju informacije o tom proizvodu.

Index.php?page=login

Na ovoj stranici se nalazi forma za login i registraciju.

Registracija je **zasticena regularnim** izrazima i na **klijenstkoj** i na **serverskoj** strani. Prilikom registracije korisnik dobija ulogu "user".

U slučaju neuspešnog logovanja, korisniku koji je pokušao da se uloguje se šalje email.

Validacija radjena na serverskoj strani za sve unose u bazu.

Greške prilikom rada sa bazom se upisuju u textualni file errors.txt


Index.php?page=adminpanel

Admin panelu moze da pristupi samo korinsik koji ima ulogu Admin. Na admin panelu se nalazi:


- Kompletna kontrola sadrzaja sajta
- Informacija o broju trenutno ulogovanih korisnika
- Tabela sa prikazom pristupa stanicama na sajt iz tekstualnog fajla
- Broj pristupa svakoj stranici na kojoj je korisnik bio
- Statistika pristupa stranicama u procentima

- Ukupan broj pristupa svim stranicama
- Prilikom unosa slike za prozivod vrši se serversko smanjenje slike.
- Insert, Update i Delete za sve neophodne tabele iz baze


Index.php





Index.php?page=product&id=...




Index.php?page=adminpanel










Index.php?page=about



Index.php?page=shop







 ${\bf Models/admin/category/category_functions.php}$

```
<?php
```

```
function allCategories(){
    return executeQuery("SELECT * FROM categories");
}
```

?>

Models/admin/category/category_update.php

```
header("Content-Type:application/json");
include "../../config/connection.php";
global $conn;
try{
 $id = $_POST['id'];
  $query = $conn->prepare("SELECT * FROM categories WHERE id= ?");
  $query->execute([
    $id
 ]);
  $category = $query->fetch();
  echo json_encode($category);
}
catch(Exception $e)
```

<?php

```
{
   handle($e->getMessage());
  }
?>
Models/admin/category/delete.php
<?php
  include "../../config/connection.php";
  global $conn;
  if(isset($_POST['delete']))
  {
 try{
    $id = $_POST['id'];
      $query = $conn->prepare("DELETE FROM categories WHERE id = ?");
      $query->execute([
        $id
      ]);
```

```
header("Location:../../index.php?page=adminpanel");
  }
  catch(Exception $e)
  {
    handle($e->getMessage());
  }
  }
?>
Models/admin/category/insert_category.php
<?php
  include "../../config/connection.php";
  include "../../config/errorHandler.php";
  global $conn;
  if(isset($_POST['insert']))
  {
    $cat_name = $_POST['cat_name'];
```

```
if(empty($cat_name)){
  $greske[]="NO category";
}
if(count($greske)>0){
  foreach($greske as $error){
    echo $error."</br>";
 }
}
else
{
try
{
  $query = $conn->prepare("INSERT INTO categories VALUES (",?)");
  $query->execute([
    $cat_name
 ]);
}
catch(Exception $e)
{
  handle($e->getMessage());
}
```

```
header('Location:../../../index.php?page=adminpanel');
  }
 }
?>
Models/admin/category/update.php;
<?php
include "../../config/connection.php";
include "../../config/errorHandler.php";
global $conn;
if(isset($_POST['id'])){
  $name = $_POST['name'];
  $id = $_POST['id'];
  try
```

```
{
    $query = $conn->prepare("UPDATE categories SET category_name=:name WHERE id=:id");
    $query->execute([
      'name'=>$name,
      'id'=>$id
   ]);
  }
  catch(Exception $e)
  {
   handle($e->getMessage());
  }
  header('Location:../../index.php?page=adminpanel');
Models/admin/log/functions.php;
<?php
  function logFiles(){
    $file = fopen("data/log.txt","r");
```

```
$podaci = file("data/log.txt");
  return $podaci;
}
function allPages(){
  $datas = logFiles();
   $logs = [];
   foreach($datas as $data)
   {
     $logs[]= explode("\t",$data);
   }
   $pages = [];
   foreach($logs as $log)
   {
    if ($log[1] == 'index.php') {
     $log[1] = 'index.php?page=index';
    }
    // zaplet
    else if($log[1] == 'php-shop')
    {
```

```
$log[1] = 'index.php?page=index';
 }
 else if($log[1]== "logout")
 {
  $log[1] = 'index.php?page=logout';
 else if($log[1]== "login")
 {
  $log[1] = 'index.php?page=login';
 }
 else if($log[1]=="")
 {
  $log[1] = 'index.php?page='.$log[1];
 }
 $pages[] = explode("=",$log[1]);
}
$allPages = [];
foreach($pages as $page) {
 $allPages[$page[1]]['visits'] = 0;
}
return $allPages;
```

```
function allDates(){
  $datas = logFiles();
  $pageVisits = allPages();
  $logs = [];
  $date = date("d.m.Y");
  // echo ""; var_dump($pageVisits);
  $logs= [];
  foreach ($datas as $data) {
   $logs[] = explode("\t",$data);
  }
  foreach($logs as $log)
  {
   if($log[0]==$date)
   {
    $page = explode("=",$log[1]);
```

```
if (!isset($page[1])) {
    $page[1] = 'index';
  }
  $pageVisits[$page[1]]['visits']++;
 }
}
// echo 'NAKON POPUNE';
// echo ""; var_dump($pageVisits);
$numbers = [];
foreach($pageVisits as $key => $value)
{
 echo "Broj poseta stranici ".$key." je :";
 echo $value['visits']."</br>";
 $numbers[]=$value['visits'];
}
$sum = array_sum($numbers);
```

```
echo "Ukupan broj poseta stranicama :".$sum;
      echo "</br>";
      foreach($pageVisits as $key => $value)
      {
       echo "Stranica ".$key.":";
       echo ceil($value['visits']/$sum*100)."%"."</br>";
      }
     }
?>
Models/admin/product/delete.php;
<?php
  require_once "../../config/connection.php";
  global $conn;
  if(isset($_POST['id']))
  {
    try{
    $delete_product = $conn->prepare("DELETE FROM products WHERE id=?");
```

```
$delete = $delete_product->execute([
  $_POST['id']
]);
}
catch(PDOException $e){
  handle($e->getMessage());
}
if($delete)
{
  try{
  $delete_image_of_product = $conn->prepare("DELETE FROM pictures WHERE product_id=?");
  $delete_image = $delete_image_of_product->execute([
    $_POST['id']
  ]);
  }
  catch(PDOException $e){
    handle($e->getMessage());
  }
}
header("Location:../../index.php?page=adminpanel");
```

```
}
?>
Models/admins/product/insert_picture.php
<?php
if(isset($_POST['savePicture'])){
  require_once "../../config/connection.php";
  require_once "product_functions.php";
  require_once "insert_product.php";
```

\$file_name = \$_FILES['pictue']['name'];

\$file_type = \$_FILES['pictue']['type'];

\$file_size = \$_FILES['pictue']['size'];

\$tmp_Location = \$_FILES['pictue']['tmp_name'];

```
$errors = [];
$alow_types = ['image/jpg', 'image/jpeg', 'image/png'];
if(!in_array($file_type, $alow_types)){
  array_push($errors, "Wrong type");
}
if($file_size > 3000000){
  array_push($errors, "To heavy");
}
if(count($errors) == 0){
  list($width, $height) = getimagesize($tmp_Location);
  $permanent_picture = null;
  switch($file_type){
    case 'image/jpeg':
      $permanent_picture = imagecreatefromjpeg($tmp_Location);
```

```
case 'image/png':
        $permanent_picture = imagecreatefrompng($tmp_Location);
        break;
    }
    $newWidth = 320;
    $newHeight = ($newWidth/$width) * $height;
    $newPicture = imagecreatetruecolor($newWidth, $newHeight);
    imagecopyresampled($newPicture, $permanent_picture, 0, 0, 0, 0, $newWidth, $newHeight,
$width, $height);
    $name = time().$file_name;
    $srcNewPicture = 'assets/img/small/'.$name;
    switch($file_type){
      case 'image/jpeg':
        imagejpeg($newPicture,'../../'.$srcNewPicture, 75);
        break;
      case 'image/png':
        imagepng($newPicture,'../../'.$srcNewPicture);
        break;
    }
```

break;

```
$srcOriginalPicture = 'assets/img/'.$name;
if(move_uploaded_file($tmp_Location, '../../'.$srcOriginalPicture)){
 try {
    insert_product();
    $product_id = $conn->lastInsertId();
    $isInserted = insert($srcOriginalPicture, $srcNewPicture,$product_id);
    if($isInserted){
      header("Location: ../../index.php?page=adminpanel");
    }
  } catch(PDOException $e){
    handle($e->getMessage());
 }
}
imagedestroy($permanent_picture);
imagedestroy($newPicture);
```

```
} else {
    var_dump($errors);
  }
}
Models/admin/product/insert_product.php
<?php
  function insert_product(){
    $name = $_POST['product-name'];
    $price = $_POST['price'];
    $description = $_POST['description'];
    $category_id = $_POST['category_id'];
    $date = date("Y-m-d H:i:s");
    $greske = [];
    if(empty($name)){
```

```
$greske[]="No name";
}
if(is_int($price)){
  $greske[]="No price";
}
if(empty($description)){
  $greske[]="NO description";
}
if(count($greske)>0){
  foreach($greske as $error){
    echo $error."</br>";
  }
}
else
{
try{
$isInserted = insertProduct($name,$price,$description,$category_id,$date);
  if(!$isInserted)
  {
    header("Location:../../../index.php?page=adminpanel");
  }
}
```

```
catch(PDOException $e){
    handle($e->getMessage());
  }
    }
 }
?>
Models/product/product_functions.php;
<?php
 function getAllProductsWithPictureAndCategory(){
    try{
    return executeQuery("SELECT * ,p.id AS id FROM products p LEFT OUTER JOIN pictures i ON
p.id=i.product_id INNER JOIN categories c ON p.category_id=c.id ");
    }
    catch(PDOException $e){
      handle($e->getMessage());
    }
  }
```

```
function insert($srcOriginalPicture, $srcNewPicture, $product_id){
  try{
  global $conn;
  $insert = $conn->prepare("INSERT INTO pictures VALUES(", ?, ?,?)");
  $isInserted = $insert->execute([$srcOriginalPicture, $srcNewPicture,$product_id]);
  return $isInserted;
  }
  catch(PDOException $e){
    handle($e->getMessage());
 }
}
function insertProduct($name,$price,$description,$category_id,$date){
  try
  {
    global $conn;
    $insert = $conn->prepare("INSERT INTO products VALUES(",?,?,?,?,?)");
    $inserted = $insert->execute([
      $name,$price,$description,$category_id,$date
    ]);
```

```
return $inserted;
 }
  catch(PDOException $e){
    handle($e->getMessage());
 }
}
function getAllCategories(){
 try{
  return executeQuery("SELECT * FROM categories");
 }
  catch(PDOException $e){
    handle($e->getMessage());
 }
}
```

```
Models/product/product_update.php;
<?php
  header("Content-Type:application/json");
  include "../../config/connection.php";
  include "../../config/errorHandler.php";
  global $conn;
  try{
    $id = $_POST['id'];
    $query = $conn->prepare("SELECT *,p.id as id FROM products p INNER JOIN pictures i ON
p.id=i.product_id WHERE p.id=?");
    $query->execute([
      $id
    ]);
```

```
$product = $query->fetch();
    $categories = $conn->prepare("SELECT * FROM categories");
    $categories->execute([]);
    $cat = $categories->fetchAll();
    echo json_encode([
      "product"=>$product,
      "categories"=>$cat
   ]);
  }
  catch(Exception $e)
  {
    handle($e->getMessage());
Models/product/update.php;
<?php
```

?>

```
include "../../config/connection.php";
include "../../config/errorHandler.php";
global $conn;
  if(isset($_POST['update-product']))
  {
    $name = $_POST['product-name'];
    $price = $_POST['price'];
    $description = $_POST['description'];
    $category_id = $_POST['category_id'];
    $date = date("Y-m-d H:i:s");
    $id = $_POST['id'];
    try
      {
```

```
$query = $conn->prepare("UPDATE products SET
product_name=:name,price=:price,description=:desc,category_id=:cat_id,date=:date WHERE id=:id");
```

```
$query->execute([
    "name"=>$name,
    "price"=>$price,
    "desc"=>$description,
    "cat_id"=>$category_id,
    "date"=>$date,
    "id"=>$id
  ]);
}
catch(Exception $e)
{
  handle($e->getMessage());
}
header('Location:../../index.php?page=adminpanel');
```

Models/admin/user

```
Delete.php
<?php
 include "../../config/connection.php";
  global $conn;
 try{
 $id = $_POST['id'];
  if(isset($_POST['delete'])){
    $query = $conn->prepare("DELETE FROM users WHERE id=?");
    $query->execute([
      $id
   ]);
```

```
header("Location:../../../index.php?page=adminpanel");
  }
  }
  catch(Exception $e){
    handle($e->getMessage());
  }
?>
Register.php
<?php
  include "../../config/connection.php";
  include "user_functions.php";
  global $conn;
  $email = $_POST['username'];
  $regMail = "/^\w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/";
  $password = $_POST['password'];
```

```
project = "/(?=.*d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
$conf_password = $_POST['confirm-password'];
project = \frac{1}{2} \frac{
$role_id = $_POST['id_role'];
 if(!preg_match($regMail,$email)){
                $greske[]="Mail not good";
}
 if(!preg_match($regPassword,$password)){
                  $greske[]="Password not good";
 }
if(!preg_match($regPassword2,$conf_password)){
                $greske[]="Password2 not good";
}
```

```
if($password!=$conf_password)
{
  $greske[]= "Passwords not the same";
}
if(count($greske)>0){
  foreach($greske as $greska){
    echo $greska."</br>";
 }
  echo "Please go back and try again";
}
else
{
  $checking_if_exist = $conn->prepare("SELECT * FROM users WHERE email=?");
  $checking_if_exist->execute([
    $email
  ]);
```

```
$exist = $checking_if_exist->fetch();
if($exist)
{
  $Message = urlencode("Your email is already in database");
  header("Location:../../index.php?page=adminpanel&Message=".$Message);
  die;
}
else
{
  $registered = registerUser($email,$password,$role_id);
  if($registered){
    header("Location:../../index.php?page=adminpanel");
  }
  else
  {
    echo "Pokusajte ponovo";
  }
}
```

```
}
?>
Update.php
<?php
include "../../config/connection.php";
global $conn;
$email = $_POST['username'];
$password = $_POST['password'];
$role_id = $_POST['role_id'];
$id = $_POST['id'];
try{
$query = $conn->prepare("UPDATE users SET email=:email,password=:pass,role_id=:role_id WHERE
id=:id");
$query->execute([
```

```
'email'=>$email,
  'pass'=>$password,
  'role_id'=>$role_id,
  'id'=>$id
]);
}
catch(Exception $e){
  handle($e->getMessage());
}
header('Location:../../index.php?page=adminpanel');
?>
User_functions.php;
<?php
  function allUsers(){
    try{
```

```
return executeQuery("SELECT * , u.id AS id FROM users u INNER JOIN roles r ON u.role_id=r.id");
  }
  catch(Exception $e){
    handle($e->getMessage());
 }
}
function allRoles(){
  try{
    return executeQuery("SELECT * FROM roles");
    }
    catch(Exception $e){
      handle($e->getMessage());
    }
}
function registerUser($email,$password,$role_id)
{
  global $conn;
```

```
try{
      $register = $conn->prepare("INSERT INTO users VALUES(",?,?,?,?)");
      $inserted = $register->execute([$email,md5($password),$role_id,"0"]);
      return $inserted;
    }
    catch(PDOException $e){
      handle($e->getMessage());
   }
 function countLoggedUsers()
  {
   global $conn;
    try
    {
      $query = $conn->prepare("SELECT COUNT(*) as numberOfLogged FROM users WHERE
logged=?");
      $query->execute([
```

}

```
'1'
     ]);
      return $query->fetch();
   }
    catch(PDOException $e){
      handle($e->getMessage());
   }
 }
?>
User_update.php
<?php
```

```
header("Content-Type:application/json");
include "../../config/connection.php";
global $conn;
try{
$id = $_POST['id'];
$query = $conn->prepare("SELECT * FROM users WHERE id= ?");
$query->execute([
  $id
]);
$user = $query->fetch();
$roles = executeQuery("SELECT * FROM roles");
$data['user'] = $user;
$data['roles'] = $roles;
```

```
echo json_encode($data);
}
catch(Exception $e){
  handle($e->getMessage());
}
?>
Models/auth
Functions.php
<?php
  require_once "../../config/errorHandler.php";
  function getAllUsers(){
    try{
      return executeQuery("SELECT * FROM users");
    }
    catch(PDOException $e){
```

```
handle($e->getMessage());
 }
}
function findUser($email,$password){
  global $conn;
  try{
    $result = $conn->prepare("SELECT * FROM users WHERE email = ? AND password = ?");
    $result->execute([$email,md5($password)]);
    return $result->fetch();
  }
  catch(PDOException $e){
    handle($e->getMessage());
  }
}
function registerUser($email,$password)
```

```
{
    global $conn;
    try{
      $register = $conn->prepare("INSERT INTO users VALUES(",?,?,?,?)");
      \\ $\inf = \operatorname{pregister->execute}([\$email,md5(\$password),"2","0"]); \\
      return $inserted;
    }
    catch(PDOException $e){
      handle($e->getMessage());
    }
  }
  ?>
Logout.php
<?php
```

```
session_start();
  require_once "../../config/connection.php";
  if(isset($_SESSION['user'])){
    global $conn;
    $query = $conn->prepare("UPDATE users SET logged=:log WHERE id=:id");
    $query->execute([
      'log'=>'0',
      'id'=>$_SESSION['user']->id
   ]);
    unset($_SESSION['user']);
  }
  header('Location:../../index.php');
?>
Login.php
```

```
session_start();
// Import PHPMailer classes into the global namespace
  // These must be at the top of your script, not inside a function
  use PHPMailer\PHPMailer\PHPMailer;
  use PHPMailer\PHPMailer\Exception;
  // Load Composer's autoloader
require_once "../../config/connection.php";
require_once "functions.php";
require '../../vendor/autoload.php';
if(isset($_POST['login-submit']))
{
  $email = $_POST['username'];
  $password = $_POST['password'];
```

<?php

```
$user = findUser($email,$password);
if($user)
{
  $_SESSION['user'] = $user;
  global $conn;
  $query = $conn->prepare("UPDATE users SET logged=:log WHERE id=:id");
  $query->execute([
    'log'=>'1',
    'id'=>$_SESSION['user']->id
 ]);
  header('Location:../../index.php');
}
else
{
  echo "not successfull";
  $mail = new PHPMailer(true);
                                               // Passing `true` enables exceptions
  try {
```

```
//Server settings
$mail->SMTPDebug = 0;
                                       // Enable verbose debug output
$mail->isSMTP();
                                   // Set mailer to use SMTP
$mail->Host = 'smtp.gmail.com'; // Specify main and backup SMTP servers
$mail->SMTPAuth = true;
                                        // Enable SMTP authentication
$mail->Username = 'sajtzaphp1@gmail.com';
                                                   // SMTP username
$mail->Password = 'sajtzaphp1!';
                                             // SMTP password
$mail->SMTPSecure = 'tls';
                            // Enable TLS encryption, `ssl` also accepted
$mail->Port = 587;
                                  // TCP port to connect to
$mail->SMTPOptions =array(
  "ssl"=>array(
    "verify_peer"=>false,
    "verify_peer_name"=>false,
    "allow_self_signed"=>true
 )
);
//Recipients
$mail->setFrom('sajtzaphp1@gmail.com', 'Login not successfull');
$mail->addAddress($email,'User'); // Add a recipient
//Content
$mail->isHTML(true);
                                     // Set email format to HTML
$mail->Subject = 'You log-in request was not successfull';
```

```
$mail->Body = 'Please try again to login';
      $mail->AltBody = 'This is the body in plain text for non-HTML mail clients';
      $mail->send();
      echo 'Message has been sent';
      header("Location:../../index.php");
    }
    catch (Exception $e)
    {
      echo 'Message could not be sent. Mailer Error: ', $mail->ErrorInfo;
    }
 }
}
```

?>

```
<?php
require_once "../../config/connection.php";
require_once "functions.php";
  if(isset($_POST['register-submit'])){
    $email = $_REQUEST['username'];
    project = "/^w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/";
    $password = $_REQUEST['password'];
    property = "/(?=.*d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
    $conf_password = $_REQUEST['confirm-password'];
    property = "/(?=.*d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
    $greske = [];
    if(!preg_match($regMail,$email)){
      $greske[]="Mail not good";
```

```
}
if(!preg_match($regPassword,$password)){
  $greske[]="Password not good";
}
if(!preg_match($regPassword2,$conf_password)){
  $greske[]="Password2 not good";
}
if($password!=$conf_password)
{
  $greske[]= "Passwords not the same";
}
if(count($greske)>0){
  Header("Location:../../index.php?page=login");
}
else
{
```

```
$checking_if_exist = $conn->prepare("SELECT * FROM users WHERE email=?");
$checking_if_exist->execute([
  $email
]);
$exist = $checking_if_exist->fetch();
if($exist)
{
  $Message = urlencode("Your email is already in database");
  header("Location:../../index.php?page=login&Message=".$Message);
  die;
}
else
{
  $registered = registerUser($email,$password);
  if($registered){
    header("Location:../../index.php?page=login");
  }
  else
  {
    echo "Pokusajte ponovo";
```

```
}
     }
   }
 }
?>
Models/author/
Author_functions.php;
<?php
 function author(){
   global $conn;
```

```
$author = $conn->prepare("SELECT * FROM author WHERE id=?");
    $author->execute([1]);
    $result = $author->fetch();
    return $result;
 }
?>
{\sf exportToWord.php}
<?php
  include "../../config/connection.php";
  include "author_functions.php";
  $author = author();
```

```
// Create new COM object – word.application
$word = new COM("word.application");
// Hide MS Word application window
$word->Visible = 0;
//Create new document
$word->Documents->Add();
// Define page margins
$word->Selection->PageSetup->LeftMargin = '2';
$word->Selection->PageSetup->RightMargin = '2';
// Define font settings
$word->Selection->Font->Name = 'Arial';
$word->Selection->Font->Size = 10;
// Add text
$word->Selection->TypeText("$author->name \n $author->description");
// Save document
$filename = tempnam(sys_get_temp_dir(), "word");
$word->Documents[1]->SaveAs($filename);
// Close and quit
```

```
$word->quit();
  unset($word);
  header("Content-type: application/vnd.ms-word");
  header("Content-Disposition: attachment; Filename=Aboutauthor.doc");
  // Send file to browser
  readfile($filename);
  unlink($filename);
?>
Category_functions.php;
<?php
  function allCategories(){
    try{
    return executeQuery("SELECT * FROM categories");
    }
    catch(PDOException $e){
      handle($e->getMessage());
```

```
}
 }
?>
Menu_functions.php
<?php
 function getMenu()
 {
   try{
   return executeQuery("SELECT * FROM menu");
   }
   catch(PDOException $e){
     handle($e->getMessage());
   }
 }
```

MODELS/PRODUCTS

```
exportToExcel.php
<?php
require_once "../../config/connection.php";
include "product_functions.php";
$id = $_POST['id'];
$product = singleProduct($id);
$excel = new COM("Excel.Application");
$excel->Visible = 1;
$excel->DisplayAlerts = 1;
$workbook = $excel->WorkBooks->Open("http://localhost/php-shop/data/Product.xlsx") or die ('Could
not be able to open filename');
$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;
```

```
//header of table
$field = $sheet->Range("A1");
$field->activate;
$field->value = "Id";
$field = $sheet->Range("B1");
$field->activate;
$field->value= "Product Name";
$field = $sheet->Range("C1");
$field->activate;
$field->value = "Price";
$field = $sheet->Range("D1");
$field->activate;
$field->value = "Description";
$field = $sheet->Range("E1");
$field->activate;
$field->value = "Category";
//about product
$field = $sheet->Range("A2");
$field->activate;
```

```
$field->value = "$product->product_id";
$field = $sheet->Range("B2");
$field->activate;
$field->value= "$product->product_name";
$field = $sheet->Range("C2");
$field->activate;
$field->value = "$ $product->price";
$field = $sheet->Range("D2");
$field->activate;
$field->value = "$product->description";
$field = $sheet->Range("E2");
$field->activate;
$field->value = "$product->category_name";
//$workbook->_SaveAs("http://localhost/php-shop/data/Product.xlsx", -4143);
// $workbook->Save();
// $workbook->Saved=true;
// $workbook->Close;
// $excel->Workbooks->Close();
```

```
// $excel->Quit();
// unset($sheet);
// unset($workbook);
// unset($excel);
header("Location:../../index.php?page=product&id=$product->product_id");
filter-category.php
<?php
  header("Content-Type:application/json");
  if(isset($_POST['id'])){
    $id = $_POST['id'];
    include "../../config/connection.php";
    include "product_functions.php";
    global $conn;
```

```
try{
```

```
$product = $conn->prepare("SELECT * FROM products p INNER JOIN pictures i ON
p.id=i.product_id INNER JOIN categories c ON p.category_id=c.id WHERE category_id= ?");
      $product->execute([
        $id
      ]);
      echo json_encode($product->fetchAll());
   }
    catch(PDOPDOException $e){
        handle($e->getMessage());
   }
  }
  else
  {
    http_response_code(400); // Bad request
```

```
echo json_encode(["error"=> "You haven't checked category"]);
 }
?>
getProductsWithPagination.php
<?php
  header("Content-Type: application/json");
  if(isset($_GET['limit']))
  {
    require_once "../../config/connection.php";
    include "product_functions.php";
    $limit = $_GET['limit'];
```

```
$products = getProductsWithPicture($limit);
    $num_of_products = getPaginationCount();
    echo json_encode([
      "products"=>$products,
      "pagination"=>$num_of_products
   ]);
  }
  else
  {
    echo json_encode(["message"=> "Limit not passed."]);
   http_response_code(400); // Bad request
  }
Product_functions.php
<?php
```

?>

```
function getNewProducts(){
    \mathsf{try}\,\{
      return executeQuery("SELECT *,p.id as id FROM products p INNER JOIN pictures i ON
p.id=i.product_id ORDER BY date DESC LIMIT 4 ");
    }
    catch(PDOException $e){
      handle($e->getMessage());
    }
  }
  function singleProduct($id){
    global $conn;
    try{
      $product = $conn->prepare("SELECT * FROM products p INNER JOIN pictures i ON
p.id=i.product_id INNER JOIN categories c ON p.category_id=c.id WHERE product_id= ?");
```

```
$product->execute([
      $id
    ]);
    return $product->fetch();
  }
  catch(PDOException $e){
    handle($e->getMessage());
  }
}
function sortQuery(){
  try{
    return "SELECT * FROM products p INNER JOIN pictures i ON p.id=i.product_id ";
  }
  catch(PDOException $e){
    handle($e->getMessage());
```

```
}
  }
  define("PRODUCT_ONPAGE",3);
  function getProductsWithPicture($limit=0)
  {
    try{
    global $conn;
    $select = $conn->prepare("SELECT * FROM products p INNER JOIN pictures i ON p.id=i.product_id
LIMIT :limit, :offset");
    $limit = ((int) $limit)* PRODUCT_ONPAGE;
    $select->bindParam(":limit",$limit,PDO::PARAM_INT);
    $number = PRODUCT_ONPAGE;
    $select->bindParam(":offset",$number,PDO::PARAM_INT);
    $select->execute();
    $products = $select->fetchAll();
    return $products;
```

```
}
 catch(PDOException $e){
    handle($e->getMessage());
 }
}
function getNumOfProducts()
{
 try{
 return executeQueryOneRow("SELECT COUNT(*) AS num FROM products");
 }
 catch(PDOException $e){
   handle($e->getMessage());
 }
}
function getPaginationCount()
{
 try{
 $number = getNumOfProducts();
```

```
$numberOfProducts = $number->num;
    return ceil($numberOfProducts / PRODUCT_ONPAGE);
   }
    catch(PDOException $e){
      handle($e->getMessage());
   }
  }
 function mostExpensiveProducts()
  {
    try {
      return executeQuery("SELECT * FROM products p INNER JOIN pictures i ON p.id=i.product_id
ORDER BY price DESC LIMIT 3 ");
   }
    catch(PDOException $e){
      handle($e->getMessage());
    }
  }
```

```
?>
```

```
Sort.php
<?php
  header("Content-Type:application/json");
  if(isset($_POST['sort'])){
    $dataSort = $_POST['sort'];
    include "../../config/connection.php";
    include "product_functions.php";
    $query = sortQuery();
    switch($dataSort){
      case "default":
      $query;
      break;
```

```
case "name-asc":
    $query .="ORDER BY product_name ASC";
    break;
    case "name-desc":
    $query .="ORDER BY product_name DESC";
    break;
   case "price-l-h":
    $query .="ORDER BY price ASC";
    break;
   case "price-h-l":
    $query .="ORDER BY price DESC";
    break;
  }
  $result = executeQuery($query);
 echo json_encode($result);
else
 http_response_code(400); // Bad request
```

}

{

```
echo json_encode(["error"=> "You haven't checked sort"]);
  }
?>
Pages/components
Footer.php
<footer class="bg6 p-t-45 p-b-43 p-l-45 p-r-45">
               <div class="flex-w p-b-90">
                       <div class="w-size6 p-t-30 p-l-15 p-r-15 respon3">
                               <h4 class="s-text12 p-b-30">
                               </h4>
                               <div>
                                       <div class="flex-m p-t-30">
                                               <a href="#" class="fs-18 color1 p-r-20 fa fa-
facebook"></a>
                                               <a href="#" class="fs-18 color1 p-r-20 fa fa-
instagram"></a>
```

```
</div>
                </div>
        </div>
        <div class="w-size8 p-t-30 p-l-15 p-r-15 respon3 t-center">
                <h4 class="s-text12 p-b-30">
                <button class="flex-c-m size2 bg4 bo-rad-23 hov1 m-text3 trans-0-4">
                                        Documentation
                                </button>
                </h4>
        </div>
</div>
<div class="t-center p-l-15 p-r-15">
        <div class="t-center s-text8 p-t-20">
                Copyright © 2019 All rights reserved. | Toma Selea
        </div>
</div>
```

```
</footer>
    <!-- Back to top -->
    <div class="btn-back-to-top bg0-hov" id="myBtn">
         <span class="symbol-btn-back-to-top">
              <i class="fa fa-angle-double-up" aria-hidden="true"></i>
         </span>
    </div>
    <!-- Container Selection1 -->
    <div id="dropDownSelect1"></div>
______
    <script type="text/javascript" src="vendor/jquery/jquery-3.2.1.min.js"></script>
______
=======->
    <script type="text/javascript" src="vendor/animsition/js/animsition.min.js"></script>
______
========->
```

<script type="text/javascript" src="vendor/bootstrap/js/popper.js"></script>

<!--

<!--

```
<script type="text/javascript" src="vendor/bootstrap/js/bootstrap.min.js"></script>
<!--
______
========->
     <script type="text/javascript" src="vendor/select2/select2.min.js"></script>
     <script type="text/javascript">
         $(".selection-1").select2({
               minimumResultsForSearch: 20,
               dropdownParent: $('#dropDownSelect1')
         });
     </script>
<!--
______
========->
     <script type="text/javascript" src="vendor/slick/slick.min.js"></script>
     <script type="text/javascript" src="assets/js/slick-custom.js"></script>
<!--
______
========>
     <script type="text/javascript" src="vendor/countdowntime/countdowntime.js"></script>
<!--
______
========->
     <script type="text/javascript" src="vendor/lightbox2/js/lightbox.min.js"></script>
<!--
______
========->
     <script type="text/javascript" src="vendor/sweetalert/sweetalert.min.js"></script>
     <script type="text/javascript">
```

```
var nameProduct = $(this).parent().parent().find('.block2-name').html();
                     $(this).on('click', function(){
                            swal(nameProduct, "is added to cart !", "success");
                     });
              });
              $('.block2-btn-addwishlist').each(function(){
                     var nameProduct = $(this).parent().parent().find('.block2-name').html();
                     $(this).on('click', function(){
                            swal(nameProduct, "is added to wishlist!", "success");
                     });
              });
       </script>
<!--
______
=======->
       <script src="assets/js/main.js"></script>
       <script src="assets/js/login-register.js"></script>
       <script src="assets/js/jquery.min.js"></script>
       <script src="assets/js/product-filter.js"></script>
       <script src="assets/js/user-update.js"></script>
       <script src="assets/js/category-update.js"></script>
       <script src="assets/js/pagination.js"></script>
       <script src="assets/js/register-validation.js"></script>
```

\$('.block2-btn-addcart').each(function(){

<script src="assets/js/update-product.js"></script>



| | <pre><link href="assets/fonts/themify/themify-icons.css" rel="stylesheet" type="text/css"/></pre> |
|--|---|
| </th <th></th> | |
| ===== | :====:-> |
| font.n | <pre><link href="assets/fonts/Linearicons-Free-v1.0.0/icon- nin.css" rel="stylesheet" type="text/css"/></pre> |
| </td <td></td> | |
| ===== | :=====> |
| </td <td>k rel="stylesheet" type="text/css" href="assets/fonts/elegant-font/html-css/style.css"></td> | k rel="stylesheet" type="text/css" href="assets/fonts/elegant-font/html-css/style.css"> |
| ===== | |
| ===== | <pre><li< td=""></li<></pre> |
| </td <td></td> | |
| ===== | :=====> |
| | <pre><link href="vendor/css-hamburgers/hamburgers.min.css" rel="stylesheet" type="text/css"/></pre> |
| </td <td>:======================================</td> | :====================================== |
| ===== | =====> |
| | <pre><link href="vendor/animsition/css/animsition.min.css" rel="stylesheet" type="text/css"/></pre> |
| </td <td></td> | |
| | :====> |
| | |
| </td <td></td> | |
| =======> | |
| | <pre><link href="vendor/daterangepicker/daterangepicker.css" rel="stylesheet" type="text/css"/></pre> |

```
<!--
______
=======->
    <link rel="stylesheet" type="text/css" href="vendor/slick/slick.css">
<!--
______
========->
    k rel="stylesheet" type="text/css" href="vendor/lightbox2/css/lightbox.min.css">
<!--
______
========->
    <link rel="stylesheet" type="text/css" href="assets/css/util.css">
    <link rel="stylesheet" type="text/css" href="assets/css/main.css">
    <link rel="stylesheet" type="text/css" href="assets/css/moj.css">
<!--
______
========->
</head>
<body class="animsition">
Header.php
<header class="header1">
         <!-- Header desktop -->
         <div class="container-menu-header">
```

<div class="wrap_header">

```
<!-- Logo -->
                           <a href="index.php" class="logo">
                                  <img src="assets/images/icons/logo.png" alt="IMG-LOGO">
                           </a>
                           <!-- Menu -->
                           <div class="wrap_menu">
                                  <nav class="menu">
                                         <?php
                                                require_once
"models/menu/menu_functions.php";
                                                $menu = getMenu();
                                                foreach($menu as $m):
                                         ?>
                                                <a href="<?=$m->href ?>"><?=$m-
>name ?></a>
                                                <?php endforeach; ?>
                                                <?php
if(isset($_SESSION['user'])&&$_SESSION['user']->role_id==1): ?>
```

```
<a
href="index.php?page=adminpanel">Admin panel</a>
                                                    <?php endif; ?>
                                             </nav>
                              </div>
                              <!-- Header Icon -->
                              <div class="header-icons">
                                     <?php
                                             if(isset($_SESSION['user'])){
                                                    echo '<a href="models/auth/logout.php"
class="header-wrapicon1 dis-block">
                                                    <img src="assets/images/icons/icon-header-
01.png" class="header-icon1" alt="ICON">
                                             </a>';
                                             }
                                             else
                                             {
                                                    echo '<a href="index.php?page=login"
class="header-wrapicon1 dis-block">
                                                    <img src="assets/images/icons/icon-header-
01.png" class="header-icon1" alt="ICON">
                                             </a>';
                                             }
```

```
</div>
                       </div>
               </div>
               <!-- Header Mobile -->
               <div class="wrap_header_mobile">
                       <!-- Logo moblie -->
                       <a href="index.php" class="logo-mobile">
                              <img src="assets/images/icons/logo.png" alt="IMG-LOGO">
                       </a>
                       <!-- Button show menu -->
                       <div class="btn-show-menu">
                              <!-- Header Icon mobile -->
                              <div class="header-icons-mobile">
                                      <a href="#" class="header-wrapicon1 dis-block">
                                              <img src="assets/images/icons/icon-header-01.png"
class="header-icon1" alt="ICON">
                                      </a>
                                      <span class="linedivide2"></span>
```

```
<div class="header-wrapicon2">
                                           <img src="assets/images/icons/icon-header-02.png"
class="header-icon1 js-show-header-dropdown" alt="ICON">
                                           <span class="header-icons-noti">0</span>
                                           <!-- Header cart noti -->
                                    </div>
                             </div>
                             <div class="btn-show-menu-mobile hamburger hamburger--squeeze">
                                    <span class="hamburger-box">
                                           <span class="hamburger-inner"></span>
                                    </span>
                             </div>
                     </div>
              </div>
              <!-- Menu Mobile -->
              <div class="wrap-side-menu" >
                     <nav class="side-menu">
                             class="item-topbar-mobile p-l-20 p-t-8 p-b-8">
                                           <span class="topbar-child1">
                                                  Free shipping for standard order over $100
                                           </span>
```

```
class="item-topbar-mobile p-l-20 p-t-8 p-b-8">
                                              <div class="topbar-child2-mobile">
                                                     <span class="topbar-email">
                                                             fashe@example.com
                                                     </span>
                                                     <div class="topbar-language rs1-select2">
                                                             <select class="selection-1"
name="time">
                                                                     <option>USD</option>
                                                                     <option>EUR</option>
                                                             </select>
                                                     </div>
                                              </div>
                                      class="item-topbar-mobile p-l-10">
                                              <div class="topbar-social-mobile">
                                                     <a href="#" class="topbar-social-item fa fa-
facebook"></a>
                                                     <a href="#" class="topbar-social-item fa fa-
instagram"></a>
                                                     <a href="#" class="topbar-social-item fa fa-
pinterest-p"></a>
```

```
<a href="#" class="topbar-social-item fa fa-
snapchat-ghost"></a>
                                              <a href="#" class="topbar-social-item fa fa-
youtube-play"></a>
                                        </div>
                                 cli class="item-menu-mobile">
                                        <a href="index.php">Home</a>
                                        <a href="index.php">Homepage V1</a>
                                              <a href="home-02.html">Homepage</a>
V2</a>
                                              <a href="home-03.html">Homepage</a>
V3</a>
                                        <i class="arrow-main-menu fa fa-angle-right" aria-
hidden="true"></i>
                                 cli class="item-menu-mobile">
                                        <a href="product.html">Shop</a>
                                 class="item-menu-mobile">
                                        <a href="product.html">Sale</a>
```

```
cli class="item-menu-mobile">
                                  <a href="cart.html">Features</a>
                           cli class="item-menu-mobile">
                                  <a href="blog.html">Blog</a>
                           cli class="item-menu-mobile">
                                  <a href="about.html">About</a>
                           cli class="item-menu-mobile">
                                  <a href="contact.html">Contact</a>
                           </nav>
      </div>
</header>
```

Pages/partials

Banner.php

<section class="banner bgwhite p-t-40 p-b-40">

```
<div class="container">
                       <div class="row">
                              <div class="col-sm-10 col-md-8 col-lg-4 m-l-r-auto">
                                      <!-- block1 -->
                                      <?php
                                      require_once "models/products/product_functions.php";
                                      $expensive = mostExpensiveProducts();
                                      foreach($expensive as $product):
                                      ?>
                                      <div class="block1 hov-img-zoom pos-relative m-b-30">
                                              <img src="<?=$product->small_picture?>" width="400"
height="230">
                                              <div class="block1-wrapbtn w-size2">
                                                     <!-- Button -->
href="index.php?page=product&id=<?=$product->id?>" class="flex-c-m size2 m-text2 bg3 hov1 trans-0-
4">
                                                             <?=$product_product_name ?>
                                                     </a>
                                              </div>
                                      </div>
                                      <?php endforeach; ?>
                                              </div>
```

```
</div>
                               </div>
                       </div>
               </div>
        </section>
Popular.php
<section class="newproduct bgwhite p-t-45 p-b-105">
               <div class="container">
                       <div class="sec-title p-b-60">
                               <h3 class="m-text5 t-center">
                                       New Products
                               </h3>
                       </div>
                       <!-- Slide2 -->
                       <div class="wrap-slick2">
                               <div class="slick2">
                                       <?php
```

require_once

```
$newProducts = getNewProducts();
                                              foreach($newProducts as $product):
                                      ?>
                                      <div class="item-slick2 p-l-15 p-r-15">
                                              <!-- Block2 -->
                                              <div class="block2">
                                                      <div class="block2-img wrap-pic-w of-hidden
pos-relative">
                                                              <img src="<?=$product-
>small_picture?>" width="320" height="200">
                                                      </div>
                                                      <div class="block2-txt p-t-20">
                                                              <a
href="index.php?page=product&id=<?=$product->id?>" class="block2-name dis-block s-text3 p-b-5">
                                                                      <?=$product->product_name?>
                                                              </a>
                                                              <span class="block2-newprice m-text8</pre>
p-r-5">
                                                                      $<?=$product->price?>
                                                              </span>
                                                      </div>
```

```
</div>
                               </div>
                                     <?php endforeach; ?>
                         </div>
                   </div>
            </div>
      </section>
Views/admin
Categories.php
<h2> Categories </h2>
<div id="categories">
Id
   Name
 <?php
   include "models/admin/category/category_functions.php";
   $categories = allCategories();
```

```
foreach($categories as $category):
 ?>
 <?=$category->id?>
   <?=$category->category_name?>
   <form method="POST" action="models/admin/category/delete.php">
     <input type="submit" name="delete" value="Delete">
     <input type="hidden" name="id" value="<?=$category->id?>">
     </form>
   <button class="update-category" data-id="<?=$category->id?>">Update</button>
   <?php endforeach;?>
<div id="category-update"></div>
</br>
 <div id="instert-category">
```

```
<h2>Insert category</h2>
      <form method="POST" action="models/admin/category/insert_category.php">
        <!-- <input type="text" name="cat_name"> -->
        <div class="form-group">
          <input type="text" name="cat_name" tabindex="1" class="form-control"</pre>
placeholder="Insert category" value="">
         </div>
         <div class="col-sm-6">
            <input type="submit" name="insert" tabindex="3" value="Insert category" class="btn btn-
success">
          </div>
      </form>
  </div>
  </br></br>
</div>
Logs.php
```

```
<h2>Logs from log file</h2></br>
      Date
        Page
        Ip adress
      <?php
         include "models/admin/log/functions.php";
         $datas = logFiles();
         foreach($datas as $data):
           $log = explode("\t",$data);
        <?=$log[0]?>
        <?=$log[1]?>
        <\td><\?=$log[2]?>
      <?php endforeach; ?>
      </br>
      <h2>Prikaz statistike </h2>
      <?php
       allDates();
```

Products.php

```
include "models/admin/product/product_functions.php";
 $products = getAllProductsWithPictureAndCategory();
 $categories = getAllCategories();
?>
 <h2>Products</h2>
 <div id="products">
   Id-product
     Name
     Price
     Description
     Category
     Date
     Picture
```

```
<?php foreach($products as $product): ?>
<?=$product->id?>
 <?=$product_product_name?>
 <?=$product->price?>
 <?=$product->description?>
 <?=$product->category_name?>
 <?=$product->date?>
 cimg src="<?=$product->small_picture?>" width="100" height="100">
 <form method="POST" action="models/admin/product/delete.php">
   <input type="hidden" value="<?=$product->id?>" name="id">
   <input type="submit" value="Delete" name="delete-product">
 </form>
 <button class="update-product" data-id="<?=$product->id?>">Update</button>
 <?php endforeach; ?>
```

```
</br>
  <div id="update"></div></br></br>
           <h2>Insert product with picture</h2>
           <form action="models/admin/product/insert_picture.php" method="POST"
enctype="multipart/form-data">
           Choose category:
        <select name="category_id">
         <?php foreach($categories as $category): ?>
         <option value="<?=$category->id?>"><?=$category->category_name?></option>
         <?php endforeach; ?>
         </select>
           <div class="form-group">
         <label for="username">Product name</label>
         <input type="text" name="product-name" tabindex="1" class="form-control"
placeholder="Product-name" value="">
        </div>
        <div class="form-group">
         <label for="password">Price</label>
         <input type="text" name="price" tabindex="2" class="form-control" placeholder="Price">
```

```
</div>
         <div class="form-group">
          <label for="confirm-password">Description</label>
          <input type="text" name="description" tabindex="2" class="form-control"
placeholder="Description">
         </div>
             <div class="input-field">
              <button type="button" onclick="document.getElementById('productPicture').click()"
class="btn btn-info">Add picture to product</button>
              <span id="productPictureValue"></span>
              <input type="file" name="pictue" id="productPicture" style="display:none;"
onchange="document.getElementById('productPictureValue').innerHTML=this.value;"/>
             </div>
            <div class="input-field">
               <input type="submit" value="Insert product" name="savePicture" class="btn btn-
success"/>
            </div>
           </form>
           </br>
```

```
Users.php
<h2>Users</h2>
Id:
 Username:
 Role:
 Logged:
 <?php
   include "models/admin/user/user_functions.php";
   $number = countLoggedUsers();
   $numberOfLogged = $number->numberOfLogged;
   $users = allUsers();
   foreach($users as $user):
```

```
<?=$user->id?>
   <?=$user->email ?>
   <?=$user->name ?>
   <?=$user->logged ?>
   <form method="POST" action="models/admin/user/delete.php">
     <input type="submit" name="delete" value="Delete">
     <input type="hidden" name="id" value="<?=$user->id?>">
     </form>
   <button class="update" data-id="<?=$user->id?>">Update</button>
   <?php
   endforeach;
   ?>
</br>
   <div id="update-form"></div>
   </br></br>
```

```
<h4>Number of logged users in this moment is: <?=$numberOfLogged ?> </h4>
    </br></br>
    <div id="register-user">
    <h1>Register new User </h1></br>
    <form method="POST" role="form" action="models/admin/user/register.php">
         <div class="form-group">
          <label for="username">Email</label>
          <input type="text" name="username" tabindex="1" class="form-control"
placeholder="Email" value="">
         </div>
         <div class="form-group">
          <label for="password">Password</label>
          <input type="password" name="password" id="password" tabindex="2" class="form-control"
placeholder="Password">
         </div>
         <div class="form-group">
          <label for="confirm-password">Confirm password</label>
          <input type="password" name="confirm-password" id="confirm-password" tabindex="2"
class="form-control" placeholder="Confirm Password">
         </div>
         <select name="id_role">
          <option>Choose role...
          <?php
```

```
$roles = allRoles();
          foreach($roles as $role):
          ?>
          <option value="<?=$role->id?>"><?=$role->name?></option>
          <?php endforeach; ?>
         </select>
         <div class="form-group">
          <div class="row">
           <div class="col-sm-6 col-sm-offset-3">
            <input type="submit" name="register-submit" id="register-submit" tabindex="4"
class="btn btn-success" value="Register Now">
           </div>
          </div>
         </div>
        </form>
    </div>
    </br></br>
    404.php
<h3>404 - Page Not Found</h3>
```

```
About.php
<?php
                                    include "models/author/author_functions.php";
                                    $about = author();
                             ?>
<section class="bgwhite p-t-66 p-b-38">
              <div class="container">
                     <div class="row">
                             <div class="col-md-4 p-b-30">
                                    <div class="hov-img-zoom">
                                           <img src="<?=$about->img?>" alt="<?=$about->alt?>">
                                    </div>
                            </div>
                             <div class="col-md-8 p-b-30">
                                    <h3 class="m-text26 p-t-15 p-b-16">
                                           <?=$about->name ?>
                                    </h3>
```

```
<?=$about->description ?>
                                     <form method="POST"</pre>
action="models/author/exportToWord.php" >
                                             <input type="submit" value="Export about to word">
                                     </form>
                              </div>
                      </div>
               </div>
       </section>
Adminpanel.php
<?php if(isset($_SESSION['user'])&&$_SESSION['user']->role_id==1): ?>
<div id="centar">
<h1>Admin panel </h1>
<style> #centar{margin-left:500px;} </style>
```

```
<?php
    include "admin/users.php";
    include "admin/categories.php";
    include "admin/products.php";
    include "admin/logs.php";
  ?>
</div>
<?php endif; ?>
Login.php
<link href="//maxcdn.bootstrapcdn.com/bootstrap/3.3.0/css/bootstrap.min.css" rel="stylesheet"</pre>
id="bootstrap-css">
<script src="//maxcdn.bootstrapcdn.com/bootstrap/3.3.0/js/bootstrap.min.js"></script>
<script src="//code.jquery.com/jquery-1.11.1.min.js"></script>
<!---->
<div id="fullscreen_bg" class="fullscreen_bg"/>
<div id="regContainer" class="container">
<?php
       if(isset($_GET['Message'])){
```

```
echo '<h2>'.$_GET['Message'].'</h2>';
       }
      ?>
   <div class="row">
   <div class="col-md-6 col-md-offset-3">
    <div class="panel panel-login">
     <div class="panel-heading">
      <div class="row">
       <div class="col-xs-6">
        <a href="#" class="active" id="login-form-link">Login</a>
       </div>
       <div class="col-xs-6">
        <a href="#" id="register-form-link">Register</a>
       </div>
      </div>
      <hr>
     </div>
     <div class="panel-body">
      <div class="row">
       <div class="col-lg-12">
       <!-- login form -->
        <form id="login-form" action="models/auth/login.php" method="POST" role="form"
style="display: block;">
         <div class="form-group">
```

```
<label for="username">Email</label>
          <input type="text" name="username" id="username-login" tabindex="1" class="form-
control" placeholder="Email" value="">
         </div>
         <div class="form-group">
          <label for="password">Password</label>
          <input type="password" name="password" id="password-login" tabindex="2" class="form-
control" placeholder="Password">
         </div>
         <div class="form-group">
          <div class="row">
           <div class="col-sm-6 col-sm-offset-3">
            <input type="submit" name="login-submit" id="login-submit" tabindex="4" class="form-</p>
control btn btn-login" value="Log In">
           </div>
          </div>
         </div>
        </form>
        <!-- end login form -->
        <!-- register form start -->
        <form id="register-form" action="models/auth/register.php"; method="POST" role="form"
style="display: none;">
         <div class="form-group">
          <label for="username">Email</label>
          <input type="text" name="username" id="username" tabindex="1" class="form-control"
placeholder="Email" value="">
```

```
</div>
         <div class="form-group">
          <label for="password">Password</label>
          <input type="password" name="password" id="password" tabindex="2" class="form-control"
placeholder="Password">
         </div>
         <div class="form-group">
          <label for="confirm-password">Confirm password</label>
          <input type="password" name="confirm-password" id="confirm-password" tabindex="2"
class="form-control" placeholder="Confirm Password">
         </div>
         <div class="form-group">
          <div class="row">
           <div class="col-sm-6 col-sm-offset-3">
            <input type="submit" name="register-submit" id="register-submit" tabindex="4"
class="form-control btn btn-register" value="Register Now">
           </div>
          </div>
         </div>
        </form>
        <!-- register form end -->
       </div>
      </div>
     </div>
    </div>
   </div>
  </div>
```

```
</div>
Main.php
<?php
                     include "pages/partials/banner.php";
     include "pages/partials/popular.php";
?>
Products.php
<section class="bgwhite p-t-55 p-b-65">
              <div class="container">
                     <div class="row">
                            <div class="col-sm-6 col-md-4 col-lg-3 p-b-50">
                                   <div class="leftbar p-r-20 p-r-0-sm">
                                          <!-- -->
                                          <h4 class="m-text14 p-b-7">
                                                 Categories
                                          </h4>
```

```
class="p-t-4">
                                                           <a href="index.php?page=shop"
class="s-text13 active1">
                                                                   Αll
                                                           </a>
                                                    <?php
                                                    require_once
"models/categories/category_functions.php";
                                                    $categories = allCategories();
                                                    foreach($categories as $category):
                                             ?>
                                                    cli class="p-t-4 category" data-
id="<?=$category->id?>">
                                                           <a href="#" class="s-text13 active1" >
                                                                   <?=$category->category_name
?>
                                                           </a>
                                                    <?php
                                                    endforeach;
```

<!-- -->

<div class="search-product pos-relative bo4 of-hidden">

<input class="s-text7 size6 p-l-23 p-r-50"

type="text" name="search-product" placeholder="Search Products...">

<button class="flex-c-m size5 ab-r-m color2

color0-hov trans-0-4">

<i class="fs-12 fa fa-search" aria-

hidden="true"></i>

</button>

</div>

</div>

</div>

<div class="col-sm-6 col-md-8 col-lg-9 p-b-50">

<!-- -->

<div class="flex-sb-m flex-w p-b-35">

<div class="flex-w">

<div class="rs2-select2 bo4 of-hidden w-size12</pre>

m-t-5 m-b-5 m-r-10"> <select class="selection-2" name="sorting" id="sort"> <option value="default">Default</option> <option value="name-</pre> asc">Name ASC</option> <option value="name-</pre> desc">Name DESC</option> <option value="price-l-h">Price: low to high</option> <option value="price-h-l">Price: high to low</option> </select> </div> </div> </div> <!-- Product --> <div class="row" id="products"> <!-- start foreach --> <?php

```
include "models/products/product_functions.php";
                                               $limit = isset($_GET['limit'])? $_GET['limit'] : 0;
                        $products = getProductsWithPicture($limit);
                                               foreach($products as $product):
                                       ?>
                                               <div class="col-sm-12 col-md-6 col-lg-4 p-b-50">
                                                       <!-- Block2 -->
                                                       <div class="block2">
                                                               <div class="block2-img wrap-pic-w of-
hidden pos-relative block2-labelnew">
                                                                       <img src="<?=$product-
>small_picture?>" width="320" height="200">
                                                                       <div class="block2-overlay
trans-0-4">
                                                                               <a href="#"
class="block2-btn-addwishlist hov-pointer trans-0-4">
                                                                                       <i class="icon-
wishlist icon_heart_alt" aria-hidden="true"></i>
                                                                                       <i class="icon-
wishlist icon_heart dis-none" aria-hidden="true"></i>
                                                                               </a>
```

```
</div>
                                                              </div>
                                                              <div class="block2-txt p-t-20">
                                                                      <a
href="index.php?page=product&id=<?=$product->product_id?>" class="block2-name dis-block s-text3"
p-b-5">
                                                                              <?= $product-
>product_name ?>
                                                                      </a>
                                                                      <span class="block2-price m-</pre>
text6 p-r-5">
                                                                              $<?=$product->price?>
                                                                      </span>
                                                              </div>
                                                      </div>
                                               </div>
                                               <?php endforeach; ?>
                                       </div>
                                       <!-- Pagination -->
                                       <div id="pagination" class="pagination flex-m flex-w p-t-26">
                                       <?php
                                              $number_of_products = getPaginationCount();
```

```
for($i=0; $i<$number_of_products; $i++):</pre>
                                       ?>
                                               <a href="#" class="item-pagination flex-c-m trans-0-4
pag" data-limit="<?=$i ?>"><?=$i+1?></a>
                                               <?php endfor; ?>
                                       </div>
                               </div>
                       </div>
               </div>
        </section>
Single-product.php
<?php
        require_once "models/products/product_functions.php";
        $product_id = $_GET['id'];
       $product = singleProduct($product_id);
```

```
?>
<div class="container bgwhite p-t-35 p-b-80">
               <div class="flex-w flex-sb">
                       <div class="w-size13 p-t-30 respon5">
                               <div class="wrap-slick3 flex-sb flex-w">
                                       <div class="wrap-slick3-dots"></div>
                                       <div class="slick3">
                                               <div class="item-slick3" data-thumb="<?=$product-
>small_picture?>">
                                                       <div class="wrap-pic-w">
                                                               <img src="<?=$product->big_picture?>"
alt="">
                                                       </div>
                                               </div>
                                       </div>
                               </div>
                       </div>
                       <div class="w-size14 p-t-30 respon5">
                               <h4 class="product-detail-name m-text16 p-b-13">
```

<?=\$product_name ?>

```
</h4>
                               <span class="m-text17">
                                      $<?=$product->price ?>
                               </span>
                              <!-- -->
                               <div class="p-b-45">
                                      <span class="s-text8">Category:<?=$product-</pre>
>category_name?></span>
                              </div>
                              <form method="POST" action="models/products/exportToExcel.php">
                                              <input type="hidden" value="<?=$product-</pre>
>product_id?>" name="id">
                                              <input type="submit" value="Export to excel">
                              </form>
```

```
<!-- -->
                              <div class="wrap-dropdown-content bo6 p-t-15 p-b-14 active-
dropdown-content">
                                     <h5 class="js-toggle-dropdown-content flex-sb-m cs-pointer m-
text19 color0-hov trans-0-4">
                                             Description
                                             <i class="down-mark fs-12 color1 fa fa-minus dis-none"
aria-hidden="true"></i>
                                             <i class="up-mark fs-12 color1 fa fa-plus" aria-
hidden="true"></i>
                                     </h5>
                                     <div class="dropdown-content dis-none p-t-15 p-b-23">
                                             <?=$product->description ?>
                                             </div>
                              </div>
                              <div class="wrap-dropdown-content bo7 p-t-15 p-b-14">
                                     <h5 class="js-toggle-dropdown-content flex-sb-m cs-pointer m-
text19 color0-hov trans-0-4">
                                             Additional information
                                             <i class="down-mark fs-12 color1 fa fa-minus dis-none"
aria-hidden="true"></i>
                                             <i class="up-mark fs-12 color1 fa fa-plus" aria-
hidden="true"></i>
                                     </h5>
```

```
<div class="dropdown-content dis-none p-t-15 p-b-23">
                                                   <?=$product->description ?>
                                                   </div>
                                  </div>
                          </div>
                 </div>
        </div>
        <!-- Relate Product -->
.htaccess
ErrorDocument 404 <a href="http://localhost/php-shop/index.php?page=404">http://localhost/php-shop/index.php?page=404</a>
Index.php
<?php
        session_start();
```

```
//connection
include "config/connection.php";
//errors
include "config/errorHandler.php";
//head
include "pages/components/head.php";
//header
include "pages/components/header.php";
//content
if(isset($_GET['page'])){
       switch($_GET['page']){
               case 'index':
               include "pages/views/main.php";
               break;
               case 'about':
               include "pages/views/about.php";
               break;
               case 'shop':
```

```
include "pages/views/products.php";
               break;
               case 'product':
               include "pages/views/single-product.php";
               break;
               case 'login':
               include "pages/views/login.php";
               break;
               case 'adminpanel':
               include "pages/views/adminpanel.php";
               break;
               default:
       include "pages/views/404.php";
       }
}
else
{
       include "pages/views/main.php";
}
//footer
```

include "pages/components/footer.php";

?>

Errors.txt

08.06.2019 20:03:16 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

08.06.2019 20:03:18 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

08.06.2019 20:03:19 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

08.06.2019 20:03:52 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

08.06.2019 20:03:53 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

08.06.2019 20:26:43 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'FRM products p INNER JOIN pictures i ON p.id=i.product_id ORDER BY date DESC LIM' at line 1

10.06.2019 12:32:15 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'phpshop.categorsies' doesn't exist

13.06.2019 20:58:21 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'category_name='jjj' at line 1

13.06.2019 20:58:27 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'category' name='dsadas' at line 1

13.06.2019 20:59:24 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near "',category name='jjj" at line 1

13.06.2019 21:00:45 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near "','dsadas" at line 1

14.06.2019 16:18:01 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'phpshop.productss' doesn't exist

14.06.2019 16:38:38 SQLSTATE[21S01]: Insert value list does not match column list: 1136 Column count doesn't match value count at row 1

14.06.2019 16:38:52 SQLSTATE[21S01]: Insert value list does not match column list: 1136 Column count doesn't match value count at row 1

14.06.2019 16:39:44 SQLSTATE[21S01]: Insert value list does not match column list: 1136 Column count doesn't match value count at row 1

14.06.2019 20:27:17 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'php-shop.category' doesn't exist

14.06.2019 20:27:40 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'php-shop.category' doesn't exist

Log.txt

15.06.2019 11:22:20 index.php?page=adminpanel ::1

15.06.2019 11:22:24 index.php ::1

15.06.2019 11:22:25 index.php?page=adminpanel ::1

```
Config
Config.php
<?php
define("BASE_URL", $_SERVER['DOCUMENT_ROOT'].'/php-shop/');
define("SERVER", env("SERVER"));
define("DATABASE", env("DATABASE"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($parametar){
  $file = file(BASE_URL . "config/.env");
  $vrednost = "";
  foreach($file as $red){
    $podaci = explode("=", trim($red));
```

if(\$parametar == \$podaci[0]){

\$vrednost = \$podaci[1];

}

```
}
 return $vrednost;
}
Connection.php
<?php
require_once "config.php";
try {
 // writeAccess();
 $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);
  $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
  $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOPDOException $ex){
  echo $ex->getMessage();
}
function executeQuery($query){
  global $conn;
  return $conn->query($query)->fetchAll();
```

```
}
function executeQueryOneRow($query){
  global $conn;
  return $conn->query($query)->fetch();
}
function writeAccess(){
  $file = fopen(BASE_URL ."data/log.txt","a");
  \text{stext} = \text{date}(\text{"d.m.Y H:i:s"}) \cdot \text{"\t"} \cdot \text{basename}(\text{s_SERVER}[\text{"REQUEST_URI"}]) \cdot \text{"\t"} \cdot
$_SERVER['REMOTE_ADDR'] . "\n";
  fwrite($file, $text);
  fclose($file);
}
errorHandler.php
<?php
function handle($error){
  $file = fopen(BASE_URL . "data/errors.txt", "a");
  $string = date("d.m.Y H:i:s") ."\t" . $error . "\n";
```

```
fwrite($file, $string);
  fclose($file);
}
JS
Category-update.js
$(document).ready(function(){
  $('#categories').on('click','.update-category',function(){
    let id = $(this).data('id');
    $.ajax({
      url:"models/admin/category/category_update.php",
      method:"POST",
      data:
      {
        id
      },
      dataType:"json",
      success:function(data){
         let html = `
```

```
<form method="POST" action="models/admin/category/update.php">
           Name: <input type="text" name="name" value="${data.category_name}"></br>
           <input type="hidden" value="${data.id}" name="id">
          <input type="submit" value="Update" name="category_update">
        $('#category-update').html(html);
     },
      error:function(error){
        console.log(error);
     }
    })
  });
Pagination.js
```

})

```
$('body').on('click','.pag',function(e){
  e.preventDefault();
  let limit = $(this).data("limit");
  $.ajax({
    url: "models/products/getProductsWithPagination.php",
    method:"GET",
    dataType:"json",
    data:
    {
      limit
    },
    success:function(data)
    {
      printProducts(data.products);
      printPagination(data.pagination);
```

\$(document).ready(function(){

}

```
})
})
function printProducts(products)
{
  let html = ``;
  for(product of products){
    html+=singleProduct(product);
  }
  $('#products').html(html);
}
function singleProduct(product){
  return ` <div class="col-sm-12 col-md-6 col-lg-4 p-b-50">
  <!-- Block2 -->
  <div class="block2">
    <div class="block2-img wrap-pic-w of-hidden pos-relative block2-labelnew">
      <img src="${product.small_picture}" width="320" height="200">
```

```
<div class="block2-overlay trans-0-4">
          <a href="#" class="block2-btn-addwishlist hov-pointer trans-0-4">
             <i class="icon-wishlist icon_heart_alt" aria-hidden="true"></i>
             <i class="icon-wishlist icon heart dis-none" aria-hidden="true"></i>
          </a>
        </div>
      </div>
      <div class="block2-txt p-t-20">
        <a href="index.php?page=product&id=${product.product_id}" class="block2-name dis-block s-
text3 p-b-5">
          ${product_product_name}
        </a>
        <span class="block2-price m-text6 p-r-5">
          $${product.price}
        </span>
      </div>
    </div>
  </div>`;
  }
  function printPagination(number)
```

```
{
    let html = "";
    for(let i=0; i<number; i++){</pre>
       html+=`
      <a href="#" class="item-pagination flex-c-m trans-0-4 pag" data-limit="${i}">${i+1}</a>
    }
    $('#pagination').html(html);
  }
})
Product-filter.js
$(document).ready(function(){
  $('#sort').on('change',sort);
  $('#kategorije').on('click','.category',filterByCategory);
```

```
function sort(){
  let sort = $(this).val();
  $.ajax({
    url:"models/products/sort.php",
    method:"POST",
    data:{
      sort:sort
    },
    dataType:'json',
    success:function(data){
      printProducts(data);
    },
    error:function(error){
      alert(error);
    }
  })
}
```

function filterByCategory(e){

```
e.preventDefault();
let id_category = $(this).data('id');
$.ajax({
  url:"models/products/filter-category.php",
  method:"POST",
  data:{
    id:id_category
  },
  success:function(data){
    printProducts(data);
  },
  error:function(error){
    alert(error);
  }
})
```

}

```
function printProducts(data){
  let receiver = "";
  for(let product of data){
    receiver+= singleProduct(product);
  }
  $('#products').html(receiver);
}
function singleProduct(product){
  return `<div class="col-sm-12 col-md-6 col-lg-4 p-b-50">
  <div class="block2">
    <div class="block2-img wrap-pic-w of-hidden pos-relative block2-labelnew">
      <img src="${product.small_picture}" width="320" height="200">
      <div class="block2-overlay trans-0-4">
        <a href="#" class="block2-btn-addwishlist hov-pointer trans-0-4">
           <i class="icon-wishlist icon_heart_alt" aria-hidden="true"></i>
           <i class="icon-wishlist icon_heart dis-none" aria-hidden="true"></i>
        </a>
```

```
</div>
      </div>
      <div class="block2-txt p-t-20">
        <a href="index.php?page=product&id=${product.product_id}" class="block2-name dis-block s-
text3 p-b-5">
          ${product.product_name}
        </a>
        <span class="block2-price m-text6 p-r-5">
          $ ${product.price}
        </span>
      </div>
    </div>
  </div>`;
  }
})
Register-validation.js
```

 $document.getElementById('register-submit'). addEventListener('click',function(e)\{instance of the content of t$

```
var mail = document.getElementById('username');
var regMail = /^\w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/;;
var password = document.getElementById('password');
var regPassword =/^(?=.*\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}$/;
var password2 = document.getElementById('confirm-password');
var greske = [];
//checking mail
if(!regMail.test(mail.value)){
  alert("You email was not good");
  greske.push('Bad mail');
}
//checking password
if(!regPassword.test(password.value)){
```

```
alert("Your password must have min 8 characters, one Big letter and one number");
  greske.push('Bad password');
}
//checking password retype
if(password.value!=password2.value || password2.value=="")
{
 alert("You must confirm your password");
}
if(greske.length!=0){
  e.preventDefault();
}
```

```
Update-product.js
$(document).ready(function(){
  $('#products').on('click','.update-product',function(){
    let id =$(this).data('id');
    console.log(id);
    $.ajax({
      url:"models/admin/product/product_update.php",
      method:"POST",
      data:
      {
        id
      },
      dataType:"json",
      success:function(data){
        printProductUpdate(data);
      },
      error:function(error){
```

```
alert(error);
    }
   })
 })
 function printProductUpdate(data)
 {
   let html =``;
   html+=`
   <form action="models/admin/product/update.php" method="POST" enctype="multipart/form-
data">
          Choose category:
       `;
        html+=printCategories(data.categories);
      html+=`
          <div class="form-group">
```

```
<label for="username">Product name</label>
          <input type="text" name="product-name" tabindex="1" class="form-control"
placeholder="Product-name" value="${data.product_product_name}">
         </div>
         <div class="form-group">
          <label for="password">Price</label>
          <input type="text" name="price" tabindex="2" class="form-control" placeholder="Price"
value="${data.product.price}">
         </div>
         <div class="form-group">
          <label for="confirm-password">Description</label>
          <input type="text" name="description" tabindex="2" class="form-control"
placeholder="Description" value="${data.product.description}">
         </div>
         <input type="hidden" name="id" value="${data.product.product_id}">
            <div class="input-field">
              <input type="submit" value="Update product" name="update-product" class="btn btn-
success"/>
            </div>
           </form>`;
           $('#update').html(html);
  }
```

```
function printCategories(categories)
  {
    let primac = `<select name="category_id">`;
    for(category of categories){
      primac+=`<option value="${category.id}">${category.category_name}</option>`;
    }
    primac +=`</select>`;
    return primac;
  }
})
User-update.php
$(document).ready(function(){
  $('#users').on('click','.update',function(){
    let id=$(this).data('id');
```

```
$.ajax({
  url: "models/admin/user/user_update.php",
  method:"POST",
  data:{
    id
  },
  dataType:"json",
  success:function(data){
   let html = "";
    html+=`
      <form method="POST" action="models/admin/user/update.php">
       Email: <input type="text" name="username" value="${data.user.email}"></br>
        Password: <input type="text" name="password" value="${data.user.password}"></br>
        <select name="role_id">
          <option>Choose role..</option>`;
          for(role of data.roles){
            html+=`<option value="${role.id}">${role.name}</option>`;
          }
```

```
html+=` </select>
          <input type="hidden" value="${data.user.id}" name="id">
          <input type="submit" value="Update">
        </form>
      $('#update-form').html(html);
    },
    error:function(error){
      console.log(error);
    }
 })
})
```

})