# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

## **Dokumentacija**

Web programiranje – Praktikum PHP – popravni rad

Nataša Lazić 198/16

#### 1.Uvod

## 1.1 Korisceni programski jezici

HTML,CSS, JavaScript, jQuery,BootStrap,jQuery,Ajax, Php,MySql

#### 1.2 Okruzenje

Visual Studio Code-u

#### 1.3 Opis funkcionalnosti

Index.php strana

Sajt je sinle page.

Kompletan sadržaj sajta se isčitava iz baze podataka.

U slučaju neuspešnog logovanja, korisniku koji je pokušao da se uloguje se šalje email.

Svi unosi u bazu su provereni sa klijentske strane, takođe neophodne stranice i upiti su zaštićeni sesijom

Greške prilikom komunikacije sa bazom se upisuju u textualni file

### Index.php?page=about

Stranica o autoru. Klikom na dugme export, podaci o autoru se cuvaju u word-u.

#### Index.php?page=shop

Proizvodi se mogu filtrirati po nazivu(ASC,DESC),po ceni(ASC,DESC).

Takođe proizvodi se mogu sortirati po marci-kategoriji proizvoda.

Takođe korisnik može i pretražiti proizvode po imenu. Dovoljno je da se ukuca samo jedno slovo za pretragu.

Na dnu stranice je urađena i paginacija.

#### Filtriranje, sortiranje, pretraga i paginacija su rađeni AJAX-om

#### Index.php?page=product&id=...

Stranica o traženom proizvodu. Iz baze se prikazuje velika i mala slika. Klikom na dugme export, u **excel se** upisuju informacije o tom proizvodu.

Code proizvoda može videti samo ulogovani korisnik

## Index.php?page=register

Registracija je **zastićena regularnim** izrazima i na **klijenstkoj** i na **serverskoj** strani. Prilikom registracije korisnik dobija ulogu "customer" i redicteruje se na stranicu za logovanje.


Admin na adminpanelu može dodeliti korisniku ulogu admin.


## Index.php?page=login


Stranica za logovanje. U slučaju neuspešnog logovanja, korisniku se šalje email.


#### **ADMIN PANEL**

- > Prikaz broja trenutno ulogavanih korisnika
- > Prikaz logova na sajt
- Rad sa slikom prilikom unosa i update-a proizvoda. Vrši se serversko smanjenje i izoštravanje slike.
- Validacija svih unosa u bazu
- > Insert
- > Update
- > Delete











#### Pretraga proizvoda





SITE MAP

MY ACCOUNT

DOCUMENTATION

Logout

Shop

Admin panel

Powered By Nataša Lazić © 2019







Shop

Home

About

Nataša Lazić

Moje ime je Nataša Lazić. Student sam treće godine Visoke škole strukovnih studija za informacione i komunikacione tehnologije sa sedištem u Beogradu. Radim na poziciji Junior developera u kompaniji "Leader". Slobodno vreme najviše volim da provodim na treningu ili u kuhinji.

Export about author



SITE MAP Home


Shop


MY ACCOUNT


Logout Admin panel


DOCUMENTATION


20	Index	Admin panel
<b>₽</b>	Admin panel	
<b>m</b>		
	⊞ Show users	
1	⊞ Register user	
m	Categories	
<b>m</b>	Products	
m		





















#### Struktura foldera admin:





#### Struktura ostalih foldera:











#### index.php

```
<?php
```

session\_start();

```
include "config/connection.php";
include "views/fixed/head.php";
include "views/fixed/header.php";
if(isset($_GET['page']))
{
switch($_GET['page']){
  case 'index':
  include "views/pages/main.php";
  break;
  case 'shop':
  include "views/pages/shop.php";
  break;
  case 'register':
  include "views/pages/register.php";
  break;
  case 'login':
  include "views/pages/login.php";
```

```
break;
    case 'about':
    include "views/pages/about.php";
    break;
    case 'product':
    include "views/pages/product.php";
    break;
    default:
               include "views/fixed/forbidden.php";
  }
  }
  else
  {
   include "views/pages/main.php";
  }
  include "views/fixed/footer.php";
Update-category.js
```

?>

```
$(document).ready(function(){
  $('.update-category').on('click',function(){
    let id = $(this).data('id');
    $.ajax({
      url:"models/categories/update-category.php",
      method:"POST",
      dataType:"JSON",
      data:{
        id
      },
      success:function(category)
      {
        let html = `<div class="card">
        <div class="card-header">
          <strong>Upate category: ${category.name}</strong>
        </div>
        <div class="card-body card-block">
          <form action="models/categories/update.php" method="post" class="">
            <div class="form-group">
             <label for="nf-email" class=" form-control-label">Category</label><input type="text"</li>
id="nf-email" name="category" value="${category.name}" class="form-control"></div>
             <input type="hidden" value="${category.id}" name="id">
            <button type="submit" name="update-category" class="btn btn-primary btn-sm">
```

```
<i class="fa fa-dot-circle-o"></i> Update
           </button>
           </form>
        </div>
      </div>`;
        $('#category-update').html(html);
      },
      error:function(error){
        alert(error);
      }
    })
  })
})
Update-product.js
$(document).ready(function(){
```

```
$('.update-product').on('click',function(){
    let id= $(this).data('id');
    $.ajax({
      url: "models/products/update-product.php",
      method:"POST",
      data:
      {
        id
      },
      dataType:"json",
      success:function(data)
      {
        let html=`
    <form action="models/products/update.php" method="POST" enctype="multipart/form-data">
          <div class="form-group">
          <label for="username">Product name</label>
          <input type="text" name="product-name" tabindex="1" class="form-control"
placeholder="Product-name" value="${data.product.name}">
         </div>
         <div class="form-group">
          <label for="username">Code</label>
          <input type="text" name="code" tabindex="2" class="form-control" placeholder="Code"
value="${data.product.code}">
```

```
</div>
         <div class="form-group">
          <label for="password">Price</label>
          <input type="text" name="price" tabindex="2" class="form-control" placeholder="Price"
value="${data.product.price}">
         </div>
         <div class="form-group">
          <label for="confirm-password">Description</label>
          <input type="text" name="description" tabindex="2" class="form-control"
placeholder="Description" value="${data.product.description}">
         </div>
         <input type="hidden" name="id" value="${data.product.productID}">
         <input type="hidden" name="category_id" value="${data.product.cat_id}">
         <div class="input-field">
          <img src="../${data.product.small}" width="80" height="60">
         </div>
         <div class="input-field">
              <button type="button" onclick="document.getElementById('productPicture').click()"</pre>
class="btn btn-info">Add picture to product</button>
              <span id="productPictureValue"></span>
```

```
<input type="file" name="picture" id="productPicture" style="display:none;"</pre>
onchange="document.getElementById('productPictureValue').innerHTML=this.value;"/>
             </div>
            <div class="input-field">
               <input type="submit" value="Update product" name="update-product" class="btn btn-
success"/>
             </div>
            </form>`;
            $('#product-update').html(html);
      },
      error:function(error){
        alert(error);
      }
    })
 })
```

```
})
Update-user.js
$(document).ready(function(){
  $('.update-user').on('click',function(){
    let id = $(this).data('id');
    $.ajax({
      url:"models/users/user-update.php",
      method:"POST",
      data:
      {
        id
      },
      dataType:"json",
      success:function(data)
      {
        let html = `
        <div class="col-lg-6">
                             <div class="card">
                               <div class="card-header">Register user</div>
                               <div class="card-body card-block">
```

```
<form action="models/users/update.php" method="post">
                                  <div class="form-group">
                                    <div class="input-group">
                                       <div class="input-group-addon"><i class="fa fa-
envelope"></i></div>
                                       <input type="email" value="${data.user.email}" id="email"
name="email" placeholder="Email" class="form-control">
                                    </div>
                                  </div>
                                  <div class="row form-group">
                                    <div class="col col-md-3"><label for="select" class=" form-control-
label">Role of user</label></div>
                                     <div class="col-12 col-md-9">
                                       <select name="role_id" id="select" class="form-control">
                                         <option value="0">Please select</option>
                                         for(role of data.roles){
                                          html+=` <option value="${role.id}">${role.name}</option>`;
                                         }
                                       html+=`</select>
                                     </div>
```

```
</div>
                                  <input type="hidden" value="${data.user.id}" name="id">
                                  <div class="form-actions form-group"><button type="submit"</pre>
class="btn btn-success btn-sm" name="update">Update</button></div>
                               </form>
                             </div>
                           </div>
                         </div>
        $('#user-update').html(html);
      },
      error:function(error){
        alert(error);
      }
    })
 })
})
.htaccess
ErrorDocument 404 http://localhost/watch-shop/index.php?forbidden
Models/category
Category_functions.php
```

<?php

function getAllCategories()

```
{
  return executeQuery("SELECT * FROM categories");
}
function deleteCategory($id)
{
  try{
    global $conn;
    $delete = $conn->prepare("DELETE FROM categories WHERE id=?");
    $delete->execute([$id]);
    }
    catch(Exception $e){
      writeError($e->getMessage());
    }
}
function insertCategory($name)
{
    try
    {
      global $conn;
```

```
$query = $conn->prepare("INSERT INTO categories VALUES (",?)");
      $query->execute([
        $name
      ]);
    }
    catch(Exception $e){
      writeError($e->getMessage());
    }
}
function findCategory($id)
{
  global $conn;
  try
  {
    $category = $conn->prepare("SELECT * FROM categories WHERE id=?");
    $category->execute([
      $id
```

```
]);
    $result = $category->fetch();
    return $result;
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function updateCategory($id,$name)
{
  global $conn;
  try
  {
    $update = $conn->prepare("UPDATE categories SET name=:name WHERE id=:id");
    $update->execute([
      "name"=>$name,
      "id"=>$id
    ]);
```

```
}
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
?>
Delete.php
<?php
session_start();
if(isset(\$\_SESSION['user'])\&\&\$\_SESSION['user']->role\_id=="1")
{
  require_once "category_functions.php";
  if(isset($_POST['id']))
  {
     $id = $_POST['id'];
     include "../../config/connection.php";
```

```
deleteCategory($id);
    header("Location:../../index.php?page=categories");
  }
}
?>
Insert.php
<?php
 session_start();
 require_once "../../config/connection.php";
  require_once "category_functions.php";
 if(isset($_SESSION['user'])&&$_SESSION['user']->role_id=="1")
 {
    if(isset($_POST['insert-category']))
    {
      $name = $_POST['category'];
      $greske = [];
```

```
if(empty($name)){
        $greske[]="Enter the category name";
      }
      if(count($greske)>0)
      {
        foreach($greske as $greska)
        {
          echo $greska;
        }
      }
      else
      {
        insertCategory($name);
        header("Location:../../index.php?page=categories");
      }
   }
 }
?>
Update-category.php
<?php
```

```
header("Content-Type:application/json");
require_once "category_functions.php";
require_once "../../config/connection.php";
if(isset($_POST['id']))
{
  $id = $_POST['id'];
  $category = findCategory($id);
  echo json_encode($category);
}
else {
  http_response_code(400);
  echo json_encode(["error"=> "You haven't sent id"]);
}
?>
Update.php
```

```
<?php
 if(isset($_POST['update-category']))
 {
    $id = $_POST['id'];
    $name = $_POST['category'];
    $greske = [];
    if(empty($name))
    {
      $greske[]="You must enter category";
    }
    if(count($greske)>0)
      foreach($greske as $greska)
      {
        echo "<h2>".$greska."</h2>";
      }
    }
```

```
else
    {
      require_once "../../config/connection.php";
      require_once "category_functions.php";
      updateCategory($id,$name);
      header("Location:../../index.php?page=categories");
    }
  }
?>
Log/log_functions.php
<?php
function countLoggedInUsers()
{
  global $conn;
```

```
try
  {
    $query = $conn->prepare("SELECT COUNT(*) as numOfLogged FROM users WHERE
logged=?");
    $query->execute([
      '1'
    ]);
    return $query->fetch();
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function logFiles(){
  $file = fopen("../data/log.txt","r");
```

```
$podaci = file("../data/log.txt");
 return $podaci;
}
?>
Models/products
Update.php
<?php
session_start();
if(isset(\$\_SESSION['user'])\&\&\$\_SESSION['user']->role\_id=="1")
{
 if(isset($_POST['update-product']))
 {
    require_once "../../config/connection.php";
    require_once "product_functions.php";
```

```
$prname = $_POST['product-name'];
$price = $_POST['price'];
$code = $_POST['code'];
$description = $_POST['description'];
$category_id = $_POST['category_id'];
$date = date("Y-m-d H:i:s");
$id = $_POST['id'];
$greske = [];
if(empty($prname)){
  $greske[]="Please insert name of product";
}
if(empty($code)){
  $greske[]="Please insert code";
}
else if(!is_numeric($code))
{
```

```
$greske[]="Code must be number";
}
if(empty($description)){
  $greske[]="Please insert description of product";
}
if(empty($price)){
  $greske[]="Please insert price of product";
}
else if(!is_numeric($price))
{
  $greske[]="Your price must be number";
}
if(!is_numeric($category_id))
{
  $greske[]="You must enter the category";
}
if(count($greske)>0){
  echo "";
  foreach($greske as $error){
    echo "".$error."";
  }
  echo "";
}
else
```

```
{
    if(empty($_FILES['picture']['name']))
    {
      updateProduct($prname,$price,$code,$description,$category_id,$date,$id);
      header('Location:../../index.php?page=products');
    }
    $file_name = $_FILES['picture']['name'];
    $tmp_Location = $_FILES['picture']['tmp_name'];
    $file type = $ FILES['picture']['type'];
    $file_size = $_FILES['picture']['size'];
    $errors = [];
    $alow_types = ['image/jpg', 'image/jpeg', 'image/png'];
    if(!in_array($file_type, $alow_types)){
      array_push($errors, "Wrong type");
    }
```

```
if($file_size > 3000000){
  array_push($errors, "To heavy");
}
if(count($errors) == 0){
  list($width, $height) = getimagesize($tmp_Location);
  $permanent_picture = null;
  switch($file_type){
    case 'image/jpeg':
      $permanent_picture = imagecreatefromjpeg($tmp_Location);
      break;
    case 'image/png':
      $permanent_picture = imagecreatefrompng($tmp_Location);
      break;
  }
  $newWidth = 320;
  $newHeight = ($newWidth/$width) * $height;
```

```
$newPicture = imagecreatetruecolor($newWidth, $newHeight);
```

imagecopyresampled(\$newPicture, \$permanent\_picture, 0, 0, 0, 0, \$newWidth, \$newHeight, \$width, \$height);

```
$name = time().$file_name;

$srcNewPicture = 'assets/img/small/'.$name;

switch($file_type){
    case 'image/jpeg':
        imagejpeg($newPicture,'../../../'.$srcNewPicture, 75);
        break;
    case 'image/png':
        imagepng($newPicture,'../../../'.$srcNewPicture);
        break;
}

$srcOriginalPicture = 'assets/img/'.$name;

if(move_uploaded_file($tmp_Location, '../../'.$srcOriginalPicture)){
```

```
updatePicture($srcOriginalPicture,$srcNewPicture,$id);
          }
          imagedestroy($permanent_picture);
          imagedestroy($newPicture);
        }
      header('Location:../../index.php?page=products');
 }
}
}
?>
Update-product.php
<?php
 header("Content-Type:application/json");
```

updateProduct(\$prname,\$price,\$code,\$description,\$category\_id,\$date,\$id);

```
if(isset($_POST['id']))
 {
    $id = $_POST['id'];
    require_once "../../config/connection.php";
    require_once "product_functions.php";
    $data['product'] = findProduct($id);
    $data['categories'] = allCategories();
    echo json_encode($data);
 }
  else
 {
    http_response_code(400);
    echo json_encode(["error"=> "You haven't sent id"]);
  }
?>
```

```
<?php
function getAllProductsWithPictureAndCategory()
{
  try{
  return executeQuery('SELECT *,p.id as productID,p.name as productName,c.name as
categoryName FROM products p INNER JOIN pictures s ON p.id=s.product_id INNER JOIN
categories c ON p.cat_id=c.id ORDER BY date ASC');
 }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function insertProduct($name,$code,$price,$description,$category_id,$date){
  try
  {
    global $conn;
```

```
$insert = $conn->prepare("INSERT INTO products VALUES(",?,?,?,?,?)");
    $inserted = $insert->execute([
      $name,$code,$description,$price,$category_id,$date
    ]);
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function insertPicture($srcOriginalPicture, $srcNewPicture, $product_id){
 try{
  global $conn;
  $insert = $conn->prepare("INSERT INTO pictures VALUES(", ?, ?,?)");
  $isInserted = $insert->execute([$srcOriginalPicture, $srcNewPicture,$product id]);
  return $isInserted;
  }
  catch(PDOException $e){
    writeError($e->getMessage());
```

```
}
}
function deleteProduct($id)
{
  try{
    global $conn;
    $delete = $conn->prepare("DELETE FROM products WHERE id=?");
    $delete->execute([
      $id
      ]);
    }
    catch(Exception $e){
      writeError($e->getMessage());
    }
}
function deletePictureofProduct($id)
{
```

```
try{
    global $conn;
    $delete = $conn->prepare("DELETE FROM pictures WHERE product_id=?");
    $delete->execute([
      $id
      ]);
    }
    catch(Exception $e){
      writeError($e->getMessage());
  }
}
function findProduct($id)
{
  global $conn;
  try
  {
    $product = $conn->prepare("SELECT *,p.id AS productID FROM products p JOIN pictures s
ON p.id=s.product_id WHERE p.id=?");
```

```
$product->execute([
      $id
    ]);
    $result = $product->fetch();
    return $result;
  }
  catch(PDOException $e){
    writeError($e->getMessage());
 }
}
function allCategories()
{
  try{
  return executeQuery("SELECT * FROM categories");
  }
  catch(PDOException $e){
    writeError($e->getMessage());
```

```
}
}
function updateProduct($name,$price,$code,$description,$category_id,$date,$id)
{
  try
 {
    global $conn;
    $query = $conn->prepare("UPDATE products SET
name=:name,code=:code,price=:price,description=:desc,cat_id=:cat_id,date=:date WHERE
id=:id");
        $query->execute([
          "name"=>$name,
          "code"=>$code,
          "price"=>$price,
          "desc"=>$description,
          "cat_id"=>$category_id,
          "date"=>$date,
          "id"=>$id
        ]);
  }
```

```
catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function updatePicture($srcOriginalPicture,$srcNewPicture,$id)
{
  try
  {
    global $conn;
    $update = $conn->prepare("UPDATE pictures SET big=:big,small=:small WHERE
product_id=:product_id");
               $update->execute([
                 "big"=>$srcOriginalPicture,
                 "small"=>$srcNewPicture,
                 "product_id"=>$id
              ]);
  }
  catch(PDOException $e){
```

```
writeError($e->getMessage());
  }
}
?>
Insert.php
<?php
if(isset($_POST['insert-product'])){
  require_once "../../config/connection.php";
  require_once "product_functions.php";
  //working with product
  $product_name = $_POST['product-name'];
  $code = $_POST['code'];
  $price = $_POST['price'];
```

```
$description = $_POST['description'];
$category_id = $_POST['category_id'];
$date = date("Y-m-d H:i:s");
$greske = [];
if(empty($product_name)){
  $greske[]="Please insert name of product";
}
if(empty($code)){
  $greske[]="Please insert code";
}
else if(!is_numeric($code))
{
  $greske[]="Code must be number";
}
if(empty($description)){
  $greske[]="Please insert description of product";
}
if(empty($price)){
  $greske[]="Please insert price of product";
}
```

```
else if(!is_numeric($price))
{
  $greske[]="Your price must be number";
}
if(!is_numeric($category_id))
{
  $greske[]="You must enter the category";
}
if(count($greske)>0){
  echo "";
  foreach($greske as $error){
    echo "".$error."";
  }
  echo "";
}
else
{
// working with picture
$file_name = $_FILES['picture']['name'];
$tmp_Location = $_FILES['picture']['tmp_name'];
$file_type = $_FILES['picture']['type'];
$file_size = $_FILES['picture']['size'];
```

```
$errors = [];
$alow_types = ['image/jpg', 'image/ppg', 'image/png'];
if(!in_array($file_type, $alow_types)){
  array_push($errors, "Wrong type, try again");
}
if($file_size > 3000000){
  array_push($errors, "To heavy");
}
if(count($errors) == 0){
  list($width, $height) = getimagesize($tmp_Location);
  $permanent_picture = null;
  switch($file_type){
    case 'image/jpeg':
```

```
$permanent_picture = imagecreatefromjpeg($tmp_Location);
        break;
      case 'image/png':
        $permanent_picture = imagecreatefrompng($tmp_Location);
        break;
    }
    $newWidth = 320;
    $newHeight = ($newWidth/$width) * $height;
    $newPicture = imagecreatetruecolor($newWidth, $newHeight);
    imagecopyresampled($newPicture, $permanent picture, 0, 0, 0, $newWidth,
$newHeight, $width, $height);
    $name = time().$file_name;
    $srcNewPicture = 'assets/img/small/'.$name;
    switch($file_type){
      case 'image/jpeg':
        imagejpeg($newPicture,'../../'.$srcNewPicture, 75);
        break;
      case 'image/png':
```

```
imagepng($newPicture,'../../'.$srcNewPicture);
    break;
}
$srcOriginalPicture = 'assets/img/'.$name;
if(move_uploaded_file($tmp_Location, '../../'.$srcOriginalPicture)){
  try {
    insertProduct($product_name,$code,$price,$description,$category_id,$date);
    $product_id = $conn->lastInsertId();
    $isInserted = insertPicture($srcOriginalPicture, $srcNewPicture,$product id);
    if($isInserted){
      header("Location:../../index.php?page=products");
    }
  } catch(PDOException $e){
    writeError($e->getMessage());
  }
```

```
}
    imagedestroy($permanent_picture);
    imagedestroy($newPicture);
 } else {
   echo "";
   foreach($errors as $error)
   {
      echo "".$error."";
   }
 }
Delete.php
<?php
session_start();
if(isset($_SESSION['user'])&&$_SESSION['user']->role_id=="1")
```

}

}

{

```
if(isset($_POST['id']))
 {
    include "../../config/connection.php";
    require_once "product_functions.php";
    $id = $_POST['id'];
    deleteProduct($id);
    deletePictureofProduct($id);
    header("Location:../../index.php?page=products");
}
}
?>
Models/users
User_functions.php
<?php
```

```
function allUsers(){
  try{
  return executeQuery("SELECT * , u.id AS id FROM users u INNER JOIN roles r ON
u.role id=r.id");
  }
  catch(Exception $e){
    writeError($e->getMessage());
  }
}
function deleteUser($id)
{
      try{
      global $conn;
      $delete = $conn->prepare("DELETE FROM users WHERE id=?");
      $delete->execute([$id]);
      }
      catch(Exception $e){
```

```
writeError($e->getMessage());
      }
}
function allRoles()
{
  try
  {
    return executeQuery("SELECT * FROM roles");
  }
  catch(Exception $e){
    writeError($e->getMessage());
  }
}
function ifExist($email)
{
  global $conn;
  try{
  $checking_if_exist = $conn->prepare("SELECT * FROM users WHERE email=?");
  $checking_if_exist->execute([
    $email
  ]);
```

```
$exist = $checking_if_exist->fetch();
 return $exist;
 }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function registerUser($email,$password,$role_id)
 {
    global $conn;
    try{
      $register = $conn->prepare("INSERT INTO users VALUES(",?,?,?,?)");
      $inserted = $register->execute([$email,md5($password),"0",$role_id]);
      return $inserted;
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
  }
```

```
function findUser($id)
{
  global $conn;
  try
  {
    $user = $conn->prepare("SELECT * FROM users WHERE id=?");
    $user->execute([
      $id
    ]);
    $result = $user->fetch();
    return $result;
  }
  catch(PDOException $e){
    writeError($e->getMessage());
 }
}
function updateUser($email,$role_id,$id)
{
  global $conn;
```

```
try
 {
    $user = $conn->prepare("UPDATE users SET email=:email,role_id=:role_id WHERE id=:id");
    $user->execute([
      'email'=>$email,
      'role_id'=>$role_id,
      'id'=>$id
   ]);
 }
 catch(PDOException $e){
    writeError($e->getMessage());
  }
?>
User-update.php
<?php
```

}

```
header("Content-Type:application/json");
if(isset($_POST['id']))
{
  $id = $_POST['id'];
  require_once "user_functions.php";
  require_once "../../config/connection.php";
  $user = findUser($id);
  $roles = allRoles();
  $data['user']=$user;
  $data['roles']=$roles;
  echo json_encode($data);
}
else {
  http_response_code(400);
  echo json_encode(["error"=> "You haven't sent id"]);
}
```

```
?>
Update.php
<?php
session_start();
if(isset(\$\_SESSION['user'])\&\&\$\_SESSION['user']->role\_id=="1")
{
 if(isset($_POST['update']))
 {
    $email = $_REQUEST['email'];
    product = "/^w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/";
    $role_id = $_REQUEST['role_id'];
    $id= $_REQUEST['id'];
    $greske = [];
    if(!preg_match($regMail,$email)){
      $greske[]="Mail not good";
    }
```

```
if($role_id=="0")
{
  $greske[]="You must choose role";
}
if(count($greske)>0){
 echo "";
  foreach($greske as $greska)
  {
    echo "".$greska."";
  }
  echo "";
}
else
{
  require_once "../../config/connection.php";
  require_once "user_functions.php";
  updateUser($email,$role_id,$id);
  header("Location:../../index.php?page=users");
```

```
}
  }
}
?>
Register.php
<?php
session_start();
if(isset($_SESSION['user'])&&$_SESSION['user']->role_id=="1")
{
  if(isset($_POST['register']))
  {
    $email = $_REQUEST['email'];
    product = "/^w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/";
    $password = $_REQUEST['password'];
    project = \frac{1}{2}.*d(?=.*a-z)(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
    $conf_password = $_REQUEST['confirm-password'];
    property = "/(?=.*\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
    $role_id = $_REQUEST['id_role'];
    $greske = [];
```

```
if(!preg_match($regMail,$email)){
  $greske[]="Mail not good";
}
if(!preg_match($regPassword,$password)){
  $greske[]="Password not good";
}
if(!preg_match($regPassword2,$conf_password)){
  $greske[]="Password2 not good";
}
if($password!=$conf_password)
{
  $greske[]= "Passwords not the same";
}
if($role_id=="0")
{
  $greske[]="You must choose role";
}
if(count($greske)>0){
 echo "";
  foreach($greske as $greska)
  {
    echo "".$greska."";
  }
```

```
echo "";
}
else
{
  require_once "../../config/connection.php";
  require_once "user_functions.php";
  $exist = ifExist($email);
  if($exist)
  {
    $Message = urlencode("Your email is already registered");
    header("Location:../../index.php?page=register&Message=".$Message);
    die;
  }
  else
  {
    $registered = registerUser($email,$password,$role_id);
    if($registered){
      header("Location:../../index.php?page=users");
```

```
}
        else
        {
           echo "Try again";
        }
      }
    }
  }
}
?>
Delete.php
<?php
  session_start();
  if(isset(\$\_SESSION['user'])\&\&\$\_SESSION['user']->role\_id=="1")
  {
    require_once "user_functions.php";
    if(isset($_POST['id']))
```

```
{
      $id = $_POST['id'];
      include "../../config/connection.php";
      deleteUser($id);
      header("Location:../../index.php?page=users");
   }
  }
?>
Index.php – admin
<?php
    session_start();
    if(isset($_SESSION['user'])&&$_SESSION['user']->role_id=="1")
    {
```

```
include "../config/connection.php";
include "views/fixed/head.php";
include "views/fixed/left-panel.php";
include "views/fixed/right-panel.php";
if(isset($_GET['page'])){
switch($_GET['page']){
case 'users':
include "views/pages/users.php";
break;
case 'register':
include "views/pages/register-user.php";
break;
case 'categories':
include "views/pages/categories.php";
break;
```

```
case "insert-category":
include "views/pages/insert-category.php";
break;
case "products":
include "views/pages/products.php";
break;
case "insert-product":
include "views/pages/insert-product.php";
break;
case "logs":
include "views/pages/logs.php";
break;
case "loggedIn":
include "views/pages/loggedin.php";
break;
}
}
```

```
else
    {
        include "views/pages/main.php";
   }
    include "views/fixed/footer.php";
   }
    else
    {
        echo "You don't have permission to be here!";
    }
?>
Users.php
<div class="content mt-3">
  <div class="animated fadeIn">
```

```
<div class="row">
 <div class="col-lg-12">
  <div class="card">
    <div class="card-header">
     <strong class="card-title">Users</strong>
    </div>
    <div class="card-body">
     <thead>
         Id
          Email
          Role
        </thead>
       <?php
         require_once "models/users/user_functions.php";
        $users = allUsers();
        foreach($users as $user):
       ?>
         <?=$user->id?>
          <?=$user->email?>
```

```
<?=$user->name?>
                 <button type="submit" class="btn btn-primary btn-sm update-user" data-
id="<?=$user->id?>">
                 <i class="fa fa-dot-circle-o"></i> Update
                 </button>
                <form method="POST" action="models/users/delete.php">
                <button type="submit" class="btn btn-danger btn-sm">
                 <i class="fa fa-ban"></i> Delete
                 </button>
                <input type="hidden" name="id" value="<?=$user->id?>">
                </form>
                <?php endforeach; ?>
             </div>
       </div>
       <div id="user-update"></div>
```

```
</div>
      </div>
  </div><!-- .animated -->
</div>
Register-user.php
<div class="col-lg-6">
                            <div class="card">
                              <div class="card-header">Register user</div>
                              <div class="card-body card-block">
                                <form action="models/users/register.php" method="post">
                                  <div class="form-group">
                                    <div class="input-group">
                                      <div class="input-group-addon"><i class="fa fa-
envelope"></i></div>
                                      <input type="email" id="email" name="email"
placeholder="Email" class="form-control">
                                    </div>
                                  </div>
                                  <div class="form-group">
                                    <div class="input-group">
```

```
<div class="input-group-addon"><i class="fa fa-
asterisk"></i></div>
                                      <input type="password" name="password"
placeholder="Password" class="form-control">
                                    </div>
                                  </div>
                                  <div class="form-group">
                                    <div class="input-group">
                                      <div class="input-group-addon"><i class="fa fa-
asterisk"></i></div>
                                      <input type="password" name="confirm-password"
placeholder="Confirm password" class="form-control">
                                    </div>
                                  </div>
                                  <div class="row form-group">
                                    <div class="col col-md-3"><label for="select" class="
form-control-label">Role of user</label></div>
                                    <div class="col-12 col-md-9">
                                      <select name="id role" id="select" class="form-
control">
                                        <option value="0">Please select</option>
                                        <?php
                                          require once "models/users/user functions.php";
                                          $roles = allRoles();
```

```
foreach($roles as $role):
                                          ?>
                                          <option value="<?=$role->id?>"><?=$role-</pre>
>name?></option>
                                            <?php endforeach; ?>
                                       </select>
                                     </div>
                                   </div>
                                   <div class="form-actions form-group"><button</pre>
type="submit" class="btn btn-success btn-sm" name="register">Register new
user</button></div>
                                 </form>
                                <?php if(isset($_GET['Message'])){</pre>
        echo '<h2>'.$_GET['Message'].'</h2>'; }?>
                              </div>
                            </div>
                          </div>
Products.php
<div class="content mt-3">
  <div class="animated fadeIn">
    <div class="row">
      <div class="col-lg-12">
```

```
<div class="card">
 <div class="card-header">
  <strong class="card-title">Products</strong>
 </div>
 <div class="card-body">
  <thead>
     Id
      Product name
      Code of product
      Description
      Price
      Picture
      Brand
     </thead>
    <?php
     require_once "models/products/product_functions.php";
     $products = getAllProductsWithPictureAndCategory();
     foreach($products as $product):
```

```
<?=$product->productID?>
               <?=$product->productName?>
               <?=$product->code?>
               <?=$product->description?>
               $ <?=$product->price?>
               <img src="../<?=$product->small?>" width="50" height="50">
               <?=$product->categoryName?>
               <button type="submit" class="btn btn-primary btn-sm update-product"</pre>
data-id="<?=$product->productID?>">
                <i class="fa fa-dot-circle-o"></i> Update
               </button>
               <form method="POST" action="models/products/delete.php">
               <button type="submit" class="btn btn-danger btn-sm">
               <i class="fa fa-ban"></i> Delete
               </button>
               <input type="hidden" name="id" value="<?=$product->productID?>">
               </form>
```

?>

```
<?php endforeach; ?>
              </div>
        </div>
        <div id="product-update"></div>
      </div>
      </div>
 </div><!-- .animated -->
</div>
Logs.php
<div class="content mt-3">
  <div class="animated fadeIn">
    <div class="row">
      <div class="col-lg-12">
        <div class="card">
          <div class="card-header">
            <strong class="card-title">Users</strong>
          </div>
```

```
<div class="card-body">
 <thead>
    Date
     Page
     Ip adress
   </thead>
  <?php
    require_once "models/log/log_functions.php";
   $datas = logFiles();
   foreach($datas as $data):
     $log = explode("\t",$data);
  ?>
    <?=$log[0]?>
     <?=$log[1]?>
     <?=$log[2]?>
```

```
<?php endforeach; ?>
             </div>
       </div>
       <div id="category-update"></div>
     </div>
      </div>
 </div><!-- .animated -->
</div>
Loggedin.php
<?php
 require_once "models/log/log_functions.php";
 $number = countLoggedInUsers();
?>
<div class="col-lg-3 col-md-6">
    <div class="card">
     <div class="card-body">
```

```
<div class="stat-widget-one">
         <div class="stat-icon dib"><i class="ti-user text-primary border-primary"></i></div>
         <div class="stat-content dib">
           <div class="stat-text">Logged users:</div>
           <div class="stat-digit"><?=$number->numOfLogged?></div>
         </div>
       </div>
     </div>
   </div>
 </div>
Insert-product.php
<h2>Insert product with picture</h2>
           <form action="models/products/insert.php" method="POST"</pre>
enctype="multipart/form-data">
           Choose category:
        <select name="category_id">
         <?php
```

```
require_once "models/categories/category_functions.php";
          $categories = getAllCategories();
          foreach($categories as $category): ?>
          <option value="<?=$category->id?>"><?=$category->name?></option>
          <?php endforeach; ?>
          </select>
          <div class="form-group">
          <label for="username">Product name</label>
          <input type="text" name="product-name" tabindex="1" class="form-control"
placeholder="Product-name" value="">
          </div>
          <div class="form-group">
          <label for="username">Product code</label>
          <input type="text" name="code" tabindex="1" class="form-control"
placeholder="Code" value="">
          </div>
         <div class="form-group">
          <label for="confirm-password">Description</label>
          <input type="text" name="description" tabindex="2" class="form-control"
placeholder="Description">
         </div>
```

```
<div class="form-group">
          <label for="password">Price</label>
          <input type="text" name="price" tabindex="2" class="form-control"
placeholder="Price">
         </div>
             <div class="input-field">
              <button type="button"
onclick="document.getElementById('productPicture').click()" class="btn btn-info">Add picture
to product</button>
             <span id="productPictureValue"></span>
              <input type="file" name="picture" id="productPicture" style="display:none;"
onchange="document.getElementById('productPictureValue').innerHTML=this.value;"/>
             </div>
            <div class="input-field">
               <input type="submit" value="Insert product" name="insert-product" class="btn
btn-success"/>
            </div>
           </form>
           </br>
```

```
Insert-category.php
<div class="card">
                            <div class="card-header">
                              <strong>Insert new category</strong>
                            </div>
                            <div class="card-body card-block">
                              <form action="models/categories/insert.php" method="post"</pre>
class="">
                                <div class="form-group">
                                 <label for="nf-email" class=" form-control-
label">Category</label><input type="text" id="nf-email" name="category" placeholder="Enter
category" class="form-control"></div>
                                 <button type="submit" name="insert-category" class="btn</pre>
btn-primary btn-sm">
                                 <i class="fa fa-dot-circle-o"></i> Insert
                              </button>
                              </form>
                            </div>
                          </div>
Categories.php
<div class="content mt-3">
```

```
<div class="animated fadeIn">
 <div class="row">
   <div class="col-lg-12">
    <div class="card">
      <div class="card-header">
        <strong class="card-title">Users</strong>
      </div>
      <div class="card-body">
        <thead>
           Id
             Name
           </thead>
         <?php
           require_once "models/categories/category_functions.php";
           $categories = getAllCategories();
           foreach($categories as $category):
         ?>
           <?=$category->id?>
             <?=$category->name?>
```

```
<button type="submit" data-id="<?=$category->id?>" class="btn btn-
primary btn-sm update-category">
                 <i class="fa fa-dot-circle-o"></i> Update
                 </button>
                 <form method="POST" action="models/categories/delete.php">
                 <button type="submit" class="btn btn-danger btn-sm">
                 <i class="fa fa-ban"></i> Delete
                 </button>
                 <input type="hidden" name="id" value="<?=$category->id?>">
                 </form>
                 <?php endforeach; ?>
             </div>
       </div>
       <div id="category-update"></div>
     </div>
```

```
</div>
  </div><!-- .animated -->
</div>
Right-panel.php
<div id="right-panel" class="right-panel">
    <!-- Header-->
    <!-- /header -->
    <!-- Header-->
    <div class="breadcrumbs">
      <div class="col-sm-4">
        <div class="page-header float-left">
          <div class="page-title">
             <h1>Admin panel</h1>
          </div>
        </div>
      </div>
    </div>
```

Left-panel.php

```
<aside id="left-panel" class="left-panel">
   <nav class="navbar navbar-expand-sm navbar-default">
    <div id="main-menu" class="main-menu collapse navbar-collapse">
      <a href="../index.php"> <i class="menu-icon fa fa-dashboard"></i>Index</a>
         <a href="index.php"> <i class="menu-icon fa fa-dashboard"></i>Admin panel</a>
        <!-- OVDE SE IZLISTAVAJU TABELE -->
        <a href="#" class="dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"> <i class="menu-icon fa fa-table"> </i>Users</a>
         <i class="fa fa-table"></i><a href="index.php?page=users">Show</a>
users</a>
           <i class="fa fa-table"></i><a href="index.php?page=register">Register
user</a>
         <a href="#" class="dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"> <i class="menu-icon fa fa-table"> </i>Categories</a>
```

```
<i class="fa fa-table"></i><a href="index.php?page=categories">Show</a>
categories</a>
           <i class="fa fa-table"></i><a href="index.php?page=insert-category">Add</a>
new category</a>
         <a href="#" class="dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"> <i class="menu-icon fa fa-table"></i>Products</a>
         <i class="fa fa-table"></i><a href="index.php?page=products">Show</a>
products</a>
           <i class="fa fa-table"></i><a href="index.php?page=insert-product">Add</a>
new product</a>
         <a href="#" class="dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false"> <i class="menu-icon fa fa-table"> </i>Logs</a>
         <i class="fa fa-table"></i><a href="index.php?page=logs">Show</a>
logs</a>
           <i class="fa fa-table"></i><a href="index.php?page=loggedIn">Number of</a>
logged-in users in this moment</a>
```

```
<!-- KRAJ -->
       </div><!-- /.navbar-collapse -->
    </nav>
  </aside><!-- /#left-panel -->
  <!-- Left Panel -->
Head.php
<!doctype html>
<!--[if lt IE 7]> <html class="no-js lt-ie9 lt-ie8 lt-ie7" lang=""> <![endif]-->
<!--[if IE 7]> <html class="no-js lt-ie9 lt-ie8" lang=""> <![endif]-->
<!--[if gt IE 8]><!-->
<html class="no-js" lang="en">
<!--<![endif]-->
<head>
  <meta charset="utf-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<title>Admin panel</title>
  <meta name="description" content="Sufee Admin - HTML5 Admin Template">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="apple-touch-icon" href="apple-icon.png">
  <link rel="shortcut icon" href="favicon.ico">
  <link rel="stylesheet" href="vendors/bootstrap/dist/css/bootstrap.min.css">
  <link rel="stylesheet" href="vendors/font-awesome/css/font-awesome.min.css">
  <link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">
  <link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">
  <link rel="stylesheet" href="vendors/selectFX/css/cs-skin-elastic.css">
  <link rel="stylesheet" href="vendors/jqvmap/dist/jqvmap.min.css">
  k rel="stylesheet" href="assets/css/style.css">
  k href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
</head>
<body>
```

```
Footer.php
```

```
</div>
  <script src="vendors/jquery/dist/jquery.min.js"></script>
  <script src="vendors/popper.js/dist/umd/popper.min.js"></script>
  <script src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>
  <script src="assets/js/main.js"></script>
  <script src="vendors/chart.js/dist/Chart.bundle.min.js"></script>
  <script src="assets/js/dashboard.js"></script>
  <script src="assets/js/widgets.js"></script>
  <script src="vendors/jqvmap/dist/jquery.vmap.min.js"></script>
  <script src="vendors/jqvmap/examples/js/jquery.vmap.sampledata.js"></script>
  <script src="vendors/jqvmap/dist/maps/jquery.vmap.world.js"></script>
  <script>
    (function($) {
      "use strict";
      jQuery('#vmap').vectorMap({
        map: 'world_en',
        backgroundColor: null,
        color: '#ffffff',
        hoverOpacity: 0.7,
```

```
selectedColor: '#1de9b6',
        enableZoom: true,
        showTooltip: true,
        values: sample_data,
        scaleColors: ['#1de9b6', '#03a9f5'],
        normalizeFunction: 'polynomial'
      });
    })(jQuery);
  </script>
  <script src="assets/myScripts/jquery.min.js"></script>
  <script src="assets/myScripts/update-user.js"></script>
  <script src="assets/myScripts/update-category.js"></script>
  <script src="assets/myScripts/update-product.js"></script>
</body>
</html>
Assets/js
Filter-sort-pagination.js
$(document).ready(function(){
```

```
$('.brands').on('click',filter);
$('#input-sort').on('change',sort);
$('.search').on('keyup',searchByName);
$('.pagination').on('click','.pag',pagination);
function pagination(e){
  e.preventDefault();
  let limit = $(this).data('limit');
  $.ajax({
    url: "models/products/pagination.php",
    method:"GET",
    dataType:"JSON",
    data:
    {
      limit
    },
    success:function(data)
    {
```

```
printProducts(data.products);
      printPagination(data.pagination);
    },
    error:function(error){
      $('#products').html(error);
    }
  })
}
function filter(){
  let cat_id = $(this).data('id');
  $.ajax({
    url:"models/products/filterByCategory.php",
    method:"POST",
    data:{
      cat_id
    },
    success:function(products){
```

```
printProducts(products);
      let number=products.length;
      number = Math.ceil(number/3);
      printPagination(number);
    },
    error:function(error){
      $('#products').html(error);
    }
  })
function sort()
  let parametar = $(this).val();
  $.ajax({
```

}

{

```
url:"models/products/sort.php",
  method:"POST",
  data:{
    parametar
  },
  dataType:'json',
  success:function(products){
    printProducts(products);
    let number=products.length;
    number = Math.ceil(number/3);
    printPagination(number);
  },
  error:function(error){
    $('#products').html(error);
  }
})
```

}

```
function printProducts(products)
 {
    let html = ``;
    for(product of products)
    {
      html+=singleProduct(product);
    }
    $('#products').html(html);
 }
 function singleProduct(product)
 {
    return `
    <div class="product-layout product-grid col-xs-12 col-lg-3">
      <div class="product-thumb">
     <div class="image product-imageblock">
      <a href="index.php?page=product&id=${product.productID}">
      <img src="${product.small}" alt="${product.name}" title="${product.name}" class="img-
responsive">
      </a>
     </div>
     <div class="caption product-detail">
```

```
<h4 class="product-name"> <a
href="index.php?page=product&id=${product.productID}"
title="${product.name}">${product.name}</a> </h4>
      $ ${product.price} 
    </div>
    </div>
  </div>
 }
 function searchByName(){
   let string = $(this).val();
   $.ajax({
     url:"models/products/search.php",
     method:"POST",
     dataType:"json",
     data:
     {
       string
```

```
},
success:function(products)
{
  if(products.length=="0")
  {
    $text = "We do not have watch with name like that";
    $('#products').html($text);
  }
  else
  {
    printProducts(products);
    let number=products.length;
    number = Math.ceil(number/3);
    printPagination(number);
  }
},
error:function(error){
```

```
$('#products').html(error);
      }
    })
  }
  function printPagination(number)
  {
    let html = ``;
    for(let i=0; i<number; i++)</pre>
    {
      html+=`
        <a href="#" class="pag" data-limit="${i}">${i+1}</a>
    }
    $('.pagination').html(html);
  }
})
```

```
document.getElementById('reg').addEventListener('click',function(e){
 var mail = document.getElementById('input-email');
 var regMail = /^w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/;;
 var password = document.getElementById('input-password');
 var regPassword =/^(?=.*\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}$/;
  var password2 = document.getElementById('input-confirm');
 var greske = [];
  if(!regMail.test(mail.value)){
    mail.style.borderColor = "red";
   document.getElementById('mail-mistake').innerHTML="Your email is not in good format";
    greske.push('not good mail');
```

```
}
  if(!regPassword.test(password.value)){
    password.style.borderColor = "red";
    password2.style.borderColor="red";
    document.getElementById('password-mistake').innerHTML = "Your password is not in good
format, must have more than 5 characters, one big letter and one number ";
    greske.push('Bad password');
  }
  if(password.value!=password2.value || password2.value=="")
  {
    password.style.borderColor = "red";
    password2.style.borderColor="red";
    document.getElementById('conf-password-mistake').innerHTML = "You must confirm your
password";
```

```
}
  if(greske.length!=0){
    e.preventDefault();
  }
 });
Errors.txt
```

25.06.2019 11:59:37 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

25.06.2019 11:59:38 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

25.06.2019 11:59:39 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

25.06.2019 11:59:39 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

25.06.2019 11:59:49 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

25.06.2019 11:59:57 SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'SELECTT \* FROM menu' at line 1

07.07.2019 20:43:01 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'watch-shop.picturess' doesn't exist

07.07.2019 21:11:09 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:14:37 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:16:43 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:18:55 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:20:06 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:20:53 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 21:20:54 SQLSTATE[23000]: Integrity constraint violation: 1048 Column 'code' cannot be null

07.07.2019 22:53:27 SQLSTATE[42S22]: Column not found: 1054 Unknown column 'product\_id' in 'where clause'

## Logs.txt

Log.txt				
09.07.2019	index.php?page=about		::1	
09.07.2019	index.php?page=about		::1	
09.07.2019	index.php?page=about		::1	
09.07.2019	index.php	::1		
09.07.2019	index.php?pa	page=about ::1		
09.07.2019	export.php	::1		
09.07.2019	index.php	::1		
09.07.2019	index.php	::1		
09.07.2019	index.php	::1		
09.07.2019	logout.php	::1		
09.07.2019	index.php	::1		
09.07.2019	index.php?page=shop::1			
09.07.2019	index.php?page=product&id=14 ::1			::1
09.07.2019	index.php	::1		
09.07.2019	watch-shop	::1		
09.07.2019	index.php?page=shop::1			
09.07.2019	index.php	::1		
09.07.2019	index.php?page=login::1			
09.07.2019	login.php	::1		

::1

09.07.2019 index.php

```
09.07.2019 index.php ::1
```

09.07.2019	index.php	::1		
09.07.2019	index.php?page=shop::1			
09.07.2019	index.php?page=product&id=16			::1
09.07.2019	index.php?page=about		::1	
09.07.2019	index.php	::1		
09.07.2019	index.php	::1		
09.07.2019	index.php?page=users		::1	
09.07.2019	delete.php	::1		
09.07.2019	index.php?pa	ge=users	::1	
09.07.2019	index.php?pa	ge=register	::1	
09.07.2019	index.php?pa	ge=products	::1	
09.07.2019	update-produ	ct.php ::1		
09.07.2019	index.php?page=insert-product ::1			::1
09.07.2019	index.php?pa	ge=logs ::1		
09.07.2019	index.php?pa	ge=logs ::1		
09.07.2019	index.php?pa	ge=loggedIn	::1	
09.07.2019	index.php	::1.		

## Models/about

Export.php

<?php

```
include "../../config/connection.php";
include "author functions.php";
$author = author of site();
$word = new COM("word.application");
$word->Visible = 0;
$word->Documents->Add();
$word->Selection->PageSetup->LeftMargin = '2';
$word->Selection->PageSetup->RightMargin = '2';
$word->Selection->Font->Name = 'Arial';
$word->Selection->Font->Size = 10;
$word->Selection->TypeText("$author->name_surname \n $author->description");
$filename = tempnam(sys_get_temp_dir(), "word");
$word->Documents[1]->SaveAs($filename);
$word->quit();
unset($word);
```

```
header("Content-type: application/vnd.ms-word");
  header("Content-Disposition: attachment; Filename=Aboutauthor.doc");
  readfile($filename);
  unlink($filename);
?>
Author_functions.php
<?php
function author_of_site(){
 global $conn;
  try{
  $author = $conn->prepare("SELECT * FROM author WHERE id=?");
  $author_id = "1";
  $author->execute([$author_id]);
  $res = $author->fetch();
 return $res;
 }
  catch(PDOException $e){
    writeError($e->getMessage());
```

```
}
}
?>
Auth_functions.php
<?php
function registerUser($email,$password)
 {
    global $conn;
    try{
      $register = $conn->prepare("INSERT INTO users VALUES(",?,?,?,?)");
      $inserted = $register->execute([$email,md5($password),"0","2"]);
      return $inserted;
    }
    catch(PDOException $e){
      writeError($e->getMessage());
   }
  }
```

```
function ifExist($email)
{
  global $conn;
  try{
  $checking_if_exist = $conn->prepare("SELECT * FROM users WHERE email=?");
  $checking_if_exist->execute([
    $email
  ]);
  $exist = $checking_if_exist->fetch();
  return $exist;
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function findUser($email,$password){
  global $conn;
  try{
    $result = $conn->prepare("SELECT * FROM users WHERE email = ? AND password = ?");
```

```
$result->execute([$email,md5($password)]);
    return $result->fetch();
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
function userLogged($id_user)
{
  global $conn;
  try{
  $query = $conn->prepare("UPDATE users SET logged=:log WHERE id=:id");
  $query->execute([
      'log'=>'1',
      'id'=>$id_user
      ]);
  }
  catch(PDOException $e){
    writeError($e->getMessage());
  }
}
```

```
function userLoggedOut($id)
{
    global $conn;
    try{
    $query = $conn->prepare("UPDATE users SET logged=:log WHERE id=:id");
    $query->execute([
      'log'=>'0',
      'id'=>$id
    ]);
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
}
?>
Login.php
<?php
  session_start();
    // Import PHPMailer classes into the global namespace
    // These must be at the top of your script, not inside a function
    use PHPMailer\PHPMailer;
```

```
use PHPMailer\PHPMailer\Exception;
   // Load Composer's autoloader
require_once "../../config/connection.php";
require_once "auth_functions.php";
require '../../vendor/autoload.php';
if(isset($_POST['login']))
{
  $email = $_POST['email'];
  $password = $_POST['password'];
  $user = findUser($email,$password);
  if($user)
  {
    $_SESSION['user'] = $user;
    $id_user = $_SESSION['user']->id;
    userLogged($id_user);
    header('Location:../../index.php');
  }
  else
  {
    echo "not successfull";
```

```
// Passing `true` enables exceptions
$mail = new PHPMailer(true);
try {
 //Server settings
 $mail->SMTPDebug = 0;
                                        // Enable verbose debug output
 $mail->isSMTP();
                                    // Set mailer to use SMTP
 $mail->Host = 'smtp.gmail.com'; // Specify main and backup SMTP servers
 $mail->SMTPAuth = true;
                                        // Enable SMTP authentication
 $mail->Username = 'sajtzaphp1@gmail.com';
                                                    // SMTP username
 $mail->Password = 'sajtzaphp1!';
                                             // SMTP password
  $mail->SMTPSecure = 'tls'; // Enable TLS encryption, `ssl` also accepted
 $mail->Port = 587;
                                   // TCP port to connect to
 $mail->SMTPOptions =array(
    "ssl"=>array(
      "verify_peer"=>false,
      "verify_peer_name"=>false,
      "allow_self_signed"=>true
   )
 );
 //Recipients
 $mail->setFrom('sajtzaphp1@gmail.com', 'Login not successfull');
 $mail->addAddress($email,'User'); // Add a recipient
```

```
//Content
        $mail->isHTML(true);
                                                // Set email format to HTML
        $mail->Subject = 'You log-in request was not successfull';
        $mail->Body = 'Please try again to login';
        $mail->AltBody = 'This is the body in plain text for non-HTML mail clients';
        $mail->send();
        echo 'Message has been sent';
        header("Location:../../index.php");
      }
      catch (Exception $e)
      {
        echo 'Message could not be sent. Mailer Error: ', $mail->ErrorInfo;
      }
    }
  }
?>
Logout.php
<?php
  session start();
  require_once "../../config/connection.php";
  require_once "auth_functions.php";
```

```
if(isset($_SESSION['user'])){
                  $id = $_SESSION['user']->id;
                  userLoggedOut($id);
                  unset($_SESSION['user']);
       }
         header('Location:../../index.php');
?>
Register.php
<?php
require once "../../config/connection.php";
require_once "auth_functions.php";
         if(isset($_POST['register'])){
                  $email = $_REQUEST['email'];
                  pricespace{2.5} pricespace{2
                  $password = $ REQUEST['password'];
                  $regPassword = "/(?=.*\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
                  $conf password = $ REQUEST['confirm-password'];
                  property = "/(?=.*\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{5,}/";
                  $greske = [];
                  if(!preg_match($regMail,$email)){
```

```
$greske[]="Mail not good";
}
if(!preg_match($regPassword,$password)){
  $greske[]="Password not good";
}
if(!preg_match($regPassword2,$conf_password)){
  $greske[]="Password2 not good";
}
if($password!=$conf_password)
{
  $greske[]= "Passwords not the same";
}
if(count($greske)>0){
  Header("Location:../../index.php?page=register");
}
else
{
 $exist = ifExist($email);
  if($exist)
  {
    $Message = urlencode("Your email is already registered");
    header("Location:../../index.php?page=register&Message=".$Message);
```

```
die;
      }
      else
      {
        $registered = registerUser($email,$password);
        if($registered){
          header("Location:../../index.php?page=login");
        }
        else
        {
          echo "Try again";
        }
      }
    }
 }
?>
```

Categories/functions.php

```
<?php
 function getAllCategories(){
    try{
    return executeQuery("SELECT * FROM categories");
    }
    catch(PDOException $e){
      handle($e->getMessage());
   }
  }
?>
Menu.php
<?php
 function getMenu()
 {
```

```
try{
    return executeQuery("SELECT * FROM menu");
    }
    catch(PDOException $e)
    {
      writeError($e->getMessage());
   }
  }
?>
Export-excel.php
<?php
require_once "../../config/connection.php";
include "functions.php";
$id = $_POST['id'];
$product = getProductWithPictureById($id);
$excel = new COM("Excel.Application");
```

```
$excel->Visible = 1;
$excel->DisplayAlerts = 1;
$workbook = $excel->WorkBooks->Open("http://localhost/watch-shop/data/Product.xlsx") or
die ('Could not be able to open filename');
$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;
//header of table
$field = $sheet->Range("A1");
$field->activate;
$field->value = "Id";
$field = $sheet->Range("B1");
$field->activate;
$field->value= "Product Name";
$field = $sheet->Range("C1");
$field->activate;
$field->value = "Code";
```

```
$field = $sheet->Range("D1");
$field->activate;
$field->value = "Description";
$field = $sheet->Range("E1");
$field->activate;
$field->value = "Price";
$field = $sheet->Range("F1");
$field->activate;
$field->value = "Category";
//about product
$field = $sheet->Range("A2");
$field->activate;
$field->value = "$product->id";
$field = $sheet->Range("B2");
$field->activate;
$field->value= "$product->productName";
$field = $sheet->Range("C2");
$field->activate;
```

```
$field->value = "$ $product->code";
$field = $sheet->Range("D2");
$field->activate;
$field->value = "$product->description";
$field = $sheet->Range("E2");
$field->activate;
$field->value = "$ $product->price";
$field = $sheet->Range("F2");
$field->activate;
$field->value = "$product->name";
//$workbook->_SaveAs("http://localhost/watch-shop/data/Product.xlsx", -4143);
// $workbook->Save();
// $workbook->Saved=true;
// $workbook->Close;
// $excel->Workbooks->Close();
// $excel->Quit();
// unset($sheet);
```

```
// unset($workbook);
// unset($excel);
header("Location:../../index.php?page=product&id=$product->product_id");
filterbycategory.php
<?php
 header("Content-Type:application/json");
 if(isset($_POST['cat_id'])){
    $id = $_POST['cat_id'];
    include "../../config/connection.php";
    include "functions.php";
    $products = filterByCategory($id);
```

```
echo json_encode($products);
 }
 else
 {
    http_response_code(400); // Bad request
    echo json_encode(["error"=> "You haven't checked category"]);
 }
?>
Functions.php
<?php
 function getAllProductsWithPicture()
 {
   try{
```

```
return executeQuery('SELECT *,p.id as productID FROM products p INNER JOIN pictures s
ON p.id=s.product_id');
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
 }
  function filterByCategory($id)
 {
    global $conn;
    try{
      $products = $conn->prepare("SELECT *,p.id as productID FROM products p INNER JOIN
pictures s ON p.id=s.product_id INNER JOIN categories c ON p.cat_id=c.id WHERE cat_id=?");
      $products->execute([
        $id
      ]);
      $result = $products->fetchAll();
```

```
return $result;
    }
    catch(PDOException $e){
      writeError($e->getMessage());
   }
  }
 function sortProducts(){
    try{
      return "SELECT *,p.id as productID FROM products p INNER JOIN pictures s ON
p.id=s.product_id ";
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
  }
 function getProductWithPictureById($id)
```

```
{
    try{
      global $conn;
      $product = $conn->prepare("SELECT *,p.name as productName,c.name as
categoryName,p.id as productID FROM products p INNER JOIN pictures s ON p.id=s.product_id
INNER JOIN categories c ON p.cat_id=c.id WHERE p.id=?");
      $product->execute([
        $id
      ]);
      $result = $product->fetch();
      return $result;
      }
      catch(PDOException $e){
        writeError($e->getMessage());
      }
 }
  function banner(){
```

```
{
      return executeQuery("SELECT * FROM banner");
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
 }
 function latestProducts(){
    try {
      return executeQuery("SELECT *,p.id as productID FROM products p INNER JOIN pictures
s ON p.id=s.product_id ORDER BY date DESC LIMIT 3 ");
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
```

try

```
}
 function bestProducts()
  {
    try {
      return executeQuery("SELECT *,p.id as productID FROM products p INNER JOIN pictures
s ON p.id=s.product_id ORDER BY price DESC LIMIT 5 ");
    }
    catch(PDOException $e){
      writeError($e->getMessage());
    }
  }
  function searchQuery()
  {
    return "SELECT *,p.id as productID FROM products p INNER JOIN pictures s ON
p.id=s.product_id";
  }
  define("PRODUCT_ONPAGE",3);
  function getProductsWithPicturePag($limit=0)
```

```
{
    try{
    global $conn;
    $select = $conn->prepare("SELECT *,p.id as productID FROM products p INNER JOIN
pictures i ON p.id=i.product id LIMIT :limit, :offset");
    $limit = ((int) $limit)* PRODUCT_ONPAGE;
    $select->bindParam(":limit",$limit,PDO::PARAM_INT);
    $number = PRODUCT_ONPAGE;
    $select->bindParam(":offset",$number,PDO::PARAM_INT);
    $select->execute();
    $products = $select->fetchAll();
    return $products;
    catch(PDOException $e){
      writeError($e->getMessage());
```

```
}
}
function getNumOfProducts()
{
  try{
  return executeQueryOneRow("SELECT COUNT(*) AS num FROM products");
  }
  catch(PDOException $e){
    writeError($e->getMessage());
 }
}
function countPag()
{
  try{
  $number = getNumOfProducts();
  $numberOfProducts = $number->num;
  return ceil($numberOfProducts / PRODUCT_ONPAGE);
```

```
}
    catch(PDOException $e){
      writeError($e->getMessage());
    }
 }
?>
Pagination.php
<?php
 header("Content-Type: application/json");
 if(isset($_GET['limit']))
 {
    require_once "../../config/connection.php";
    include "functions.php";
```

```
$limit = $_GET['limit'];
  $products = getProductsWithPicturePag($limit);
  $num_of_products = countPag();
  echo json_encode([
    "products"=>$products,
    "pagination"=>$num_of_products
  ]);
}
else
{
  echo json_encode(["message"=> "Limit not passed."]);
  http_response_code(400); // Bad request
```

}

```
Search.php
<?php
 if(isset($_POST['string']))
 {
    require_once "../../config/connection.php";
    require_once "functions.php";
    $string = "%".strtolower($_POST['string'])."%";
    $searchQuery = searchQuery();
    $searchQuery .= " WHERE LOWER(name) LIKE :name";
    $result = $conn->prepare($searchQuery);
    $result->bindParam(":name",$string);
    $result->execute();
    $products = $result->fetchAll();
```

```
echo json_encode($products);
 }
 else {
    http_response_code(400);
    echo json_encode(["error"=> "You must enter a letter from a name"]);
  }
?>
Sort.php
<?php
 header("Content-Type:application/json");
 if(isset($_POST['parametar'])){
    $parametar = $_POST['parametar'];
    include "../../config/connection.php";
```

```
include "functions.php";
$result = sortProducts();
switch($parametar){
  case "default":
  $result;
  break;
  case "name-asc":
  $result .="ORDER BY name ASC";
  break;
  case "name-desc":
  $result .="ORDER BY name DESC";
  break;
  case "price-asc":
  $result .="ORDER BY price ASC";
  break;
  case "price-desc":
  $result .="ORDER BY price DESC";
```

```
break;
    }
    $products = executeQuery($result);
    echo json_encode($products);
 }
 else
 {
    http_response_code(400); // Bad request
    echo json_encode(["error"=> "You haven't any parametar"]);
  }
?>
Views/fixed
Footer.php
<footer>
 <div class="container">
```

```
<hr>
<div class="row">
 <div class="col-sm-3 footer-block">
  <h5 class="footer-title">Site map</h5>
  <?php
    $links = getMenu();
    foreach($links as $link):
   ?>
   <a href="<?=$link->href?>"><?=$link->name?></a>
    <?php endforeach; ?>
  </div>
 <div class="col-sm-3 footer-block">
  <h5 class="footer-title">My Account</h5>
  <?php if(!isset($_SESSION['user'])):?>
   <a href="index.php?page=login">Sign in</a>
   <a href="index.php?page=register">Register</a>
    <?php endif; ?>
```

```
<?php if(isset($_SESSION['user'])): ?>
        <a href="models/auth/logout.php">Logout</a>
        <?php if($ SESSION['user']->role id=="1"):?>
         <a href="admin/index.php">Admin panel</a>
        <?php endif; ?>
        <?php endif; ?>
  </div>
  <div class="col-sm-3 footer-block">
  <div class="content_footercms_right">
   <div class="footer-contact">
    <h5 class="contact-title footer-title">Documentation</h5>
    <a href="#">Documentation</a>
    </div>
  </div>
 </div>
 </div>
<div class="row">
</div>
</div>
<a id="scrollup">Scroll</a> </footer>
```

```
<div class="footer-bottom">
 <div class="container">
 <div class="copyright">Powered By &nbsp;Nataša Lazić &copy; 2019 </a> </div>
 <div class="footer-bottom-cms">
  <div class="footer-payment">
   <a href="#"><img alt=""</pre>
src="assets/image/payment/mastero.jpg"></a>
    <a href="#"><img alt="" src="assets/image/payment/visa.jpg"></a>
    <a href="#"><img alt=""</pre>
src="assets/image/payment/currus.jpg"></a>
    <a href="#"><img alt=""</pre>
src="assets/image/payment/discover.jpg"></a>
    <a href="#"><img alt="" src="assets/image/payment/bank.jpg"></a>
   </div>
 </div>
 </div>
</div>
<script src="assets/javascript/parally.js"></script>
<script>
$('.parallax').parally({offset: -40});
</script>
<!-- my scripts -->
```

```
<script src="assets/js/filter-sort-pagination.js"></script>
</body>
</html>
Forbidden.php
<h3>404 - Page Not Found or you do not have access</h3>
Head.php
<!DOCTYPE html>
<html lang="en">
<head>
<title>Time Watch</title>
<meta http-equiv="content-type" content="text/html;charset=utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="e-commerce site well design with responsive view." />
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<link href="assets/bootstrap/css/bootstrap.min.css" rel="stylesheet" media="screen" />
<link href="assets/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css"</pre>
/>
k href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700"
rel="stylesheet">
<link href="assets/css/stylesheet.css" rel="stylesheet">
k href="assets/css/responsive.css" rel="stylesheet">
<link href="assets/owl-carousel/owl.carousel.css" type="text/css" rel="stylesheet"</pre>
media="screen" />
```

```
<link href="assets/owl-carousel/owl.transitions.css" type="text/css" rel="stylesheet"</pre>
media="screen" />
<script src="assets/javascript/jquery-2.1.1.min.js" type="text/javascript"></script>
<script src="assets/bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="assets/javascript/jstree.min.js" type="text/javascript"></script>
<script src="assets/javascript/template.js" type="text/javascript" ></script>
<script src="assets/javascript/common.js" type="text/javascript"></script>
<script src="assets/javascript/global.js" type="text/javascript"></script>
<script src="assets/owl-carousel/owl.carousel.min.js" type="text/javascript"></script>
</head>
<body>
<div class="preloader loader" style="display: block; background:#f2f2f2;"> <img</pre>
src="assets/image/loader.gif" alt="#"/></div>
Header.php
<header>
 <div class="header-top">
  <div class="container">
   <div class="row">
    <div class="col-sm-12">
     <div class="top-left pull-left">
     </div>
     <div class="top-right pull-right">
```

```
<div id="top-links" class="nav pull-right">
      <a href="#" title="My Account" class=" dropdown-</pre>
toggle" data-toggle="dropdown"> <i class="fa fa-user"></i><span>My Account</span> <span
class="caret"></span></a>
        <?php if(!isset($ SESSION['user'])):?>
         <a href="index.php?page=register">Register</a>
         <a href="index.php?page=login">Login</a>
         <?php endif; ?>
         <?php if(isset($_SESSION['user'])): ?>
         <a href="models/auth/logout.php">Logout</a>
         <?php if($ SESSION['user']->role id=="1"):?>
         <a href="admin/index.php">Admin panel</a>
         <?php endif; ?>
         <?php endif; ?>
        <?php if(isset($ GET['page'])=="shop"): ?>
      <div class="search-box">
       <input class="input-text search" placeholder="Search product by name.." type="text">
       <button class="search-btn"><i class="fa fa-search"></i></button>
      </div>
```

```
<?php endif; ?>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <div class="container">
  <nav id="menu" class="navbar">
   <div class="nav-inner">
    <div class="navbar-header"><span id="category" class="visible-xs">Categories</span>
     <button type="button" class="btn btn-navbar navbar-toggle" ><i class="fa fa-
bars"></i></button>
    </div>
    <div class="navbar-collapse">
     ul class="main-navigation">
      <?php
       include "models/menu/menu_functions.php";
       $links = getMenu();
       foreach($links as $link):
      ?>
      <a href="<?=$link->href?>" class="parent" ><?=$link->name?></a> 
       <?php endforeach; ?>
```

```
</div>
   </div>
  </nav>
 </div>
</header>
About.php
<?php
include "models/about/author_functions.php";
 $author = author_of_site();
?>
<div class="container">
 <div class="row">
  <div class="wwd">
   <div class="col-sm-6"><img class="img-responsive" src="<?=$author->src?>"
alt="<?=$author->alt?>" height="350"></div>
   <div class="col-sm-6">
    <div class="column-inner">
     <div class="wrapper">
```

```
<h4 class="tf"><?=$author->name_surname?> </h4>
      <div class="desc">
       <?=$author->description?>
      </div>
      <div class="buttton">
       <form method="POST" action="models/about/export.php">
        <input type="submit" value="Export about author" class="btn btn-default"</pre>
name="export">
       </form>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
</div>
Login.php
<div class="container">
 <div class="row">
  <div class="col-sm-9" id="content">
   <div class="row">
    <div class="col-sm-6">
```

```
<div class="well">
      <h2>New Customer</h2>
      <strong>Register Account</strong>
      Sy creating an account you will be able to shop faster, be up to date on an order's
status, and keep track of the orders you have previously made.
      <a class="btn btn-primary" href="index.php?page=register">Continue</a></div>
    </div>
    <div class="col-sm-6">
     <div class="well">
      <h2>Returning Customer</h2>
      <strong>I am a returning customer</strong>
      <form enctype="multipart/form-data" method="post" action="models/auth/login.php">
       <div class="form-group">
        <label for="input-email" class="control-label">E-Mail Address</label>
        <input type="text" class="form-control" id="input-email" placeholder="E-Mail
Address" value="" name="email">
       </div>
       <div class="form-group">
        <label for="input-password" class="control-label">Password</label>
        <input type="password" class="form-control" id="input-password"
placeholder="Password" value="" name="password">
       <input type="submit" name="login" class="btn btn-primary" value="Login">
      </form>
     </div>
    </div>
```

```
</div>
  </div>
 </div>
</div>
Main.php
<div class="container">
 <div class="mainbanner">
 <div id="main-banner" class="owl-carousel home-slider">
  <?php
   include "models/products/functions.php";
   $banners = banner();
   foreach($banners as $banner):
  ?>
  <div class="item"> <a href="#"><img src="<?=$banner->src?>" alt="<?=$banner->alt?>"
class="img-responsive" /></a> </div>
   <?php endforeach; ?>
 </div>
</div>
</div>
<div class="container">
```

```
<div class="row">
  <div id="brand carouse" class="owl-carousel brand-logo">
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand1.png"</pre>
alt="Disney" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand2.png"</pre>
alt="Dell" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand3.png"</pre>
alt="Harley" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand4.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand5.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand6.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand7.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand8.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand9.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
    <div class="item text-center"> <a href="#"><img src="assets/image/brand/brand5.png"</pre>
alt="Canon" class="img-responsive" /></a> </div>
   </div>
 </div>
 <div class="row">
  <div id="content" class="col-sm-12">
   <div class="customtab">
    <div id="tabs" class="customtab-wrapper">
```

```
ul class='customtab-inner'>
      <a href="#tab-latest">Latest Products</a>
     </div>
    <div id="tab-latest" class="tab-content">
     <div class="box">
      <div id="latest-slidertab" class="row owl-carousel product-slider">
      <?php
        $latest = latestProducts();
        foreach($latest as $product):
      ?>
      <!-- tab latest one item -->
       <div class="item">
        <div class="product-thumb transition">
         <div class="image product-imageblock"> <a
href="index.php?page=product&id=<?=$product->productID?>"><img src="<?=$product-
>small?>" alt="<?=$product->name?>" title="<?=$product->name?>" class="img-responsive"
height="120" /> </a>
         </div>
```

```
<div class="caption product-detail">
         <h4 class="product-name"><a href="" title="<?=$product->name?>"><?=$product-
>name?></a></h4>
         $<?=$product->price?>
         </div>
        </div>
       </div>
       <?php endforeach; ?>
      </div>
     </div>
    </div>
    <!-- tab-latest-->
   </div>
   <h3 class="productblock-title">Best of our collection</h3>
   <div class="box">
    <div id="feature-slider" class="row owl-carousel product-slider">
     <?php
       $best = bestProducts();
      foreach($best as $pr):
```

```
?>
     <div class="item product-slider-item">
      <div class="product-thumb transition">
       <div class="image product-imageblock"> <a href="index.php?page=product&id=<?=$pr-</pre>
>productID?>"> <img src="<?=$pr->small?>" alt="<?=$pr->name?>" title="<?=$pr->name?>"
class="img-responsive" /> </a>
       </div>
       <div class="caption product-detail">
       <h4 class="product-name"><a href="index.php?page=product&id=<?=$pr-
>productID?>" title="<?=$pr->name?>"><?=$pr->name?></a></h4>
         <span class="price-new">$ <?=$pr->price ?></span>
</div>
      </div>
     </div>
       <?php endforeach; ?>
    </div>
   </div>
  </div>
 </div>
</div>
<?php
```

```
include "models/products/functions.php";
  $id = $_GET['id'];
  $product = getProductWithPictureById($id);
?>
<div class="container">
 <div class="row">
  <div id="column-left" class="col-sm-3 hidden-xs column-left">
  </div>
  <div id="content" class="col-sm-9">
   <div class="row">
    <div class="col-sm-6">
     <div class="thumbnails">
      <div><a class="thumbnail" href="<?=$product->small?>" title="<?=$product-
>name?>"><img src="<?=$product->small?>" title="<?=$product->productName?>"
alt="<?=$product->productName?>" /></a></div>
      <div id="product-thumbnail" class="owl-carousel">
       <div class="item">
        <div class="image-additional"><a class="thumbnail " href="<?=$product->big?>"
title="<?=$product->productName?>"> <img src="<?=$product->big?>" title="<?=$product-
>productName?>" alt="<?=$product->productName?>" /></a></div>
```

```
</div>
 </div>
</div>
</div>
<div class="col-sm-6">
<h1 class="productpage-title"><?=$product->name?></h1>
<h2 class="productpage-price">$ <?=$product->price?></h2>
 <hr>
<label>Brand:</label>
  <span> <a href="#"><?=$product->categoryName?></a></span>
  <?php if(isset($_SESSION['user'])): ?>
 <label>Product Code:</label>
  <span> <?=$product->code?></span>
 <?php endif; ?>
```

```
<?php if(!isset($_SESSION['user'])): ?>
     <label>Product Code:</label>
      <span>Please log in for product code...</span>
     <?php endif; ?>
    <hr>
    <?=$product->description?>
    <form method="POST" action="models/products/export-excel.php">
       <input type="submit" value="Export to excel" class="btn btn-default" name="export-
excel">
       <input type="hidden" value="<?=$product->productID?>" name="id" >
    </form>
   </div>
  </div>
 </div>
 </div>
</div>
```

```
Register.php
<?php
       if(isset($_GET['Message'])){
        echo '<h2>'.$_GET['Message'].'</h2>';
       }
      ?>
<div class="container">
  <div class="row">
    <div class="col-sm-9" id="content">
      <h1>Register Account</h1>
      If you already have an account with us, please login at the <a</p>
href="index.php?page=login">login page</a>.
      <form class="form-horizontal" method="post" action="models/auth/register.php">
        <fieldset id="account">
           <legend>Personal Detail</legend>
           <div class="form-group required">
            <label for="input-email" class="col-sm-2 control-label">E-Mail</label>
             <div class="col-sm-10">
               <input type="text" class="form-control" id="input-email" placeholder="E-Mail"
value="" name="email"><div id="mail-mistake"></div>
             </div>
           </div>
```

```
</fieldset>
        <fieldset>
          <legend>Your Password</legend>
          <div class="form-group required">
            <label for="input-password" class="col-sm-2 control-label">Password</label>
            <div class="col-sm-10">
               <input type="password" class="form-control" id="input-password"
placeholder="Password" value="" name="password"><div id="password-mistake"></div>
            </div>
          </div>
          <div class="form-group required">
            <label for="input-confirm" class="col-sm-2 control-label">Password
Confirm</label>
            <div class="col-sm-10">
               <input type="password" class="form-control" id="input-confirm"
placeholder="Password Confirm" value="" name="confirm-password">
               <div id="conf-password-mistake"></div>
            </div>
          </div>
        </fieldset>
        <div class="buttons">
          <div class="pull-center">
            <input type="submit" class="btn btn-primary" value="Register" name="register"
id="reg">
```

```
</div>
       </div>
     </form>
    </div>
  </div>
</div>
<script src="assets/js/reg-validation.js"></script>
Shop.php
<div class="container">
 <div class="row">
  <div id="column-left" class="col-sm-3 hidden-xs column-left">
  <div class="column-block">
    <div class="columnblock-title">Brands</div>
    <div class="category_block">
    <?php
      include "models/categories/functions.php";
      $categories = getAllCategories();
```

```
foreach($categories as $category):
    ?>
     id?>"><a href="#"><?=$category-</pre>
>name?></a>
      <?php endforeach; ?>
    </div>
  </div>
 </div>
  <div id="content" class="col-sm-9">
  <h2 class="category-title">Products</h2>
  <div class="category-page-wrapper">
   <div class="col-md-6 list-grid-wrapper">
     </div>
   <div class="col-md-2 text-right sort-wrapper">
    <label class="control-label" for="input-sort">Sort By :
    <div class="sort-inner">
     <select id="input-sort" class="form-control">
```

<option value="default" selected="selected">Default</option>

<option value="name-asc">Name (A - Z)</option>

```
<option value="name-desc">Name (Z - A)</option>
       <option value="price-asc">Price (Low &gt; High)</option>
       <option value="price-desc">Price (High &gt; Low)
      </select>
     </div>
    </div>
   </div>
   <br />
   <div class="grid-list-wrapper">
    <div class="container" id="products">
    <?php
     include "models/products/functions.php";
     $limit = isset($_GET['limit'])? $_GET['limit'] : 0;
     $products = getProductsWithPicturePag($limit);
     foreach($products as $product):
    ?>
    <div class="product-layout product-grid col-xs-12 col-lg-3">
     <div class="product-thumb">
      <div class="image product-imageblock"> <a
href="index.php?page=product&id=<?=$product->productID?>"> <img src="<?=$product-
>small?>" alt="<?=$product->name?>" title="<?=$product->name?>" class="img-responsive" />
</a>
```

```
</div>
     <div class="caption product-detail">
      <h4 class="product-name"> <a href="index.php?page=product&id=<?=$product-
>productID?>" title="<?=$product->name?>"><?=$product->name ?></a> </h4>
       $ <?=$product->price?> 
     </div>
    </div>
   </div>
    <?php endforeach; ?>
    </div>
  </div>
  <div class="category-page-wrapper">
   <div class="pagination-inner">
```

```
<?php
    $number_of_products = countPag();
                                       for($i=0; $i<$number_of_products; $i++): ?>
     <a href="#" class="pag" data-limit="<?=$i ?>"><?=$i+1?></a>
     <?php endfor; ?>
     </div>
   </div>
  </div>
 </div>
</div>
Connection.php
<?php
require_once "config.php";
try {
writeAccess();
 $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
  $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
 $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
```

}

```
catch(PDOException $ex){
  echo $ex->getMessage();
}
function executeQuery($query){
  global $conn;
  return $conn->query($query)->fetchAll();
}
function executeQueryOneRow($query){
  global $conn;
  return $conn->query($query)->fetch();
}
function writeError($error){
  $file = fopen(BASE_URL . "data/errors.txt", "a");
  $string = date("d.m.Y H:i:s") ."\t" . $error . "\n";
  fwrite($file, $string);
  fclose($file);
}
function writeAccess(){
  $file = fopen(BASE_URL ."data/log.txt","a");
```

```
$text = date("d.m.Y") . "\t" . basename($_SERVER['REQUEST_URI']) . "\t" .
$_SERVER['REMOTE_ADDR'] . "\n";

fwrite($file, $text);
 fclose($file);
}
```