

Practice


1. Install bootstrap

Local installation allows checking insides of bootstrap classes quickly



```
<link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<script src="css/bootstrap.bundle.min.js"></script>
```

2. Draw a wireframe for your practice



3. Implement your site according to your wireframe



4. There must be navigation bar, container class, buttons, and fonts from bootstrap lectures.

```
@import url('https://fonts.googleapis.com/css2?family=Montserrat:ital,wght@0,700;1,300&family=Open+Sans:wght@400;700&display=swap');
@import url('https://fonts.googleapis.com/css2?family=Montserrat:ital,wght@1,300&family=Open+Sans:wght@400;700&display=swap');
```

```
<div class="navbar navbar-expand-lg navbar-light bg-light shadow-sm">
  <div class="container-fluid">
    <a href="index.html" class="navbar-brand d-flex align-items-center">
      <strong class="ms-5">Cafe Bar</strong>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse justify-content-end" id="navbarSupportedContent">
      <ul class="navbar-nav mb-2 justify-content-center align-items-center">
        <li class="nav-item">
          <a class="navbar-a me-xxl-5" href="#">Блюда</a>
        </li>
        <li class="nav-item">
          <a class="navbar-a me-xxl-5" href="#">Десерты</a>
        </li>
        <li class="nav-item">
          <a class="navbar-a me-xxl-5" href="#pricelist">Прайслист</a>
        </li>
      </ul>
    </div>
  </div>
</div>
```

</p>

Выбрать напиток

Прайслист

</p>

5. Use grid layout system.

```
<div class="row " id="drinks">
  <div class="col">
    <div class="card shadow-sm">
      <div class="beverage-img" id="beverage-1" ></div>

      <div class="card-body">
        <h2>Мамосито</h2>
        <p class="card-text">Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.</p>
        <div class="d-flex justify-content-between align-items-center">
          <button type="button" class="btn btn-sm custom-button">Заказать</button>
          <small class="text-muted">1250₽.</small>
        </div>
      </div>
    </div>
  </div>

  <div class="col">
    <div class="card shadow-sm">
      <div class="beverage-img" id="beverage-2"></div>

      <div class="card-body">
        <h2>Макачино</h2>
        <p class="card-text">Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.</p>
        <div class="d-flex justify-content-between align-items-center">
          <div class="btn-group">
            <button type="button" class="btn btn-sm custom-button">Заказать</button>
          </div>
          <small class="text-muted">950₽.</small>
        </div>
      </div>
    </div>
  </div>
</div>
```

7. Upload to github and send me a link

<https://github.com/tomika03/Gunnin>


Practice

1. Create new site following lecture videos (you can choose any theme except tindog)

Добро пожаловать в Cafe Bar

Предлагаем вам выбрать напитки из широкого ассортимента.
Напитки на каждый день. Разнообразьте свой день с нашим меню.
Люди будьте добрее.

2. Add new title section



3. Add features section



Мамасито

Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.

ЗАКАЗАТЬ

1250тг.



Макачино

Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.

ЗАКАЗАТЬ

950тг.



Капучино

Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.

ЗАКАЗАТЬ

1150тг.



Принцесито

Отличный выбор для любителей высококачественных напитков. Подойдет под любой стиль жизни.

ЗАКАЗАТЬ

1250тг.

Прайслист

4. Add testimonials section with a carousel


```
<div class="py-5 bg-light">
  <div class="container py-5">
    <div id="carouselExampleControlsNoTouching" class="carousel slide mb-5" data-bs-touch="false" data-bs-interval="false">
      <div class="carousel-inner">
        <div class="carousel-item active">
          
        </div>
        <div class="carousel-item">
          
        </div>
        <div class="carousel-item">
          
        </div>
      </div>
      <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleControlsNoTouching" data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
      </button>
      <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleControlsNoTouching" data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
      </button>
    </div>
  </div>
</div>
```

5. Upload to github and send me a link

<https://github.com/tomika03/Gunnin>

CSS Practice

1. Create .css file to use external css
2. Link it with your html file (use html file from practice1 or you can create new one)
3. Create your favicon and use it



```

  v css
  # beverages.css
  JS bootstrap.bundle.min.js
  # bootstrap.min.css
  > img
  <> index.html M

```

```

1  <!doctype html>
2  <html lang="en">
3    <head>
4      <meta charset="utf-8">
5      <meta name="viewport" content="width=device-width, in
6      <title>Cafe Bar</title>
7      <link rel="shortcut icon" href="img/favicon.ico" type="in
8
9      <link href="css/bootstrap.min.css" rel="stylesheet">
10     <link rel="stylesheet" href="css/beverages.css">

```

4. Create at least 3 div classes

```
body h2 {
  color: var(--text-color-1);
}

.card-text {
  color: var(--text-color-2);
}

#logo {
  width: 3em;
  border-radius: 50%;
  margin-right: 0.5em;
  margin-left: 2em;
}

#breakline {
  height: 1px;
  background-color: var(--text-color-2);
  margin: 0 auto;
  width: 90%;
}

.beverage-img {
  height: 255px;
  background-position: center;
  background-size: cover;
}

#beverage-1 {background-image: url(/img/beverage1.png);}
#beverage-2 {background-image: url(/img/beverage2.jpeg);}
#beverage-3 {background-image: url(/img/beverage3.jpeg);}
#beverage-4 {background-image: url(/img/beverage4.jpeg);}
#beverage-5 {background-image: url(/img/beverage5.jpeg);}
#beverage-6 {background-image: url(/img/beverage6.jpeg);}
#beverage-7 {background-image: url(https://images.askmen.com/1080x540/2021/07/15-104443-what\_is\_pro)}
#beverage-8 {background-image: url(https://images.everydayhealth.com/images/heart-health/coffee-and)}
```


5. Use css commands such as border, margin, padding, height, width, display, position, sizing and font.

```
.navbar-a {
  text-decoration: none;
  color: #212529;
}

.card:hover{
  scale: 1.01;
  transition: 0.2s;
  box-shadow: 0 1rem 3rem #000000;
}

.custom-button {
  text-decoration: none;
  display: inline-block;
  padding: 0 12px;
  background: #cccccc;
  color: #000000;
  text-transform: uppercase;
  font-size: 12px;
  line-height: 28px;
  transition: .2s ease-in;
}

.custom-button:hover {
  background: #fc5a5a;
}

body {
  /* background-image: url(img/welcome2.jpeg); */
  /* background: linear-gradient( rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5) ), url('img/welcome.jpeg'); */

  /* background-image: linear-gradient(to right, #f7fff6, #dcffde 55%, #ecffec); */
  /* background-color: var(--bg-color-2); */
  background-color: #D3E4CD;
  /* color: white; */
  /* color: #FEF5ED; */

  background-repeat: no-repeat;
  background-size: cover;
}
```

6. There should be at least three types of these commands (For example: for border commands you can use border, border-width, border-style).

Automatically set by bootstrap

```
*, ::after, ::before {      bootstrap.min.css:65  
  box-sizing: border-box;  
}
```