K8s Deployment for Redis

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12$ k
ubectl get nodes
NAME                   STATUS   ROLES           AGE   VERSION
desktop-control-plane  Ready    control-plane   19m   v1.34.3
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12$
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/re
dis-lab$ kubectl apply -f redis-deployment.yaml
kubectl apply -f redis-service.yaml
deployment.apps/redis-deployment created
service/redis-service created
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/re
dis-lab$ kubectl get deployments
kubectl get pods
kubectl get svc
NAME               READY   UP-TO-DATE   AVAILABLE   AGE
redis-deployment   1/1     1            1           2m10s
NAME                                READY   STATUS    RESTARTS   AGE
redis-deployment-6845f97959-flbcr   1/1     Running   0          2m10s
NAME            TYPE        CLUSTER-IP     EXTERNAL-IP   PORT(S)
   AGE
kubernetes      ClusterIP   10.96.0.1      <none>        443/TCP
   23m
redis-service   NodePort    10.96.61.166   <none>        6379:30079/TCP
   2m5s
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/re
dis-lab$ kubectl get deployments
kubectl get pods
kubectl get svc
NAME               READY   UP-TO-DATE   AVAILABLE   AGE
redis-deployment   1/1     1            1           2m10s
NAME                                READY   STATUS    RESTARTS   AGE
redis-deployment-6845f97959-flbcr   1/1     Running   0          2m10s
NAME            TYPE        CLUSTER-IP     EXTERNAL-IP   PORT(S)
   AGE
kubernetes      ClusterIP   10.96.0.1      <none>        443/TCP
   23m
redis-service   NodePort    10.96.61.166   <none>        6379:30079/TCP
   2m5s
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/re
dis-lab$ kubectl run test-client --rm -it --image=redis:6.2 -- bash
All commands and output from this session will be recorded in container
 logs, including credentials and sensitive information passed through t
he command prompt.
If you don't see a command prompt, try pressing enter.
root@test-client:/data# redis-cli -h redis-service ping
PONG
root@test-client:/data# redis-cli -h redis-service set mykey "HelloK8s"
OK
root@test-client:/data# redis-cli -h redis-service get mykey
"HelloK8s"
root@test-client:/data#
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/ja
va-k8s$ kubectl apply -f java-deployment.yaml
kubectl apply -f java-service.yaml
deployment.apps/java-app created
service/java-service created
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/ja
va-k8s$ kubectl get deployments
kubectl get pods
kubectl get svc
NAME               READY   UP-TO-DATE   AVAILABLE   AGE
java-app           0/1     1            0           11s
redis-deployment   1/1     1            1           15m
NAME                                READY   STATUS              RESTART
S   AGE
java-app-5c6c7dfb58-6pxwf           0/1     ContainerCreating   0
    12s
redis-deployment-6845f97959-flbcr   1/1     Running             0
    15m
NAME            TYPE        CLUSTER-IP      EXTERNAL-IP   PORT(S)
    AGE
java-service    NodePort    10.96.202.225   <none>        80:30080/TCP
    12s
kubernetes      ClusterIP   10.96.0.1       <none>        443/TCP
    36m
redis-service   NodePort    10.96.61.166    <none>        6379:30079/TC
P   15m
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/week12/ja
va-k8s$
```


Hello World
localhost:8080
Mettre à jour
Conversation
NGINX
Part of F5
Server address: 127.0.0.1:80
Server name: java-app-5c6c7dfb58-6pxwf
Date: 01/Aug/2026:14:44:27 +0000
URI: /
Auto Refresh