


Multi-Tier Guestbook App on K8S

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get svc
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)
java-service                        NodePort            10.96.202.225    <none>            80:300
kubernetes                         ClusterIP           10.96.0.1        <none>            443/TCP
redis-follower                      ClusterIP           10.96.46.162     <none>            6379/TCP
redis-leader                       ClusterIP           10.96.64.130     <none>            6379/TCP
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
java-app-5c6c7dfb58-6pxwf          1/1     Running   0          42m
redis-follower-66847965fb-5wlmz     1/1     Running   0          50s
redis-follower-66847965fb-785wr     1/1     Running   0          50s
redis-leader-5ccf59475f-d24gt       1/1     Running   0          94s
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get pods -l app=guestbook -l tier=frontend
NAME                                READY    STATUS             RESTARTS
AGE
frontend-6b46678c94-5vj2b          0/1      ContainerCreating   0
14s
frontend-6b46678c94-dmnww          0/1      ContainerCreating   0
14s
frontend-6b46678c94-nqjv2          0/1      ContainerCreating   0
14s
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get svc
NAME                                TYPE          CLUSTER-IP      EXTERNAL-IP      PORT(S)
AGE
java-service                        NodePort       10.96.202.225    <none>            80:300
80/TCP                             43m
kubernetes                          ClusterIP      10.96.0.1        <none>            443/TCP
P                                  79m
redis-follower                      ClusterIP      10.96.46.162     <none>            6379/TCP
CP                                  75s
redis-leader                        ClusterIP      10.96.64.130     <none>            6379/TCP
CP                                  2m7s
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get pods -l app=guestbook -l tier=frontend
NAME                                READY    STATUS             RESTARTS   AGE
frontend-6b46678c94-5vj2b          1/1      Running            0           9m17s
frontend-6b46678c94-dmnww          1/1      Running            0           9m17s
frontend-6b46678c94-nqjv2          1/1      Running            0           9m17s
```



```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get pods -l app=guestbook -l tier=frontend
NAME                                READY   STATUS    RESTARTS   AGE
frontend-6b46678c94-5vj2b           1/1     Running   0           11m
frontend-6b46678c94-8ctww           1/1     Running   0           6s
frontend-6b46678c94-8njtq           1/1     Running   0           6s
frontend-6b46678c94-dmrww           1/1     Running   0           11m
frontend-6b46678c94-nqjv2           1/1     Running   0           11m
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$
```

```
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl delete deployment -l app=redis
kubectl delete service -l app=redis
kubectl delete deployment frontend
kubectl delete service frontend
deployment.apps "redis-follower" deleted from default namespace
deployment.apps "redis-leader" deleted from default namespace
service "redis-follower" deleted from default namespace
service "redis-leader" deleted from default namespace
deployment.apps "frontend" deleted from default namespace
service "frontend" deleted from default namespace
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$ kubectl get pods
NAME                                READY   STATUS    RESTARTS
AGE
java-app-5c6c7dfb58-6pxwf           1/1     Running   0
55m
redis-follower-66847965fb-5wlmz     1/1     Terminating 0
14m
redis-follower-66847965fb-785wr     1/1     Terminating 0
14m
seife@SeifEddine:/mnt/c/Users/seife/OneDrive/Desktop/LABS etc/wee
k12$
```