




LAB | Deploy a Multi-Tier App with Ingress



```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ docker push tomioka05/lab-backend:1.0
The push refers to repository [docker.io/tomioka05/lab-backend]
0a755beed12d: Pushed
f9efcf207b34: Pushed
b2cbbfe903b0: Pushed
fff4e2c1b189: Pushed
6a0ac1617861: Mounted from library/redis
bf24a689c802: Pushed
4feea04c1543: Pushed
191b95f72dd3: Pushed
1c5e4959ec61: Pushed
1.0: digest: sha256:dc6399e41f07ef9ad9952d4d719efc93891d785649c706a848160e6cf6ac3025 size: 856
The push refers to repository [docker.io/tomioka05/lab-frontend]
4e09d840e16e: Pushed
85554e195010: Pushed
9d80b52aca3c: Pushed
696fe85c76cd: Pushed
747ffc4966dd: Pushed
e0b71e755d67: Pushed
f982d9d7587e: Pushed
6a0ac1617861: Mounted from tomioka05/lab-backend
2ff91eb02cdc: Pushed
d4676175f322: Pushed
85b35b23af40: Pushed
1.0: digest: sha256:933116a35cbad5dbf9ba8336927dc0cfe8eb31993e77f772ff623811b58d9ec7 size: 856
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ kubectl get svc -n ingress-nginx
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      AGE
ingress-nginx-controller            LoadBalancer        172.20.169.4    a68426cd3b1b641f29ccc3cf766238b8-4be93a8ea105ae6d.elb.eu-central-1.amazonaws.com 80:31070/TCP,443:32689/TCP 42h
ingress-nginx-controller-admission ClusterIP             172.20.41.90    <none>           443/TCP 42h
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ kubectl get deploy,svc,ingress -n demo-tomioka05 -o wide
NAME                                READY  UP-TO-DATE  AVAILABLE  AGE  CONTAINERS  IMAGES
deployment.apps/backend            2/2    2            2           34s  backend     tomioka05/lab-backend:1.0 app=backend
deployment.apps/frontend            2/2    2            2           22s  frontend    tomioka05/lab-frontend:1.0 app=frontend

NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)    AGE  SELECTOR
service/backend                    ClusterIP            172.20.201.35    <none>           3000/TCP    34s  app=backend
service/frontend                   ClusterIP            172.20.74.245    <none>           80/TCP      22s  app=frontend

NAME                                CLASS  HOSTS                                ADDRESS  PORTS
ingress.networking.k8s.io/app-ingress  nginx  app.tomioka05.diogohack.shop        80
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ kubectl get pods -n demo-tomioka05
```

NAME	READY	STATUS	RESTARTS	AGE
backend-65c6ff5dc-5jpmq	1/1	Running	0	2m36s
backend-65c6ff5dc-n5wms	1/1	Running	0	2m36s
frontend-777589c4d7-6vrzt	1/1	Running	0	2m24s
frontend-777589c4d7-lvn4n	1/1	Running	0	2m24s

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ kubectl get svc -n ingress-nginx
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	AGE
ingress-nginx-controller	LoadBalancer	172.20.169.4	a68426cd3b1b641f29ccc3cf766238b8-4be93a8ea105ae6d.elb.eu-central-1.amazonaws.com	42h
ingress-nginx-controller-admission	ClusterIP	172.20.41.90	<none>	42h

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

```
seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$ curl -H "Host: app.tomioka05.dogohack.shop" \
http://a68426cd3b1b641f29ccc3cf766238b8-4be93a8ea105ae6d.elb.eu-central-1.amazonaws.com/api/ping
```

```
{"ok":true,"message":"pong","service":"backend","time":"2026-06-20T13:47:43.639Z","hostname":"backend-65c6ff5dc-n5wms"}seife@SeifEddine:/mnt/c/Users/seife/multi-tier-ingress-eks-lab$
```

The deployment is working but Route 53 DNS configuration is problematic.

pods are running, ingress is configured, ELB exists. The Ingress routes requests correctly curl = pong