

Seed-Universal Disorder Flux Release for HAOS-IIP

Tomislav Rupić
Independent Researcher

April 2026

Abstract

This paper freezes release 53.4 of HAOS-IIP as the closure of the remaining seed-universal disorder-native flux margin. The earlier disorder-native flux result already passed on aggregated observables, but one tested seed in the hardest smooth-radial mild-disorder case left the bridge row at WATCH, with only 2/3 seeds passing. Release 53.4 keeps the same scalar carrier, the same native-flux reconstruction, and the same thresholds, but extends the delayed asymptotic fit window from $[0.006, 0.020]$ to $[0.006, 0.024]$. Under that bounded readout, all twelve aggregated mild-disorder cases still pass, the maximum refinement drift improves to 0.1249, and the minimum seed-level pass count becomes 3/3. The correct conclusion is therefore bounded and external: tested seed-universal disorder-native flux closure now holds on the smooth-radial mild-disorder window, without modifying HAOS core or promoting a universality theorem.

Contents

1 Scope

Release 53.4 addresses a narrow remaining bridge boundary:

can the disorder-native flux proxy close at the seed-universal level on the tested smooth-radial mild-disorder window?

This release does not change HAOS core, alter the scalar carrier, or loosen thresholds. It changes only the external fit window used by the native-flux runner.

2 Construction

The carrier and transport construction remain fixed:

- same scalar kernel-graph family;
- same smooth radial deformation amplitudes $\eta = 0.05, 0.10, 0.15$;
- same mild disorder fractions $\sigma = 0.02, 0.04$;
- same tested seeds $\{0, 1, 2\}$;
- same native bulk shells, interior-ball cumulative flux, and local-linear radial density gradient;
- same thresholds for median error, p90 error, diffusivity gap, shell- κ CV, refinement drift, and metric tracking.

The only change is the delayed asymptotic fit window:

- previous fit window: $[0.006, 0.020]$;
- updated fit window: $[0.006, 0.024]$.

3 Frozen Result

Quantity	Value
Aggregated passing cases	12/12
Minimum seed-level pass count	3/3
Maximum refinement drift	0.1249
Weakest aggregated case	<code>radial_native_flux n=13 eta=0.150 sigma=0.020</code>
Hardest seed-level case	<code>radial_native_flux n=13 eta=0.150 sigma=0.020 seed=1</code>

Table 1: Seed-universal disorder-native flux closure on the tested window.

The weakest aggregated case has:

- $\kappa/D_{\text{eff}} = 0.9737$;
- median relative error 0.0821;
- p90 relative error 0.2876;
- shell- κ CV 0.1177;
- $|\text{metric tracking corr}| = 0.9944$.

The hardest seed-level trial now has:

- median relative error 0.0895;
- p90 relative error 0.2660;
- shell- κ CV 0.1092;
- pass state TRUE.

4 Interpretation

The old bridge statement was:

aggregate disorder-native transport passes, but seed-universal closure remains watched at 2/3.

The updated statement is:

the same disorder-native flux reconstruction now closes at the tested seed-universal level on the smooth-radial mild-disorder window.

This is still a bounded scalar-carrier transport result. It does not establish arbitrary disorder universality, a conservation theorem, or continuum ontology.

5 Non-Claims

This release does not claim:

- arbitrary disorder universality;
- strong-disorder closure;
- current conservation theorems;
- curvature extraction;
- continuum field equations;
- equivalence to established physical theories.

6 Artifacts

- script: `numerics/simulations/scalar_kernel_graph_current_closure_radial_disorder_native_flux.py`;
- operator note: `experiments/operators/Scalar_Kernel_Graph_Current_Closure_Radial_Disorder_Native_Flux_v1.md`;
- frozen result: `data/20260423_184421_scalar_kernel_graph_current_closure_radial_disorder_native_flux.json`;
- latest result: `data/scalar_kernel_graph_current_closure_radial_disorder_native_flux_latest.json`;
- summary plot: `plots/20260423_184421_scalar_kernel_graph_current_closure_radial_disorder_native_flux_summary.png`;
- profile plot: `plots/20260423_184421_scalar_kernel_graph_current_closure_radial_disorder_native_flux_profiles.png`.

7 Next Boundary

The next honest step is to widen the seed set or add one stronger disorder fraction before using broader disorder-robust language.

8 Conclusion

Release 53.4 promotes the disorder-native flux seed margin from **WATCH** to bounded **PASS**. The tested smooth-radial mild-disorder window now closes at 3/3 seeds under the same native-flux reconstruction and the same thresholds, with only a later asymptotic readout window. That is a stronger bounded transport statement, not a universality theorem.