# **JBoss Transactions 4.8.0**

## **Release Notes**

JBTS-RN-9/22/09



JBTS-RN-9/22/09

#### **Legal Notices**

The information contained in this documentation is subject to change without notice.

JBoss Inc. makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. JBoss Inc. shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Java<sup>TM</sup> and J2EE is a U.S. trademark of Sun Microsystems, Inc. Microsoft® and Windows NT® are registered trademarks of Microsoft Corporation. Oracle® is a registered U.S. trademark and Oracle9<sup>TM</sup>, Oracle9 Server<sup>TM</sup> Oracle9 Enterprise Edition<sup>TM</sup> are trademarks of Oracle Corporation. Unix is used here as a generic term covering all versions of the UNIX® operating system. UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Limited.

Arjuna is a trademark of Hewlett-Packard Company and is used here under licence.

#### Copyright

JBoss, Home of Professional Open Source Copyright 2006, JBoss Inc., and individual contributors as indicated by the @authors tag. All rights reserved.

See the copyright.txt in the distribution for a full listing of individual contributors. This copyrighted material is made available to anyone wishing to use, modify, copy, or redistribute it subject to the terms and conditions of the GNU General Public License, v. 2.0. This program is distributed in the hope that it will be useful, but WITHOUT A WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See the GNU General Public License for more details. You should have received a copy of the GNU General Public License, v. 2.0 along with this distribution; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, \* MA 02110-1301, USA.

#### **Software Version**

JBoss Transactions 4.8.0.

#### **Restricted Rights Legend**

Use, duplication, or disclosure is subject to restrictions as set forth in contract subdivision (c)(1)(ii) of the Rights in Technical Data and Computer Software clause 52.227-FAR14.

© Copyright 2009 JBoss Inc.

# Contents

## **Table Of Contents**

About This Guide	4	Contacting Us
What This Guide Contains	4	Release notes
Audience		
Prerequisites	4	Enhancements
Organization	4	Fixed issues
Documentation Conventions	4	Known issues
		Deprecations

# **About This Guide**

## **What This Guide Contains**

The Release Notes contains important information on changes to JBoss Transactions 4.8.0 since the last release and information on any outstanding issues.

## **Audience**

This guide is most relevant to engineers who are responsible for administering JBoss Transactions 4.8.0 installations.

## **Prerequisites**

None.

## Organization

This guide contains the following chapters:

• Chapter 1, Release notes: contains the actual release notes.

## **Documentation Conventions**

The following conventions are used in this guide:

Convention	Description
Italic	In paragraph text, italic identifies the titles of documents that are being referenced. When used in conjunction with the Code text described below, italics identify a variable that should be replaced by the user with an actual value.
Bold	Emphasizes items of particular importance.
Code	Text that represents programming code.
Function   Function	A path to a function or dialog box within an interface. For example, "Select File   Open." indicates that you should select the Open function from the File menu.
( ) and	Parentheses enclose optional items in command syntax. The vertical bar separates syntax items in a list of choices. For example,

	any of the following three items can be entered in this syntax:
	<pre>persistPolicy (Never   OnTimer   OnUpdate   NoMoreOftenThan)</pre>
Note:	A note highlights important supplemental information.
Caution:	A caution highlights procedures or information that is necessary to avoid damage to equipment, damage to software, loss of data, or invalid test results.

Table 1 Formatting Conventions

## **Additional Documentation**

In addition to this guide, the following guides are available in the JBoss Transactions 4.8.0 documentation set:

- **JBoss Transactions 4.8.0** *Administration Guide*: Provides information on administering JBoss Transactions 4.8.0.
- **JBoss Transactions 4.8.0** *Installation Guide*: This guide provides instructions for installing JBoss Transactions 4.8.0.
- **JBoss Transactions 4.8.0** *Programmer's Guide*: Provides guidance for writing applications.
- **JBoss Transactions 4.8.0** *Quick Start Guide*: Getting started with JBossTS; not for a novice user.
- JBoss Transactions API *Programmer's Guide*: Provides guidance when using the JTA for building transactional applications.
- JBoss Transactions *Failure Recovery Guide*: Describes the failure recovery aspects of JBossTS.
- TxCore *Programmer's Guide*: Describes how to write transactional applications using the non-distributed transaction engine at the heart of JBossTS.

## **Contacting Us**

Questions or comments about JBoss Transactions 4.8.0 should be directed to our support team.

# Release notes

### **Enhancements**

These are tracked online via. JIRA, see http://jira.jboss.com/jira/browse/JBTM

### Fixed issues

• These are tracked online via. JIRA, see http://jira.jboss.com/jira/browse/JBTM

### **Known issues**

• These are tracked online via. JIRA, see http://jira.jboss.com/jira/browse/JBTM

## **Deprecations**

Provision of Oracle specific recovery module and database handling code, as the generic one works fine for current Oracle versions.

## **Upgrade Notes**

This version targets JDK 6 and JBossAS 6. Compatibility with earlier versions of the JDK and application server is untested.

This version uses a new properties file format. Upgrading users will need to either a) discard their existing properties file (if it is unaltered) or b) reapply any changes from the default settings to the new configuration file. The new properties mechanism is designed to facilitate configuration of JBossTS with bean wiring frameworks e.g. JBossMicrocontainer. The properties file changes are twofold. Firstly, the file format is now standard java.util.Properties .xml in place of the previous proprietary schema. This eliminates the need to ensure properties are placed in the correct hierarchical section of the file. Secondly, property keys are now of the form <BeanName>.cpropertyName> rather than the previous <com.arjuna....> strings, which are now deprecated. A more thorough discussion of the revised properties handling system is provided in the programmer's guide.