
EXPERIMENT NO. 12

Perform CRUD operations in Mongodb in a registration form

Registration form

```
<html>
<head>
 <title>Add Data</title>
</head>
<body>
 <a href="index2.php">Home</a>
 <br/><br/>
 <form action="add.php" method="post" name="form1">
   Name
      <input type="text" name="name">
     Age 
      <input type="text" name="age">
    Email
      <input type="text" name="email">
    <input type="submit" name="Submit" value="Add">
    </form>
</body>
</html>
```

In Browser




C-Create Connection

```
//connectioncrude.php


</php
require 'vendor/autoload.php';
$connection = (new MongoDB\Client);
echo "$connection";
$db=$connection->user2;
echo "$db";
$collection=$db->details;
?>
```

Result

In Browser




mongodb://127.0.0.1/user2




Insert Values


```
'email' => $_POST['email']
);
$db->users->insertOne($user);
echo "<font color='green'>Data added successfully.";
echo "<br/>br/><a href='index2.php'>View Result</a>";
}
?>
</body>
</html>
```

In Browser






mongodb://127.0.0.1/user2Data added successfully. View Result



R-Read

```
Age
           Email
           Update
     <?php
     foreach ($result as $res) {
           echo "";
           echo "".$res['name']."";
           echo "".$res['age']."";
           echo "".$res['email']."";
           echo "<a href=\"edit.php?id=$res[_id]\">Edit</a> | <a
href=\"delete.php?id=$res[_id]\" onClick=\"return confirm('Are you sure you
want to delete?')\">Delete</a>";
     ?>
     </body>
</html>
```

In Browser




U-Update

```
//edit.php
<?php
include_once("connectioncrude.php");
if(isset($_POST['update']))
      $id = $_POST['id'];
      ne1 = POST['name'];
      age1 = POST['age'];
      $email1 = $_POST['email'];
             $db->users->updateOne(
                    ['_id' => new MongoDB\BSON\ObjectID($id)],
                    ['$set' => ['name' => $name1, 'age' => $age1, 'email' =>
$email1,]]);
             header("Location: index2.php");
}
?>
<?php
$id = $_GET['id'];
$result = $db->users->findOne(['_id' => new
MongoDB\BSON\ObjectID($id)]);
$name = $result['name'];
$age = $result['age'];
$email = $result['email'];
?>
<html>
<head>
      <title>Edit Data</title>
</head>
<body>
      <a href="index2.php">Home</a>
      <br/><br/>
      <form name="form1" method="post" action="edit.php">
```

```
Name
                   <input type="text" name="name"
value="<?php echo $name;?>">
               Age 
                   <input type="text" name="age"
value="<?php echo $age;?>">
              Email
                   <input type="text" name="email"
value="<?php echo $email;?>">
              <input type="hidden" name="id"
value=<?php echo $_GET['id'];?>>
                   <input type="submit" name="update"
value="Update">
              </form>
</body>
</html>
```


In Browser











D-Delete

//delete.php

<?php

include("connectioncrude.php");

\$id = \$_GET['id'];

echo \$id;

\$db->users->deleteOne(['_id' => new MongoDB\BSON\ObjectID(\$id)]);

header("Location:index2.php");

?>

Result

In Browser



