


FMUSER FUQ-4339K-N V2 Network Encoder 48 HDMI Inputs IP Outputs HEVC-H.265 H.264 Encoding Multi-Protocol Streaming for IP Broadcasting




Product Overview

The FMUSER FUQ-4339K-N (V2) is a network encoder with 48 HDMI inputs and IP outputs. It encodes video in HEVC/H.265 and MPEG-4 AVC/H.264 formats, and audio in MPEG-1 Layer 2, LC-AAC, HE-AAC, with AC3 Pass Through. This 2-U rack-mountable device streams via UDP, SRT, RTSP, RTMP, HTTP, and HLS. Ideal for IP broadcasting in studios and streaming services.

Key feature

- Features 48 HDMI inputs configurable via six encoder modules for SPTS output.
- Supports HEVC/H.265 and MPEG-4 AVC/H.264 video encoding.
- Offers flexible audio options including MPEG-1 Layer 2, LC-AAC, HE-AAC, and AC3 Pass Through.
- Provides multi-protocol IP output via UDP, SRT, RTSP, RTMP, HTTP, and HLS.
- Enables enhanced features like QR code, LOGO, and caption insertion.

Inner Principle Chart (Per 8-HDMI Module)



Specifications

Input	48 HDMI inputs	48 HDMI inputs	48 HDMI inputs	48 HDMI inputs
Video	Resolution	input	input	1920×1080_60P, 1920×1080_60i, 1920×1080_50P, 1920×1080_50i, 1280×720_60P, 1280×720_50P, 720 x 576_50i,720 x 480_60i
Video	Resolution	Output	Output	1920×1080_30P, 1920×1080_25P, 1280×720_30P, 1280×720_25P, 720 x 576_25P, 720 x 480_30P
Video	Encoding	Encoding	Encoding	HEVC/H.265 HD/SD; MPEG-4 AVC/H.264 HD/SD
Video	Bit-rate	Bit-rate	Bit-rate	1~13Mbps each channel
Video	Rate Control	Rate Control	Rate Control	CBR/VBR
Video	GOP Structure	GOP Structure	GOP Structure	IP...P (P Frame adjustment, without B Frame)

Audio	Encoding	Encoding	Encoding	MPEG-1 Layer 2, LC-AAC, HE-AAC and AC3 Pass through
Audio	Sampling rate	Sampling rate	Sampling rate	32KHz, 48KHz, 44.1KHz
Audio	Resolution	Resolution	Resolution	24-bit
Audio	Audio Gain	Audio Gain	Audio Gain	0-255 Adjustable
Audio	MPEG-1 Layer 2 Bit-rate	MPEG-1 Layer 2 Bit-rate	MPEG-1 Layer 2 Bit-rate	48/56/64/80/96/112/128/160/192/224/256/320/384 kbps
Audio	LC-AAC Bit-rate	LC-AAC Bit-rate	LC-AAC Bit-rate	48/56/64/80/96/112/128/160/192/224/256/320/384 kbps
Audio	HE-AAC Bit-rate	HE-AAC Bit-rate	HE-AAC Bit-rate	48/56/64/80/96/112/128 kbps
Stream output	IP out over UDP (Unicast/Multicast), SRT, RTP, RTSP, RTMP, HTTP, HLS (RJ45, 1000M) (8 HDMI inputs with 8 SPTS for each encoder board)	IP out over UDP (Unicast/Multicast), SRT, RTP, RTSP, RTMP, HTTP, HLS (RJ45, 1000M) (8 HDMI inputs with 8 SPTS for each encoder board)	IP out over UDP (Unicast/Multicast), SRT, RTP, RTSP, RTMP, HTTP, HLS (RJ45, 1000M) (8 HDMI inputs with 8 SPTS for each encoder board)	IP out over UDP (Unicast/Multicast), SRT, RTP, RTSP, RTMP, HTTP, HLS (RJ45, 1000M) (8 HDMI inputs with 8 SPTS for each encoder board)
System function	Network management (WEB)	Network management (WEB)	Network management (WEB)	Network management (WEB)
System function	Chinese and English language	Chinese and English language	Chinese and English language	Chinese and English language
System function	Ethernet software upgrade	Ethernet software upgrade	Ethernet software upgrade	Ethernet software upgrade
Miscellaneous	Dimension (W×L×H)	Dimension (W×L×H)	482mm×328mm×88mm	482mm×328mm×88mm
Miscellaneous	Environment	Environment	0~45℃ (work) ■ -20~80℃ ■ Storage ■	0~45℃ (work) ■ -20~80℃ ■ Storage ■

Miscellaneous	Power requirements	Power requirements	AC 110V± 10%, 50/60Hz, AC 220 ± 10%, 50/60Hz	AC 110V± 10%, 50/60Hz, AC 220 ± 10%, 50/60Hz
---------------	--------------------	--------------------	--	--

Major spec comparison

	FU-4339S-N	FU-4339M-N v1	FU-4339M-N v2
HDMI Channel	8/16/24	2/4/8/16/24	48
Video Format	H.264	H.264/H.265	H.264/H.265
Resolution	HD/SD	HD	HD/SD
OSD	Yes	No	Yes
Chassis	1-U	1-U	2-U

About Us

FMUSER is a company specializing in broadcasting and television transmission systems and integrating hotel IPTV systems. The company was established in 2009 and has served over 180 countries worldwide. More than 20,000 television stations, radio stations, and hotel clients from different.

Contact:Tomleequan Email■sales@fmuser.com whatsapp: [+8613922702227](https://wa.me/8613922702227)