

0.0.1 Vehicle Manager - Maintenance Manager

Retrive car's components status	
Parameter(s)	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier does not match any vehicle registered in the system	Returns a specific error.
The car identifier matches one vehicle registered in the system	Returns in an encoded form the status informations regarding the vehicle's components.

Retrive car's status	
Parameters	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier does not match any vehicle registered in the system	Returns a specific error.
The car identifier matches one vehicle registered in the system	Returns in an encoded form the status informations regarding the vehicle.

Perform diagnostic on car's components	
Parameters	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier does not match any vehicle registered in the system	Returns a specific error.
The car identifier matches one vehicle registered in the system	Returns in an encoded form the updated status informations regarding the vehicle's components.

Unlock the vehicle	
Parameter(s)	Car identificator
Pre-condition(s)	Post-condition(s)
The car identificator is associated to no vehicle registered in the system.	Returns a specific error.
The vehicle matched by the car identificator provided is already unlocked.	Returns a specific error.

The car identifier is associated to one vehicle registered in the system. The vehicle matched is locked.	Returns a positive notification. The vehicle is unlocked.
----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------

Lock a vehicle	
Parameter(s)	Car indentificator
Pre-condition(s)	Post-condition(s)
The car identifier is not associated to any vehicle registered in the system.	Returns a specific error.
The vehicle matched by the car identifier provided is already locked.	Returns a specific error.
The vehicle matched by the car identifier has the engine turn on.	Returns a specific error.
The vehicle matched by the car identifier has the vehicle's keys not inserted in the vehicle's panel.	Returns a specific error.
The vehicle matched by the car identifier has at least one passenger inside.	Returns a specific error.
The vehicle matched by the car identifier has at least one door open.	Returns a specific error.
The vehicle matched by the car identifier is not inside a parking area.	Returns a specific error.
The car identifier matches one vehicle register inside the system. The vehicle matched is unlocked. The vehicle matched has the engine turned off. The vehicle matched has the vehicle's keys inserted in the vehicle's panel. The vehicle matched has no passenger inside. The vehicle matched has no door open. The vehicle matched is inside a parking area.	Returns a positive notification. The vehicle is locked.

0.0.2 Account Manager -; Authentication Manager

Delete an user account	
Parameter(s)	Account identifier
Pre-condition(s)	Post-condition(s)
No user account is matched by the account identifier.	Returns a specific error. Nothing is deleted from the system's storage.
The account identifier does not respect the designed account identifier patter	Returns a specific error. Nothing is deleted from the system's storage.
The account identifier matches one user account stored in the system's storage.	Returns a positive notification. The account matched and all related informations are removed from the system's storage.

Edit user informations	
Parameter(s)	Account identifier, information field indentifier(s), updated information(s)
Pre-condition(s)	Post-condition(s)
No user account is matched by the account identifier.	Returns a specific error. Nothing is deleted from the system's storage.
The account identifier does not respect the design account identifier patter	Returns a specific error. Nothing is deleted from the system's storage.
No information field recorded in the system's storage is matched by the information field identifier(s).	Return a sppecific error. No modification is performed to the informations stored in the system's storage.
The information field identifiers do not respect the designed information field identifier pattern.	Return a specific error. No modification is performed to the informations stored in the system's storage.
The updated informations do not respect the designed input pattern.	No modification is performed to the informations stored in the system's storage.

The account identifier matches one user account stored in the system's storage. The information field identifiers respect the designed information field identifier pattern. All the information fields are matched by the information field identifiers. All the updated informations respect the designed input pattern.	Returns a positive notification. The updates are performed correctly.
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------

Verify an user account existence	
Parameter(s)	Account identifier
Pre-condition(s)	Post-condition(s)
No user account is matched by the account identifier.	Returns a specific error. .
The account identifier does not respect the designed account identifier patter	Returns a specific error. .
The account identifier matches one user account stored in the system's storage.	Returns a positive notification. .

Performe the access to the system's services	
Parameter(s)	Identification credentials, authentication credentials
Pre-condition(s)	Post-condition(s)
No user account is matched by the indentification credentials.	Returns a specific error. System's services usage and access is not granted. No other action is performed.
The authentication credentials are not verified	Returns a specific error. System's services usage and access is not granted. No other action is performed.
The identification credentials does not respect the designed input patter.	Returns a specific error. System's services access and usage is not granted. No other action is performed.

The indentication credentials match one user account stored in the system's storage. The authentication credentials are verified.	Returns a positive notification. The access and usage to the system's services is granted.
-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------

Register an user account	
Parameter(s)	Identification credentials, driving license informations, payment informations, user informations
Pre-condition(s)	Post-condition(s)
The indentication credentials do not respect the designed input pattern.	Returns a specific error. No information is stored in the system's storage. No other action is performed.
The user informations do not respect the designed input patter.	Returns a specific error. No information is stored in the system's storage. No other action is performed.
One user account is matched by the indentication credentials.	Returns a specific error. No information is stored in the system's storage. No other action is performed.
The driving license informations are not valid	Returns a specific error. No information is stored in the system's storage. No other action is performed.
The driving license informations are already stored in the system's storage.	Returns a specific error. No information is stored in the system's storage. No other action is performed.
The payment informations are not valid.	Returns a specific error. No information is stored in the system's storage. No other action is performed.

<p>The indentication credentials and the user informations respect the designed input pattern. No account is matched by the identification credentials. The driving license informations are not stored in the system's storage. The driving license informations are valid. The payment informations are valid.</p>	<p>Returns a positive notification. All the informations are stored in the system's storage.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

0.0.3 Reservation Manage -¿ Authentication Manager

Create a reservation	
Parameter(s)	Account indentificator, car indentificator
Pre-condition(s)	Post-condition(s)
The account indentificator is not associated to any registered account in the system	Returns a specific error. Nothing is recorded in the system.
The car indentificator is not associated to any registered vehicle in the system	Returns a specific error. Nothing is recorded in the system.
The vehicle associated to the car indentificator provided is currently unavailable.	Returns a specific error. Nothing is recorded in the system.
The account indentificator is associated to one registered account. The car indentificator is associated to one registered vehicle in the system. The vehicle associated to the car indentificator is currently available.	Returns a positive notification. The reservation is created in the system, associating it to the account indentificator and the car indentificator provided, along with the reservation details. The timer associated to the reservation is associated.

Delete current reservation	
Parameter(s)	Account indentificator
Pre-condition(s)	Post-condition(s)
The account indentificator is not associated to any registered account in the system	Returns a specific error. Nothing is recorded in the system.
The account indentificator matches an existing account with no current reservation associated	Returns a specific error. Nothing is removed from the system.
The account indentificator is associated to one registered account.	Returns a positive notification. The reservation is created in the system, associating it to the account indentificator and the car indentificator provided, along with reservation details. Existing timers are removed.

Update current reservation

Parameter(s)	Account indentifier, event
Pre-condition(s)	Post-condition(s)
The account identifier is not associated to any registered account in the system	Returns a specific error. Nothing is recorded in the system.
The account identifier matches an existing account with no current reservation associated	Returns a specific error. Nothing is recorded in the system.
The event is not correctly encoded	Returns a specific error. Nothing is recorded in the system.
The account identifier is associated to one registered account. The event is correctly encoded	Returns a positive notification. The reservation associated to the matched account is updated with the informations contained in the encoded event.

Retrieve current reservation details	
Parameter(s)	Account identifier
Pre-condition(s)	Post-condition(s)
The account identifier is not associated to any registered account in the system	Returns a specific error.
The account identifier matches an existing account with no current reservation associated	Returns a specific error.
The account identifier is associated to one registered account. The registered account has a current reservation associated.	Returns a positive notification. Returns the reservation details correctly encoded.

Retrieve specific-reservation details	
Parameter(s)	Account identifier, filtering option, ordering option
Pre-condition(s)	Post-condition(s)
The account identifier is not associated to any registered account in the system	Returns a specific error.
The filtering option provided is not accepted	Returns a specific error.

The account identifier matches an existing account with no reservations associated	Returns a specific error.
The list of reservations retrieved using the filter option is empty.	Returns a specific error.
The ordering option provided is not accepted	Returns a specific error.
The account identifier is associated to one registered account. The registered account has at least one reservation associated. The filtering option is accepted. The ordering option is accepted. The list of reservations retrieved using the filter option is not empty.	Returns a positive notification. Returns the details of all the reservations retrieved applying the filtering option in the order specified by the ordering option. The list is returned in a correctly encoded format.

0.0.4 Vehicle Manager -¿ Authentication Manager

Unlock the vehicle	
Parameter(s)	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier is associated to any vehicle registered in the system.	Returns a specific error.
The vehicle matched by the car identifier provided is already unlocked.	Returns a specific error.
The car identifier is associated to one vehicle registered in the system. The vehicle matched is locked.	Returns a positive notification. The vehicle is unlocked.

Lock a vehicle	
Parameter(s)	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier is not associated to any vehicle registered in the system.	Returns a specific error.
The vehicle matched by the car identifier provided is already locked.	Returns a specific error.

The vehicle matched by the car identifier has the engine turn on.	Returns a specific error.
The vehicle matched by the car identifier has the vehicle's keys not inserted in the vehicle's panel.	Returns a specific error.
The vehicle matched by the car identifier has at least one passenger inside.	Returns a specific error.
The vehicle matched by the car identifier has at least one door open.	Returns a specific error.
The vehicle matched by the car identifier is not inside a parking area.	Returns a specific error.
The car identifier matches one vehicle register inside the system. The vehicle matched is unlocked. The vehicle matched has the engine turned off. The vehicle matched has the vehicle's keys inserted in the vehicle's panel. The vehicle matched has no passenger inside. The vehicle matched has no door open. The vehicle matched is inside a parking area.	Returns a positive notification. The vehicle is locked.

Add new vehicle	
Parameter(s)	Encoded vehicle plate, encoded vehicle frame id, encoded vehicle informations
Pre-condition(s)	Post-condition(s)
The informations in input are not encoded in a correct way.	Returns a specific error. Nothing is recored in the system's storage.
The vehicle plate provided matches the plate of an already registered vehicle in the system.	Returns a specific error. Nothing is recorded in the system's storage.
The frame id provided matches the frame id of an already registered vehicle in the system.	Returns a specific error. Nothing is recorded in the system's storage.

The informations in input are encoded correctly. The vehicle plate provided does not match the plate of any vehicle registered in the system. The frame id provided does not match the frame id of any vehicle registered in the system.	Returns a positive notification. All the informations provided as input are correctly recorded in the system. An unique identifier is associated to the registered vehicle.
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Remove a vehicle	
Parameter(s)	Car identifier
Pre-condition(s)	Post-condition(s)
The car identifier provided is associated to any vehicle registered in the system.	Returns a specific error. Nothing is removed from the system.
The car identifier matches a vehicle currently used.	Returns a specific error. Nothing is removed from the system.
The car identifier matches a vehicle not used.	Returns a positive notification. The informations regarding the vehicle matched by the identifier provided are correctly removed from the system.

Update vehicle's informations	
Parameter(s)	Car identifier, encoded new informations
Pre-condition(s)	Post-condition(s)
The informations in input are not encoded in a correct way.	Returns a specific error. Nothing is recored in the system's storage.
The car identifier provided is associated to any vehicle registered in the system.	Returns a specific error. Nothing is removed from the system.
The informations in input are encoded in a correct way. The car identifier matches a vehicle registered in the system.	Returns a positive notification. The informations regarding the vehicle matched by the identifier provided are correctly updated with the one provided in input.

0.0.5 Area Manager - Authentication Manager

Insert a new area	
Parameter(s)	Encoded area details
Pre-condition(s)	Post-condition(s)
The encoded area details are not correctly encoded.	Returns a specific error. Nothing is recorded in the system.
The encoded area details are correctly encoded.	Returns a positive notification. The details are correctly recorded in the system.

Delete an area	
Parameter(s)	Area identifier
Pre-condition(s)	Post-condition(s)
The area identifier does not match any area registered in the system.	Returns a specific error. Nothing is removed from the system.
The area identifier matches one registered area in the system.	Returns a positive notification. The details are correctly removed from the system.

Update area details	
Parameter(s)	Area identifier, encoded area details
Pre-condition(s)	Post-condition(s)
The area identifier does not match any area registered in the system.	Returns a specific error. Nothing is removed from the system.
The encoded area details are not correctly encoded.	Returns a specific error. Nothing is recorded in the system.
The area identifier matches one registered area in the system. The encoded area details are correctly encoded.	Returns a positive notification. The details are correctly recorded in the system.

Retrieve area details	
Parameter(s)	Area identifier
Pre-condition(s)	Post-condition(s)
The area identifier does not match any area registered in the system.	Returns a specific error.

The area identifier matches one registered area in the system.	Returns a positive notification. The matched-area details are returned in a correctly encoded format.
----------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

0.0.6 Policies and Fares Manager - Authentication Manager

Insert a rule	
Parameter(s)	Encoded rule
Pre-condition(s)	Post-condition(s)
The rule is not encoded correctly.	Returns a specific error. Nothing is stored in the system.
The rule is encoded correctly.	Returns a positive notification. The encoded rule is inserted in the system.

Update a rule	
Parameter(s)	Rule identifier, encoded rule
Pre-condition(s)	Post-condition(s)
The rule identifier does not respect the designed input pattern.	Returns a specific error. Nothing is changed in the system.
No rule is matched by the rule identifier.	Returns a specific error. Nothing is changed in the system.
The rule is not encoded correctly.	Returns a specific error. Nothing is stored in the system.
A rule is matched by the rule identifier. The rule is encoded correctly.	Returns a positive notification. The rule matched is correctly updated with the encoded rule

Delete rule	
Parameter(s)	Rule identifier.
Pre-condition(s)	Post-condition(s)
The rule identifier does not respect the designed input pattern.	Returns a specific error. Nothing is changed in the system.
No rule is matched by the rule identifier.	Returns a specific error. Nothing is changed in the system.
A rule is matched by the rule identifier.	Returns a positive notification. The rule matched by the rule identifier is delete correctly from the system.

Retrieve rule	
Parameter(s)	Rule identifier.
Pre-condition(s)	Post-condition(s)
The rule identifier does not respect the designed input pattern.	Returns a specific error. Nothing is changed in the system.
No rule is matched by the rule identifier.	Returns a specific error. Nothing is changed in the system.
A rule is matched by the rule identifier.	Returns a positive notification. The encoded rule mapped by the rule identifier is returned.

0.0.7 Vehicle Manager → Maintenance Manager

Assign maintenance task	
Parameter(s)	Car identifier, employee identifier, encoded scheduling time, encoded task informations.
Pre-condition(s)	Post-condition(s)
The input provided is not encoded correctly.	Returns a specific error.
The car identifier does not match any vehicle registered in the system	Returns a specific error.
The car identifier matches one vehicle already scheduled for maintenance.	Returns a specific error.
The employee identifier does not match any registered employee in the system.	Returns a specific error.
The scheduling time provided conflicts with the already defined scheduling of the employee.	Returns a specific error.
The input provided is correctly encoded. The car identifier matches a vehicle not yet scheduled for maintenance. The employee identifier matches one registered employee.	Returns a positive notification. The maintenance task is created, recording the scheduling time and the task informations, associating it to the employee specified. A unique maintenance task identifier is assigned to the maintenance task.

Remove maintenance task

Parameter(s)	Maintenance task identifier
Pre-condition(s)	Post-condition(s)
The maintenance task identifier does not match any task recorded in the system	Returns a specific error.
The maintenance task identifier matches one task.	Returns a positive notification. All the informations regarding the task are correctly removed from the system.

Update maintenance task	
Parameter(s)	Maintenance task identifier, car identifier, employee identifier, encoded scheduling time, encoded task informations.
Pre-condition(s)	Post-condition(s)
The encoded input provided is not encoded correctly.	Returns a specific error.
The car identifier does not match any vehicle registered in the system	Returns a specific error.
The employee identifier does not match any registered employee in the system.	Returns a specific error.
The scheduling time provided conflicts with the already defined scheduling of the employee.	Returns a specific error.
The maintenance task identifier does not match any task recorded in the system	Returns a specific error.
The input provided is encoded correctly. The maintenance task identifier matches one recorded maintenance task. The car identifier matches one registered vehicle. The employee identifier matches one registered employee. The scheduling time does not conflict with the already defined employee maintenance schedule.	Returns a positive notification. The maintenance task is updated, recording the new task informations and scheduling time, associating it to the employee specified.