GoUp AI Performance Marketing Intelligence Agent: Specification Addendum (Phase 2.1)

Oct 13, 2026 · @Udhayaa Oil

1. Purpose and status labels

This addendum fixes the decisions Phase 3 architecture depends on. It changes the Phase 2 spec only where listed below; everything else in the spec stands. Nothing here is application code or a design of components.

Every rule carries one status, and the agent shows that status wherever it relies on the rule.

Status	Meaning	How the agent treats it
GoUp	Stated in the toolkit, page cited	Applied as written
Decision	Product choice made by the product owner on 13 Oct 2026	Fixed unless the owner reverses it
Provisional	Proposed here to remove an ambiguity. Not a GoUp rule. Awaiting GoUp confirmation	Runs as a configurable default. Outputs say "Provisional, not GoUp method"
Marketer-set	Defined per client by the marketer, such as the minimum-evidence rule	Stored in client context. Owned by the marketer, never presented as GoUp

Changes to the Phase 2 spec

Spec location	Change
§7 capability table, v1 column	Replaced by the MVP cut (section 2)
§8 tracking confidence rule ("only High passes Gate 1")	Replaced by the policy in section 3
§6 W6 and §10 verdict sets	Seven-question sequence unchanged. Verdict mapping added (section 4). Scale gains a "constrained" qualifier
§7 "Arithmetic is exact"	Extended from arithmetic to all rule evaluation (section 5)

Spec location	Change
§8 "agent drafts a definition" for minimum evidence	Agent offers options for the marketer to define. It never states a number as GoUp's (section 6)
§9 strength labels	Fifth label added: Provisional

2. MVP cut

[Decision] The MVP is three workflows (W1 launch readiness, W5 diagnosis, W6 scale decision) plus the shared foundations they need. These are where GoUp's method is most specific and where a generic chatbot is weakest.

In the MVP	What it covers
W1 Launch readiness	Go / No-Go from Toolkits 1 and 6. Names every missing item. Captures the launch baseline
W5 Diagnosis	Symptom-to-suspect ladders (T2 §10, T4 §10, T5 §9). Ranked hypotheses, one controlled test each, a do-not-change list
W6 Scale decision	Seven questions, verdict mapping, lever choice by business type, marginal arithmetic, Scaling Log draft
Shared client context	Business context, guardrail profile, tracking record, capacity (section 6)
Rule engine and calculations	Deterministic gates, metrics and verdicts (section 5)
Decision logs	Launch record, learning record (from diagnosis), Scaling Log
Evidence intake	Typed entry, pasted tables and CSV. Every value is confirmed by the user before use

The response shape in spec §10 and the twelve behaviour rules in §5 apply unchanged.

Roadmap (kept, not in the MVP)

Item	Why deferred	Promote when
W2 account audit	The toolkit gives 1–5 scores with no anchors, so scores cannot be reproducible	GoUp supplies anchored scoring criteria
W4 creative and copy, creative review score, hook window	Lowest differentiation. Hook-window wording is still inconsistent	After the MVP spine passes evaluation
W3 funnel map	W5 and W6 only need the stage definitions, which come in through client context	A client has no funnel definition
W7 reporting and client updates	Depends on stable logs	Logs have real history
Screenshot and image extraction	A new error source on top of every metric	Typed and CSV intake is in use
Longer "why this rule" teaching	The toolkit rarely states a rationale. The MVP cites page and strength only	Junior-marketer demand is confirmed
Retention and referral logic	Not in the GoUp material	GoUp supplies it

W6 question 6 (creative pipeline ready) is asked as a marketer-confirmed question in the MVP. The agent does not generate creative to answer it.

3. Tracking-confidence policy

[Decision] Only High confidence permits an unconditional Scale verdict. Medium forces diagnosis of the uncertainty first. Low blocks scaling. GoUp gives High, Medium and Low but no criteria and no rule beyond "do not scale aggressively on unreliable tracking" (p.34, p.54), so the criteria below are **Provisional**.

How the level is set. The agent walks the ten items of the GoUp tracking audit (p.34), records each as working, failing, not checked or not applicable, and suggests a level. The marketer confirms or overrides with a reason.

Level	Suggested when
High	Every applicable audit item is confirmed working, and business or CRM counts match Meta-reported conversions within the marketer's tolerance

Level	Suggested when
Medium	No critical item is failing, but an item is unverified, a non-critical item is failing, or reconciliation has not been done
Low	A critical item is failing, or reconciliation is outside tolerance

- **Critical items (Provisional, configurable):** pixel or dataset installed, correct events firing, conversion event matches the campaign goal, duplication checked, CRM or lead delivery working, test event or test lead completed.
- **Tolerance:** marketer-set per client. GoUp says only that business data should "roughly match" (p.54). There is no default number.
- **New campaigns** cannot be High, because reconciliation needs data. A clean pre-launch check is Medium.
- **Stale confirmation** counts as Medium at most until re-confirmed (triggers in section 6).

What each level does, by workflow

Workflow	High	Medium	Low
W1 launch (GoUp p.5: no unresolved critical item)	Go if the rest of the gate passes	Go if no critical item is unresolved. Open non-critical items are listed as caveats	No-Go. Failing critical items named
W5 diagnosis	Proceeds	Proceeds. Tracking appears among the hypotheses and conclusions are marked lower confidence	Proceeds. Tracking is hypothesis 1. Any healthy or weak call on an affected metric becomes "cannot conclude"
W6 scale	Question 1 passes	Verdict Diagnose. Constrained Scale only if every safeguard below holds	Verdict Diagnose with action "fix tracking". The agent does not issue Scale

If the marketer proceeds against a Low result, the override is logged (section 6) and the verdict is not relabelled.

Constrained Scale at Medium (principle is a Decision; each condition is Provisional). All must hold:

1. The reason for Medium is documented, and no critical item is failing.
2. The outcome used for the decision is corroborated by business-side data within tolerance, and the open item does not affect how that outcome is measured.
3. Questions 2 to 6 pass on the marketer's own definitions, including the minimum-evidence rule.
4. Only budget changes, by the smallest guideline step (section 5), one change at a time.
5. A stop condition and review window are set before the change. A guardrail breach or reconciliation drift triggers a Hold or Reduce review.
6. The marketer acknowledges the risk and the entry is logged.

The output reads "Scale, constrained (Medium tracking)", never plain Scale. If any condition fails, the verdict is Diagnose.

4. Verdict mapping for W6

GoUp's seven questions end in actions ("fix tracking", "collect more data"), not in the closed verdict set Scale, Hold, Reduce, Diagnose. Reduce is named as an outcome (p.62) but no question leads to it. This table closes both gaps. The mapping is **Provisional**.

Each question returns Pass, Fail or **Cannot evaluate** (a required input is missing). The first Fail stops the sequence. Cannot evaluate issues no verdict: the agent names the missing field and why it matters. The output lists the gate that decided the verdict and the questions not evaluated.

Q	Check (GoUp pp.75–76)	GoUp's action on No	Verdict	Required action shown
1	Tracking reliable?	Fix tracking	Diagnose	Low: fix tracking. Medium: resolve the uncertainty, or Constrained Scale if section 3 safeguards hold
2	Business results acceptable?	Diagnose	Diagnose, or Reduce on a confirmed breach (below)	Diagnosis plan from W5
3	Lead or purchase quality acceptable?	Fix quality first	Diagnose	Lead-quality diagnosis: marketing problem, sales problem or both

Q	Check (GoUp pp.75–76)	GoUp's action on No	Verdict	Required action shown
4	Campaign reasonably stable?	Collect more data	Hold	Run on until the marketer's minimum-evidence rule is met
5	Business can handle more volume?	Fix operations first	Hold	Client resolves capacity. No marketing change
6	Creative pipeline ready?	Develop more creative	Hold	State the creative gap. Creative work is on the roadmap
7	Best lever?	Choose lever, one decision	Scale (one lever), or Hold if no lever is justified	Step size as a labelled guideline, guardrail range, review window, main risk, metric to watch

Question 2 uses the client's own target and acceptable range, never a benchmark (P7). Question 3 uses the marketer's minimum quality rate. Question 7 picks the lever from the business-type playbook (pp.64–68, 78–80).

Reduce rule (Provisional). At a Question 2 Fail the verdict is Reduce instead of Diagnose only when all hold:

- the primary KPI is beyond the client's acceptable range;
- the minimum-evidence rule is met;
- tracking is High, or Medium and corroborated by business data;
- recent changes (budget, creative, audience, page) do not already explain the drop.

Otherwise the verdict is Diagnose. The agent gives the direction only. GoUp states no step size for reductions, so the marketer sets it and the agent says the size is outside the framework.

5. Calculation and rule-engine requirements

[Decision] Every number and every rule outcome comes from a deterministic engine. The language model extracts inputs, asks for missing ones, explains results and proposes ranked hypotheses. It never calculates, rounds or decides a gate. This extends spec §7 from arithmetic to gates, verdict mapping, level and step assignment, staleness checks and review-window selection.

Metric dictionary. Formulas are standard arithmetic unless a GoUp page is cited.

Metric	Formula	Notes
CPL	spend ÷ leads	
Cost per qualified lead	spend ÷ qualified leads	If only a rate is given, qualified leads = leads × rate, flagged "derived"
Stage rate	stage count ÷ previous stage count	Stage names come from client context
Cost per stage outcome	spend ÷ outcomes	Appointment, admission, sale. Primary metric by business type (pp.64–68)
CAC	spend ÷ new customers	Media-only unless the marketer states a loaded definition. Labelled either way
ROAS	revenue ÷ spend	
Break-even ROAS	1 ÷ contribution margin	Margin from the user. Standard arithmetic, not GoUp method
Blended cost per outcome	S2 ÷ O2	
Marginal cost per outcome	(S2 − S1) ÷ (O2 − O1)	GoUp pp.73–74. Works for leads, qualified leads or sales
Budget step	(new − current) ÷ current	
Guardrail position	value against target and acceptable range	Within target, within range, beyond range. Bounds are inclusive (Provisional)

Rules

1. **Inputs** carry unit, currency, period start and end, and a user-confirmed flag. Image-derived values are not accepted in the MVP.
2. **Periods.** Spend and outcomes share one period. Marginal calculations compare two periods of equal length, or normalise per day and say so. Daily versus total spend (6A item 6) is asked once per client and stored.
3. **Long sales cycles.** The marketer states whether outcomes are counted by spend date or by lead-created cohort. Recent periods are flagged incomplete where outcomes lag spend.

4. **Edge cases.** A zero denominator returns "not computable", never zero or infinity. Extra spend with no extra outcomes returns "no incremental outcomes", the worst marginal result. A spend decrease is not a scale marginal and is labelled. Impossible inputs (rates over 100%, negative counts) are rejected. Non-INR accounts get no rupee guideline values.
5. **Small samples.** Each result shows its state against the marketer's minimum-evidence rule. Below it the output says "cannot conclude". No significance claims.
6. **Reference points.** "High", "low", "good" and "poor" in the ladders (T2 pp.12–13, T4 pp.28–29) are judged against the client's baseline, target or prior period. With no reference the output says "cannot conclude".
7. **Precision.** Decimal arithmetic. Compare against guardrails before rounding. Display rounding is stated.
8. **Output contract.** Each figure returns value, formula, inputs, period, units, status and flags. Narrative text may quote only engine values. A mismatch is a defect.
9. **Versioning.** Formula set and rule configuration are versioned. Every log entry stores both with the context version.
10. **GoUp's worked examples** (Campaign A and B, ₹10,000 to ₹15,000, the ₹300–360 guardrail) are test fixtures only. They are never defaults or targets in outputs.

Budget step levels (GoUp pp.56–59, INR only, "practical guidelines, not fixed rules")

Level	Daily budget (₹)	Step range
L1	300–1,000	10–25%
L2	1,000–3,000	15–25%
L3	3,000–10,000	10–20%
L4	10,000 and above	No percentage given (portfolio management)

Provisional resolution of the overlaps. A budget exactly on a boundary belongs to the lower level. The proposed step is the lower end of the level's range. On a boundary, it is the smaller of the two adjacent levels' lower ends, so ₹1,000 and ₹3,000 both give 10%. Constrained Scale always uses this step. The client's guardrails override. Below ₹300 a day, or at L4, the engine gives no percentage and asks the marketer.

Review windows (GoUp guideline, p.75). 3–7 days for normal lead generation and ecommerce. 14–30 days for real estate, B2B, high-ticket and long sales cycles. The engine picks the range from the sales cycle in client context and the marketer sets the exact days. Failures are reviewed short-term.

6. Client context lifecycle

[Decision] One context per client is stored outside the conversation, so every session starts from confirmed facts and asks only for what is missing or stale. It holds the business context, guardrail profile, tracking record, capacity record, launch baseline, recent changes and the decision logs (launch record, learning record, Scaling Log).

Every field stores its value, status (confirmed, assumed or unknown), source (user stated, pasted data, or agent-proposed and accepted), who confirmed it, when, and a version.

Event	Rule
Capture	Asked progressively, only for fields the current workflow needs (matrix below)
Reuse	Confirmed fields are reused. Volatile ones get a one-line "still true?" at the start of W1 and W6
Change	New information is proposed as a change and confirmed by the marketer. History is append-only. No silent overwrite
Staleness (Provisional)	Re-confirm tracking, capacity, recent changes and current budget after any change to site, form, pixel or events, CRM link, offer, creative set, audience or budget, or after an interval the marketer sets at setup. If no interval is set, re-confirm at every W6 run
Conflict	The agent shows both values and asks. The analysis uses the confirmed value and flags the conflict
Marketer-defined terms	"Reasonably stable", "acceptable range", "minimum evidence", "critical": the agent offers options built from the toolkit's wording. The marketer accepts or edits. Stored as Marketer-set, never as GoUp
Decision records	Each decision stores context version, engine and rule versions, inputs, verdict, deciding gate, main risk and review date. Result, learning and next decision (Scaling Log, p.78) are filled at the next review. Re-running a record reproduces the same verdict

Event	Rule
Overrides	If the marketer proceeds against a failed gate, the record stores the gate, the stated risk, who and when. The verdict is not relabelled
Client isolation	Every read and write is scoped to one client. The agent confirms the active client at session start and on switching. No cross-client retrieval or portfolio views in the MVP
Data handling	No passwords or access credentials, ever (GoUp pp.42, 85). Retention period is set by the agency (Provisional: none set by GoUp). Per-client export and hard delete on request

Field priority by workflow. B = blocking (no verdict without it, and the agent says why). C = caveated (provisional view with the assumption marked). A dash means not used.

Field	W1 launch	W5 diagnosis	W6 scale
Business type	B	B	B
Business outcome and KPI hierarchy	B	B	B
Offer and audience	B	C	–
Funnel stages and "qualified" definition	B	B	B
Tracking checklist and confidence	B	C	B
Guardrails (target, acceptable range, minimum quality rate)	C	B	B
Minimum-evidence rule	–	B	B
Capacity	C	–	B
Sales cycle length	–	C	C
Lead-quality feedback from sales	–	C	B
Recent changes	–	B	C
Launch baseline	produced	B	C
Currency, market, language	B	B	B

In W5, the baseline and the guardrail target are alternatives: one reference point must exist, or the output is "cannot conclude".

7. Evaluation plan

[Decision] The MVP is not released until it passes the evaluation below. Deterministic behaviour is tested exhaustively. Judgement behaviour is tested against a golden set labelled by a GoUp expert. Phase 3 must make every layer runnable.

Layer	What is tested	Method
1. Engine	Every metric, edge case, level and step assignment, staleness check. The full truth table of verdict mapping: Q1–Q6 each Pass, Fail or Cannot evaluate, crossed with tracking High, Medium, Low and stale	Automated unit tests. GoUp's worked examples are fixtures (A and B cost per qualified lead ₹1,000 and ₹500; marginal ₹200)
2. Knowledge fidelity	Each rule or figure the agent states matches the toolkit page it cites, and carries the right strength label	Sampled claims checked against the source
3. Behaviour	The twelve rules in spec §5. Response shape (§10). Known, assumed and unknown kept apart. Hypotheses never worded as fact. Narrative numbers equal engine numbers	Golden scenarios per MVP workflow. Automated shape and number checks. Rubric grading by a GoUp expert. A model judge may pre-screen but is calibrated against the expert's labels
4. Adversarial	Pressure to relabel a failed gate. Requests for fake proof or urgency. "Is ₹500 CPL good?" benchmark bait. Quoting ₹300–360 as a default. Demanding Scale at Medium. Asking for a password. Meta-policy questions. Contradictory context. Instructions hidden in pasted exports or CRM notes	Scripted scenarios with expected refusals or labels

Layer	What is tested	Method
5. Over-blocking	Complete, well-formed cases still get a verdict. Constrained Scale appears when, and only when, section 3 safeguards hold	Matched complete and incomplete cases
6. Context	Recall across sessions. Stale fields re-asked. Conflicts surfaced. Overrides logged. No leakage between clients. A stored decision re-runs to the same verdict	Multi-session scripts
7. Pilot	Agent verdict against an independent GoUp marketer's verdict on real or anonymised cases. Usefulness and sign-off rating	Every disagreement adjudicated and fed into the register (section 8)

Acceptance targets (Provisional, configurable)

Measure	Target
Calculation exactness. Narrative numbers matching the engine	100%
Verdict truth table	100%
Scale issued when a gate fails or cannot be evaluated	0 cases. Release blocker
Invented numbers, proof or benchmarks presented as fact	0 cases. Release blocker
Cross-client leakage	0 cases. Release blocker
Cited page and strength label correct, in sampled claims	95% or higher
Incomplete cases where the blocking field is named correctly	95% or higher
Complete cases wrongly blocked	10% or lower
Pilot verdict agreement with the GoUp expert	80% or higher

Golden set. Start at about 20 scenarios per MVP workflow plus about 15 adversarial ones, then resize after the pilot. Until a GoUp expert is named, scenarios that rest only on explicit toolkit rules are authoritative. Scenarios that depend on a Provisional rule are tagged with its register ID and reported separately, so a rule change does not invalidate the whole set.

Regression. The full set reruns on any change to knowledge configuration, prompts, engine or model version. Each run records context version, engine version, rule configuration version and input hash so a result can be replayed.