



UNIVERSITY OF
OXFORD



Predicting and Understanding Drought



#ESoWC2019



UNIVERSITY OF
OXFORD

To use **ECMWF/Copernicus open datasets** to evaluate machine learning (ML) techniques to **better predict one specific kind of an extreme weather event**, e.g. drought or hurricanes; provide templates for future ML work



UNIVERSITY OF
OXFORD

Project Overview



Robust, useful pipeline

Predictive System for Agricultural Drought

Interpretable Machine Learning

Communicate Results



UNIVERSITY OF
OXFORD



Robust,
useful
pipeline

Export /
download


Engineering

Model Training

Analysis



UNIVERSITY OF
OXFORD



Predictive
System

Agricultural Drought




Target: Vegetation Health Index (VHI) at end of Season

Inputs: Meteorology (Temp, Precip), Hydrology (Soil Moisture), Climate Vars (Nino3.4), Static Variables (Orography)


Challenges: Encoding spatial-temporal information, how to utilise climate variables, masking, Vegetation health observed from satellites?



UNIVERSITY OF
OXFORD




Predictive System





UNIVERSITY OF
OXFORD



Predictive
System

Decision Trees

Gradient Boosted Trees: XGBoost

Random Forest: Scikit-learn



Neural Networks

RNNs: PyTorch

Linear Models: PyTorch

Segmentation Models: PyTorch





UNIVERSITY OF
OXFORD



Predictive
System

Aim 1: Forecast

From preceding conditions can we forecast a value ahead of time? This requires us to learn the relationship between the previous conditions and the current conditions.




Goal: Predictive Accuracy

Challenge: Are we reproducing / competing with physically based models?



UNIVERSITY OF
OXFORD



Predictive
System

Aim 2: Identify Correlations

Can we use the high dimensional fields (SST, SLP) to identify connections between remote regions in space and time.




Goal: Identify climate drivers of variability from data

Challenge: Crazy high dimensions (atmospheric levels [z], geographic regions [x,y], lagged in time, multiple variables - 5D space)



UNIVERSITY OF
OXFORD



Predictive
System

Aim 1: Forecast
Operationalise

$$f(X_{\text{train}}) = \text{plant icon}$$
$$f(X_{\text{SEAS5}}) = \text{plant icon}$$

where

$$X = \begin{matrix} \text{precip temp soil M} \\ t-1 \\ t-2 \\ \dots \\ t-n \end{matrix} \quad \boxed{}$$



UNIVERSITY OF
OXFORD



Predictive
System

Aim 2: Identify Correlations


Operationalise

$$f(X_{\text{train}}) = \text{bowl}$$

$$f(X_{\text{now}}) = \text{bowl}$$

where

$$X =$$





UNIVERSITY OF
OXFORD




Interpret Models

SHAP Values

A method for assigning payouts to players (features) depending on their contribution to the total payout (predictive accuracy).

importance of $j = f(\text{with } j) - f(\text{without } j)$

Visualisations:



sum of all SHAP values = difference of prediction - base
(24.41 - 22.34)



UNIVERSITY OF
OXFORD



Interpret
Models

Where do we find ‘predictive skill’ (geographically)?

How do we compare with physically-based forecasts?

Which of our features give us the best improvement in skill?



UNIVERSITY OF
OXFORD



Experiments

- choice of thresholds
- choice of definition
- choice of variable


Drought metrics vs. Drought impacts

Identify Teleconnections in SST/SLP data

Does soil moisture offer predictability for rainfall?

Can we quantify the human element in drought risk?

Combine ML Vegetation with SEAS5 Precipitation



Communicate
Results


Flexible Pipeline

An experimental pipeline for easily exchanging models, definitions and input features.

Extensible: Python classes and functions

Well Documented: Example notebooks, test suite





Communicate
Results

Blog Posts

Blog posts throughout the process outlining our thinking and our implementations.

More polished blog posts to follow towards the end of the ESoWC Project





Communicate
Results

Academic Papers

- Overview of the pipeline and functionality (JOSS, GMD).
- Overview of predictive accuracy and the algorithmic approach.
- Overview of scientific insights (e.g. SSTs in Western Pacific Warm Pool)






UNIVERSITY OF
OXFORD

(VERY) initial
results

Input variables (linear model)






UNIVERSITY OF
OXFORD

(VERY) initial
results


Predictions vs. Truth





UNIVERSITY OF
OXFORD

(VERY) initial
results






UNIVERSITY OF
OXFORD

(VERY) initial
results

Distribution of NDVI Values with different Error Conditions





UNIVERSITY OF
OXFORD



https://github.com/esowc/ml_drought



@tommylees112

ECMWF

The ECMWF logo consists of a stylized 'E' shape made of three circles followed by the acronym 'ECMWF'.

#ESoWC2019



UNIVERSITY OF
OXFORD

Appendix



UNIVERSITY OF
OXFORD



Predictive
System



Hydrological Drought

Target: Soil Moisture Time Series

Inputs: Meteorology (Temp, Precip), Vegetation Health (NDVI, VHI), Climate Vars (Nino3.4), Static Variables (Orography, Soil Type)

Challenges: Encoding spatial-temporal information, how to utilise climate variables, masking, is the data correct?



UNIVERSITY OF
OXFORD



Predictive
System

Meteorological Drought




Target: Standardised Precipitation Index (SPI)

Inputs: Preceding Meteorology (Temp, Precip),
Hydrology (Soil Moisture), Climate Vars (Nino3.4),
Static Variables (Orography, Soil Type)

Challenges: Encoding spatial-temporal information,
how to utilise climate variables, Performance vs.
SEAS5



UNIVERSITY OF
OXFORD



Predictive
System

Hydrological Drought 2



Target: Streamflow

Inputs: Preceding Meteorology (Temp, Precip),
Hydrology (Soil Moisture), Climate Vars (Nino3.4),
Static Variables (Orography, Soil Type)

Challenges: Encoding spatial-temporal information,
how to utilise climate variables, Performance vs.
SEAS5



UNIVERSITY OF
OXFORD



Interpret
Models

SHAP Values

Package: SHAP (<https://github.com/slundberg/shap>)




UNIVERSITY OF
OXFORD



Interpret Models

SHAP Values





UNIVERSITY OF
OXFORD

SHAP Values



Interpret
Models