

The Model Reads the Definition

Field-Level Controls Show Which Part of a Structured Prompt Carries Behaviour

Tommaso Piero Palamenga*

Preprint, September 2026

Abstract

When a structured block in a prompt (a persona, a trait vector, a configuration) changes a language model’s behaviour, the usual inference is that the model read what the block says. That inference is rarely tested, because the natural comparisons confound what a field *means* with the fact that text is present, how long it is, where it sits and what number it carries. We introduce field-level controls that separate these: **pinning** one field to its endpoints with every other byte fixed; a **swap control** that moves the identical numeral onto a partner field, so both prompts contain the same numbers on the same lines; a **replication gate** that requires the effect to reproduce before its control is read; and **definition edits** that change what a field says while holding its name, line and numeral fixed. Applied to a ten-field block over seven two-option allocation dilemmas with tied payoffs (35,879 recorded calls, mainly on `gpt-5.4-mini`), the controls localise the behaviour to one field (+0.375 on keep-rate against its swap control) rather than to its line or its numeral. Exchanging only which end of that field’s scale is defined as which moves the effect by -0.454 on all seven items and makes it negative on five; fields we invented move choices in the directions their definitions state, including one written to point the opposite way (three of four locked predictions held). The field’s *name*, by contrast, is a poor guide to what it does: the field called Procedural Dependence behaves as a status-quo pressure rather than as sensitivity to procedure. The same controls withdrew a field that had cleared a corrected significance test. We report item-level robustness for every contrast, and we claim no understanding, no moral quality and no generality beyond one task family.

1. Introduction

Practitioners routinely condition language-model agents on structured text: a persona, a list of traits with numeric levels, a configuration block. When behaviour changes, the next step is almost always to say the model *read* the block. It saw that this agent is cautious, or process-oriented, and acted on it. Persona prompting and much of agent design rest on that step.

The step is an inference, and several rival mechanisms predict the same observation. The block adds text, and more text changes outputs. It adds structure, which models may treat differently from prose. It contains extreme numerals, which may be salient wherever they sit, or salient only on some lines. It contains names the model may associate with dispositions regardless of what the block says they mean. The prompt-sensitivity literature shows that

*Bocconi University. This paper and the author’s undergraduate thesis draw on one body of evidence but are separate documents: the thesis (submitted, frozen) presents a ten-parameter encoding framework on evidence to 18 September 2026; this paper makes a narrower claim on a wider evidence base, including later results that constrain that framework. Code, prespecifications and every per-call record: <https://github.com/tommypalam/conceptual-architecture-methods>.

changes of exactly this kind, with meaning held constant, can move model behaviour substantially (Lu et al. 2022; Sclar et al. 2024; Razavi et al. 2025). A practitioner who has built a persona and seen it work therefore cannot say, from that observation alone, which of these is happening, and the alternatives license very different conclusions about what was built.

This paper asks a narrow question: **which part of a structured prompt carries the behaviour, and what about that part does the carrying?** We answer it with controls that change one thing at a time, holding every other byte of the prompt fixed, and we apply them to one structured block on one family of decisions.

What we find. (i) The effect localises to one field of ten. Moving the identical numeral to a different field removes it, and moving the field to a different line keeps it. (ii) What carries it is the field’s **definition**, the two-line gloss saying what each end of the scale means. Exchanging the two ends of the gloss, with the name, line, numeral and the block’s full character multiset unchanged, moves the effect by -0.454 on every item and makes it negative on five of seven. Removing the name while keeping the definition preserves about half of the effect. (iii) The result is not specific to the block we started from. Of four fields we wrote for the purpose, three move choices in the directions their definitions state, and two of these, in the same slot, move choices in opposite directions. (iv) A field’s name is a poor guide to what it does. The field named *Procedural Dependence* behaves as a pressure to keep existing arrangements, and it is **less** sensitive to whether a procedure was followed than an explicit status-quo field is. (v) The method can retract its own findings. A second field cleared a Holm-corrected test at 25 agents and did not replicate at 40 or 80. Its swap control, read without a replication gate, would have certified it.

Contributions.

- **A set of field-level controls** (pinning, a numeral-identical swap control, a line-by-field crossing, a replication gate, and definition edits) that apply to any prompt with addressable fields and require no access to model internals.
- **Evidence that the definition carries the effect**, excluding numeric salience and name association as sufficient explanations, with item-level robustness analyses for every contrast.
- **Evidence that field names mislead.** An invented field can outperform the block’s own field, and that field does not do what its name suggests.
- **Two methodological findings** for anyone running prompt experiments: presentation order must be *crossed* with anything that could correlate with it, not merely randomised, and automated design review returns different verdicts on byte-identical material.

Scope. All results come from one family of seven short allocation dilemmas. The identification work uses one model (gpt-5.4-mini), with a second provider for the first-stage results. Every outcome is a deterministic function of the option chosen. We make no claim about moral quality, human resemblance or understanding (§9).

2. Related work

Prompt sensitivity. Surface form matters. The order of in-context examples can move performance from near chance to near the state of the art (Lu et al. 2022). Formatting alone spans large accuracy ranges with meaning held constant (Sclar et al. 2024), and the same holds for wording, structure and punctuation (Razavi et al. 2025). Neither scale nor instruction tuning removes the brittleness (Chatterjee et al. 2024). This literature is why our controls hold surface form fixed to the byte rather than approximately: any looser comparison sits within the range these studies show to matter on its own.

Do models use what prompts mean? Webson and Pavlick (2022) found that prompt-

based models could learn as fast from irrelevant or misleading templates as from instructive ones, and Min et al. (2022) that randomly replacing demonstration labels barely hurts in-context performance. Large models can override semantic priors to learn from semantically unrelated labels (Wei et al. 2023), and output can bind to a demonstrated label inventory regardless of plausibility (Liu 2026). These results are deflationary about semantic reading, and we take them seriously. Our setting differs: a current instruction-tuned model makes a zero-shot choice, and the manipulated text is a definition, not a template or a label. Here the definition’s content does determine the direction of the effect (§6). What remains open is *why* it does. Our evidence is consistent with the model treating a definition as an instruction (§6.4, §9).

Persona and profile conditioning. Luz de Araujo and Roth (2025) compare 162 personas across seven models against an empty persona and 30 paraphrases of “a helpful assistant”, and find more variability under personas than under the control. Zheng et al. (2024) find that personas in system prompts do not reliably improve performance on objective tasks, and that the effects of particular personas are hard to predict. Both compare conditioned with unconditioned prompts. As far as our search found, work that isolates *which field* within a conditioning block carries an effect, with every other byte held fixed, is scarce. That is the gap this paper addresses. A search that found nothing is not proof that nothing exists.

Causal localisation. Mechanistic interpretability localises behaviour inside the model through patching, mediation and tracing, unified as causal abstraction (Geiger et al. 2025). It has well-documented sensitivities to the choice of intervention (Zhang and Nanda 2024) and to hidden interactions between mediators (Vaidyanathan et al. 2026). Label words have been found to act as anchors that gather information in shallow layers (Wang et al. 2023). Our controls are the input-side analogue: the same interventionist logic, applied to prompt fields rather than activations. We gain applicability to closed models and lose resolution. We localise to a field, not a circuit.

Moral-choice evaluation. We borrow a task framing from work on in-context ethical policies (Rao et al. 2023), but we measure only which option is chosen. Sachdeva and van Nuenen (2025) report low agreement between models on everyday moral dilemmas despite moderate-to-high self-consistency. That is one reason not to expect effect sizes to transfer across providers (§5.6).

3. Setup

3.1 Models and calls

The identification work (§5.1–5.5, §6) uses `gpt-5.4-mini-2026-03-17` (temperature 1, reasoning disabled). Cross-provider tests use `claude-haiku-4-5-20251001` (temperature 1). Each call is one system prompt and one user turn, with no conversational state. The model returns a JSON object naming an option. Output caps were 1,536 tokens in earlier designations and 256 in later ones, since the longest reply observed in 2,240 calls was 21 tokens. A reply that fails to parse is preserved as a failure and never retried.

3.2 Items

Each item is a short allocation dilemma in which one party holds an arrangement (a desk booking, a leased storage unit, a weekly meeting slot) and has said they want to keep it, while others would benefit from overriding it. One option **keeps** the arrangement and one **overrides** it. A shared framing states that all effects are certain, that units are artificial and equally valuable to everyone, and that no one is applying pressure. An example:

An office has one bookable desk left for the week. One person booked it and has said they want to keep the booking. Two visiting staff otherwise work from a corridor bench.

KEEP_DESK: Leave the desk with the person who booked it. That person gains 1 unit; the two visiting staff lose 4 units between them.

REASSIGN_DESK: Give the desk to the two visiting staff. The two visiting staff gain 2 units between them; that person loses 5 units.

Payoff totals are tied by construction. Both options sum to -3 on every item, so welfare maximisation, minimax and best-case reasoning are indifferent between them. An earlier designation that tied the totals left unprofiled choices unchanged, which rules out arithmetic as the operative variable. Items were written to a three-part authoring criterion (matched consequence text, no asymmetric violation labels, no asymmetric obligation words), enforced in code. All item texts are in Appendix B.

Seven items were used on `gpt-5.4-mini` and six on `claude-haiku-4-5`, five of them shared. The item sets differ because items were **screened for baseline dispersion** on each model before any profiled call. An item on which the unprofiled model always gives the same answer cannot show an effect. Screening was on dispersion only, never on outcomes, and no item was dropped after a profiled result was seen.

3.3 Outcome

The outcome is **keep-rate**: the share of decisions choosing to keep the arrangement. It is read from the option identifier alone, and no model text is interpreted. (The project’s frozen classification table labels the keep option `good` and the override option `not_good`. Since that label is a fixed function of the choice, we report the choice directly and attach no moral reading to it.)

3.4 The structured block and the agents

The system prompt carries a ten-field block. Each field is rendered as a name, a value in $[0, 1]$ to two decimals, and a two-line definition of the scale’s ends:

6. Procedural Dependence: 0.90
 (0 = outcome-dominant; results matter, methods are secondary;
 1 = process-dominant; fair procedure matters independently)

The ten fields come from an encoding of political-ethical concepts developed in the author’s thesis. Their provenance is not this paper’s subject. What matters is that they are **addressable fields with stated meanings**, which is what the controls operate on. An **agent** is one draw of the ten values from independent Beta distributions. The same agent appears in every arm of a designation, so all contrasts are paired within agent and item. Designations use 40 agents unless stated (25 in the initial sweep, 80 in follow-ups). Appendix A reproduces a full system prompt.

4. Method

4.1 Pinning

To test field F , set F to 0.10 in one arm and 0.90 in the other, keeping the other nine values as drawn for that agent. The two system prompts differ on exactly one line, verified byte for byte for every agent before any call, and the user turn is identical. The **effect** of F is the paired difference in keep-rate, 0.90 minus 0.10.

4.2 The swap control

Pinning shows that *a* number moved the outcome, not that the *field* did. The swap control uses a partner field *P* and a level *L*:

TRUE(L)	L on F,	P's drawn value on P
SWAP(L)	P's drawn value on F,	L on P

Both arms contain the same multiset of ten numerals on the same ten lines in the same order, at the same length. Block presence, length and the presence of an extreme numeral are held fixed **by construction**. Only which field holds the value differs. The quantity of interest is the within-unit difference of differences, TRUE effect minus SWAP effect, with its own interval. We never infer a difference from one arm being significant and the other not (Gelman and Stern 2006).

Two refinements matter. Values are compared **at rendered precision**: a drawn partner value of 0.102 prints as **0.10** and would make TRUE and SWAP identical for that agent, so degeneracy is checked on the rendered prompt. And the partner field must itself be shown not to carry the outcome, which we test directly (§5.4).

4.3 The replication gate

A swap control is interpretable only if, in the same designation, the TRUE arm reproduces the effect it is meant to explain. A null SWAP beside a TRUE arm that did not replicate says nothing: there may have been nothing to carry. §5.5 is the case where this mattered.

4.4 Line crossing and definition edits

Because the tested and partner fields sit on different lines, a primacy effect over a numbered list could mimic a field effect. A 2×2 design crosses *which field holds the value* with *which line it occupies*, by re-rendering the block with the two entries exchanged (§5.3). To ask what about the field matters, we edit the field's own entry while holding the other nine entries and the user turn fixed (§6.1).

4.5 Analysis and prespecification

Before collection, each designation fixes its question, arms, primary test, decision rule and any directional prediction, and records them in source under a content hash that is checked at dispatch. Primary tests are paired exact sign tests with Holm correction (Holm 1979) over the designation's family, plus a requirement of directional consistency across items. The later designations (§6) instead prespecified decision rules on unit-bootstrap intervals. Intervals are 95% percentile bootstraps over agent-item units (10,000 resamples). Power was simulated against measured per-item baselines. Failed calls are preserved and never retried, and a designation halted by a failure is closed and re-designated rather than resumed.

Item-level robustness. Unit-level intervals treat the items as fixed. With seven items, generalisation to other items of the same kind is a separate question. For every contrast we therefore also report, after the fact and without further calls, (a) a **crossed bootstrap** that resamples agents and items independently, and (b) a one-sample *t*-test over the per-item effects, with items as the unit. With so few items these analyses have uncertain coverage. They are sensitivity checks, not replacements for the prespecified tests, and where a result depends on the choice between them we say so. For the §5.1 contrasts we also report crossed random-effects logistic models with an item-specific treatment slope (Barr et al. 2013), fitted in the thesis. Appendix C has the full table.

5. Which field carries the behaviour?

5.1 A profile moves keep-rate; a generic ethical instruction does not

Three arms: no block (U), a one-paragraph ethical instruction in place of the block (G), and the full numeric block (E).

Table 1: Keep-rates by arm. *Item CI* is a two-stage bootstrap over items, then units, for $E - G$ (from the thesis analyses).

Model	U	G	E	$E - G$	Holm	Item CI
gpt-5.4-mini, 8 items	0.395	0.378	0.606	+0.228	< 0.001	[+0.091, +0.372]
claude-haiku-4-5, 6 items	0.367	0.429	0.600	+0.171	0.000112	[−0.025, +0.362]

The instruction reads: “*Weigh the interests of everyone affected. Avoid causing harm, avoid deceiving anyone, avoid coercing anyone, and treat people with equivalent claims equally. Where these cannot all be satisfied, decide which matters most in this situation and act on it.*” It does not move keep-rate on **gpt-5.4-mini** (−0.017 against U, $p = 0.712$), while the block moves it by about 0.2 on both models. On **haiku** the item-level interval includes zero, although a mixed model with item slopes gives $p = 0.041$.

This comparison motivates the rest of the paper, and it should not be read as “numbers beat prose”. The instruction does not say anything about keeping or overriding arrangements, so it is not matched in meaning to the block. §6.4 shows that a one-sentence prose principle that *is* on topic moves keep-rate as much as anything in the block does. The question is what in the block does the work.

5.2 The effect is bound to one field

An offline reanalysis of earlier data ranked Procedural Dependence (PD) first of the ten fields. That ranking was post hoc, so PD was tested prospectively, with the direction derived from the field’s definition and locked before collection. Pinned, PD moves keep-rate by **+0.346** [+0.275, +0.414] (Holm < 0.001 ; 6 of 7 items positive).

The swap control used Affective Weighting (AW) as the partner. With the numeral on PD the effect is +0.339. With the identical numeral on AW it is **−0.036** (Holm 1.000). The within-unit difference is **+0.375** [**+0.286**, **+0.464**], and it survives resampling items (crossed CI [+0.082, +0.661]; item-level t $p = 0.046$). The same numeral, moved from this field to another, has no effect.

A second field, Internalisation Dependence (ID), moved keep-rate when pinned (+0.111 to +0.143), but its difference against its swap control is +0.064 [−0.014, +0.146]. We report ID as a **candidate**, not a verified field effect. An earlier reading, “ID’s TRUE arm is significant and its SWAP arm is not, so the field carries it”, was the significance-versus-non-significance inference, and we withdrew it.

5.3 It is the field, not the line

In the block, PD is line 6 and AW is line 10, so the swap moved the value’s field and its line together. The 2×2 separates them (40 agents, all four arms with identical numeral multisets and lengths):

Cell	Value on	At line	Effect	Holm	Items +/−
A	PD	6	+0.393	< 0.001	7 / 0
C	PD	10	+0.271	< 0.001	5 / 1
B	AW	10	+0.061	0.157	6 / 1
D	AW	6	+0.004	1.000	3 / 2

The field factor, $(A + C - B - D)/2$, is **+0.300** [+0.232, +0.370] (crossed CI [+0.111, +0.495]). The position factor is +0.032 [−0.025, +0.088]. Cell D is the direct test of a primacy account. It puts the value at line 6 on the partner field and gives +0.004. Position is not irrelevant, though. It **modulates** the field’s effect ($A - C = +0.121$ [+0.043, +0.200]; interaction +0.089 [+0.030, +0.150]), a decomposition that was not prespecified.

5.4 The partner field, tested directly

Every swap control assumes the partner field does not carry the outcome. Pinned in its own right at 80 agents, AW is flat: **+0.016** [−0.027, +0.057], with a 90% equivalence bound of 0.050, the tightest bound in this work. That supports the controls but does not prove the partner’s *slot* is a fair comparison. §6.2 bears on this: an invented field placed in the same slot reached +0.400. The slot can carry an effect, and AW’s own definition does not produce one.

5.5 A field the method withdrew

Legitimacy Locus (LL) had a post-hoc correlation with keep-rate of **+0.271** on unmanipulated profiles. In the initial sweep (25 agents, Holm over eight fields) it cleared correction with the most directionally consistent result of any field: **−0.131** (Holm 0.00082; 0 of 6 items positive). In a designation with a replication gate (40 agents), its TRUE arm gave **−0.014** (Holm 0.708), and at 80 agents it gave −0.036 [−0.080, +0.009]. The three measurements gave three answers: positive, negative and null.

The larger samples failed and the smaller one passed, so this is not a power failure. Power at the size first measured was 17/20. **LL’s SWAP arm was null**. Had the swap control been run without the TRUE arm as a gate, that null would have read as “the field carries the effect”. We withdraw LL. That is not a claim that LL is inert: the 80-agent interval bounds its effect at 0.073.

The same sweep shows the reverse error. Tolerance for Asymmetry and Mode of Response missed correction at 25 agents and cleared it at 80 (−0.111 and −0.073; Appendix C). Sample sizes chosen from budget rather than simulated power gave one false positive and two false negatives in one sweep. Neither of the two late movers has had a swap control, so they are effects with unidentified mechanism.

5.6 A second provider

PD and ID were pinned on **claude-haiku-4-5** over its own six screened items. PD’s direction was again locked one-sided from its definition, after re-verifying that the derivation’s premise held on the new items. PD gave **+0.133** ($p = 0.00031$; 4/1 items) and ID **+0.075** ($p = 0.033$). Both effects shrink, to about 38% and 68% of their **gpt** values. At item level PD’s interval is borderline (crossed CI [−0.013, +0.283]; item bootstrap [+0.008, +0.267]; $t p = 0.076$), and ID’s includes zero. No swap control was run on **haiku**. These results show that pinning PD moves the outcome on a second provider in the predicted direction, and nothing more.

6. What about the field carries it?

§5 localises the effect to one field and excludes block presence, length, a free-floating numeral and line position. Three explanations survive, and they make different predictions once the field’s own entry is edited:

- **definition:** the model reads what the ends of the scale are said to mean;
- **name:** the model associates the field’s name with a disposition, and the definition is decoration;
- **field-weighted salience:** an extreme numeral in a salient field moves behaviour with no reading of the text at all.

6.1 Exchanging the definition’s ends

`semantics_r1` pinned PD under four renderings of its entry, with the nine other entries and the user turn byte-identical, on 40 new agents. Predictions were locked under a published hash and differ in sign across explanations.

Variant	Line 6 reads	Definition	Effect	95% CI (units)	Items +/-
CANON	Procedural Dependence	as original	+0.339	[+0.271, +0.404]	6 / 1
FLIP	Procedural Dependence	ends exchanged	-0.114	[-0.179, -0.050]	1 / 5
INVERT	Outcome Dominance	ends exchanged	-0.614	[-0.671, -0.554]	0 / 7
NONCE	Factor K	as original	+0.175	[+0.114, +0.236]	6 / 1

FLIP is the decisive arm. Its edit exchanges two strings, so the name, the line, the printed numeral and the block’s entire character multiset are identical to CANON. The edit was verified as an involution: applied twice, it restores the block byte for byte. Salience and name-association accounts both predict FLIP equal to CANON. The definition account predicts a reversal. The prespecified estimand compares FLIP with zero, but the contrast that tests all three accounts at once is **CANON – FLIP**: exchanging the definition’s ends changes the effect by **-0.454** (CANON – FLIP = +0.454 [+0.361, +0.546]), with **all seven items** moving in that direction (crossed CI [+0.179, +0.739]; item-level t p = 0.019). That result does not depend on how items are treated.

Whether the FLIP effect is itself negative, a full reversal rather than a cancellation, is less secure. Over agent-item units it is (-0.114, 1 of 7 items positive). Over items its interval touches zero (crossed CI [-0.239, +0.025]; t p = 0.071). We therefore claim that the definition **determines the effect’s direction when name and definition conflict**, and we do not claim the reversal is item-general.

Name and definition separate. With the name replaced by *Factor K* and the definition kept (NONCE), about half the effect survives (+0.175; crossed CI [+0.025, +0.325]). When the renamed field and exchanged definition agree (INVERT), the effect is -0.614, negative on every item and the largest effect in this work. The name contributes, but when name and definition disagree, the definition wins. INVERT also rests on a human judgement that *Outcome Dominance* with exchanged ends means the same as the original. FLIP needs no such judgement, which is why FLIP carries the argument.

6.2 Fields we invented behave the same way

If definitions are what the model acts on, then the block’s own fields should not be special. We wrote four fields that are **not** in the block, each with a name and a two-line definition,




Figure 1: Effects of the principal manipulations. Thick bars are 95% intervals over agent-item units (the prespecified analysis); thin bars resample agents and items independently. All contrasts use `gpt-5.4-mini`, with 40 agents $\times$ 7 items unless stated. Moving the numeral off the field, or putting it at the field's line on the partner, removes the effect (§5). Editing the field's definition sets the effect's direction (§6.1). Invented fields follow their own definitions (§6.2).

placed each in the partner slot (line 10), and pinned them in the same way. Signs were derived from each definition and locked in advance. The high ends read:

- *Status-quo Preference*: “existing arrangements stand unless there is strong reason to change them”;
- *Stated-Wish Deference*: “a person’s stated wish about their own arrangement is decisive”;
- *Worst-off Priority*: “whoever would lose most matters most”;
- *Numbers Count*: “the option helping more people is favoured”, written to point toward overriding.

Invented field	Predicted	Effect	95% CI (units)	Crossed CI	Items + / −
Status-quo Preference	+	+0.400	[+0.336, +0.464]	[+0.229, +0.579]	7 / 0
Stated-Wish Deference	+	+0.307	[+0.254, +0.361]	[+0.179, +0.436]	7 / 0
Numbers Count	−	−0.246	[−0.311, −0.182]	[−0.386, −0.114]	0 / 7
Worst-off Priority	+	−0.064	[−0.129, 0.000]	[−0.218, +0.096]	2 / 4

Two fields in the same slot, in the same format, carrying the same numerals, move choices in **opposite directions** on every item, each as its own definition states (Figure 2b). That rules out any account on which a defined field acts as a generic cue, and it is independent of §6.1: the evidence comes from different fields rather than an edit to one.

One of our four locked predictions failed. We derived Worst-off Priority as positive, because the holder loses the most under overriding. It came out near zero and split across presentation orders. A designer’s reading of what a definition implies did not predict the model, which is another reason to prefer edits like FLIP that need no such reading.

This bounds what the original block can claim. Status-quo Preference, written for this study and naming plainly what the items are about, moves keep-rate at least as much as PD (+0.400 against +0.339) and is positive on all seven items. Nothing in our evidence requires the block’s ten fields in particular. §5 is best described as follows: *a defined field whose stated meaning bears on the items moves choices, and PD is one such field.*

6.3 The name is a poor guide to what the field does

On every item, “process-dominant” and “keep the existing arrangement” pick the same option, so PD’s effect is also consistent with a plain status-quo pressure. §6.2 sharpens that worry. To separate the two readings, we wrote a **twin** of each item that adds one clause saying the holder obtained the arrangement *outside* its stated procedure (for example, booking a desk before the booking sheet opened). A procedure-sensitive field should not protect such an arrangement. A status-quo pressure should.

Two screening designations (417 calls, 17 wordings) failed to produce enough twins on which the unprofiled model splits: three twins sat on a floor of 0.00–0.04 keep-rate, and others were determined by presentation order. We report both stops. A one-directional test remained possible on the floored twins, where the readings diverge: a status-quo pressure should lift keep-rate off the floor and a procedure-sensitive field should not. Status-quo Preference served as a positive control, and both fields first had to reproduce their base-item effects (PD +0.350, Status-quo Preference +0.357).




Figure 2: Per-item effects. (a) Exchanging the ends of PD’s definition (CANON → FLIP) lowers the effect on all seven items. (b) Two invented fields in the same slot move every item in opposite directions, as their definitions state.

Lift on the three floored twins	Estimate	95% CI (units)
PD	+0.383	[+0.292, +0.475]
Status-quo Preference	+0.133	[+0.058, +0.208]
Difference	−0.250	[−0.358, −0.142]

PD lifts the floored twins about three times as much as the explicit status-quo field. Compared on the base item and its twin, a high-PD agent is **less** deterred by the holder’s procedural lapse than a high-status-quo agent (keep-rate drops of 0.30 against 0.50 on one item; 0.15 against a rise of 0.05 on another). Whatever *Procedural Dependence: 0.90* does to this model, it is not “care that the procedure was followed”. It behaves as a stronger and less discriminating pressure to keep what exists.

This result rests on **two informative items**: the third twin is at 0.000 in all four cells. Item-level analyses cannot support it (crossed CI [−0.500, 0.000]). We report it as the direction of the evidence, not as an established effect. It is enough to say that the field’s name should not be trusted as a description of its effect, and we attach no procedural-justice reading to PD.

6.4 Examples do almost what a stated rule does

A further question is whether the model *holds* something beyond the text it is currently reading. If it did, a disposition might be inducible from examples without being stated. We showed each agent five of its own earlier decisions, taken from the frozen records of the prospective PD test (§5.2), with no field, name or definition. We measured keep-rate on the twins of §6.3, where keeping and following procedure come apart. The examples came from the base versions, where the two coincide, so they say nothing about how the holder came by the arrangement. Three controls were fixed in advance. The harness holds no conversational state. The read-out is a dimension the examples do not state. The examples are the agent’s actual frozen decisions rather than idealised ones. Each item was shown in both option orders.

Arm (user turn carries)	Keep-rate	vs bare item
the bare item	0.305	—
five of the agent’s own earlier decisions	0.734	+0.429 [+0.384, +0.473]
a one-sentence principle (below)	0.768	+0.463 [+0.418, +0.507]

The principle reads: “*You place weight on fair procedure for its own sake: where an arrangement was arrived at through a stated process, that matters independently of the outcome it produces.*” Examples move behaviour substantially on a dimension they never state. The stated principle moves it slightly more. The gap is +0.034 [+0.004, +0.064] over units, and it is not distinguishable from zero over items (crossed CI [−0.032, +0.098]). Note also that a prose principle about *fair procedure* raises keeping on items where the arrangement bypassed procedure, just as the PD field does (§6.3). It also answers §5.1: on-topic prose moves keep-rate as strongly as the block.

A dose-response test would distinguish a fitted disposition from ordinary context: the shift should track how many of the five examples kept. It did not survive scrutiny. In a first run the slope appeared in the principle arm, whose text is the same for every agent and cannot carry one, because example composition was confounded with presentation order. A second run crossed order with the covariate. The slope then moved to the examples arm (+0.080 [+0.018, +0.137]) and vanished from the principle arm (−0.011). Example composition, inherited from the frozen records, is unbalanced, however (3, 4, 17 and 16 agents across the four levels). Restricted to the two populated levels, the slope is −0.011 [−0.066, +0.046]. A step carried by seven agents is not the graded response a fitted disposition predicts.

We therefore report that examples induce the behaviour almost as well as a stated rule, and that nothing establishes that anything was *fitted* rather than read. The near-equality favours the plainer reading: the model acts on whatever relevant text is in front of it.

7. How far do the results generalise across items?

With seven items, the prespecified unit-level tests support statements about *these* items. The item-level analyses (§4.5; Appendix C) sort the claims into three groups.

Robust to resampling items: pinning PD (+0.346), the field-versus-partner difference (+0.375), the field factor of the 2×2 (+0.300), the definition exchange (CANON − FLIP, −0.454, 7/7 items), INVERT, NONCE, the three invented fields that moved as predicted (including the opposite-signed Numbers Count, 0/7), Mode of Response, and the examples and principle arms against the bare item.

Significant over units but not over items: FLIP’s own sign, PD on the second provider (borderline), ID’s swap TRUE arm and ID pinned on the second provider, Tolerance for Asymmetry (whose items disagree in sign), the gap between examples and a stated principle, and the floor-lift dissociation of §6.3.

Not significant under either: the swap arm, the partner field, the partner at the field’s line, ID’s swap difference, Worst-off Priority, and LL at 40 and 80 agents.

The central claim of this paper, that editing a field’s definition sets the direction of its effect while its name and numeral do not, rests on the first group.

8. What the process taught

8.1 Presentation order must be crossed, not randomised

Two items are largely determined by which option is printed first: keep-rate differs by 0.75 and 0.73 between orders. The paired contrasts are protected by design, since each pair holds order fixed. Split by order, PD and three of the four invented fields keep their sign in both orders. Worst-off Priority splits, which is one more reason we claim nothing for it. *Unpaired* screens, however, were misled. An order-determined item averages to about 0.50 and passes a dispersion rule meant to catch the opposite problem, and one of our screens passed two items on which the model was making no choice at all. The same defect recurred twice in new forms. In a judge prompt, a model answered “B” in 94 of 120 trials, which voided that designation. In a covariate, example composition proxied order and voided a prespecified measure (§6.4). Randomising order makes a position-following responder *visible*. Only crossing order with every variable that could correlate with it *neutralises* it.

8.2 Automated design review is not a stable instrument

New materials had to pass an independent review by a separate model before collection. The review caught real errors: a mismatch between reviewer prompt and materials, an answer-key leak in a review packet, normative cues in option wording. Its verdicts, however, were not a stable property of the material. One four-item pool, reviewed four times on byte-identical text, was accepted three times and then rejected. A later review of the seven-item pool asked for revision and blocked two items that an earlier review had explicitly cleared. Across seven reviews of that material there were three accepts and four requests to revise. We adopted, and recorded, the rule that review is a hard gate for new material and advisory for material already accepted, and that re-running a review to obtain a different verdict is forbidden.

8.3 An unprofiled floor is not a floor under profile

The twins of §6.3 sat at 0.00–0.04 keep-rate without a block and reached 0.775 with PD high. A screen’s unprofiled baseline does not bound the profiled range, so screens that reject floored items are more conservative than they need to be.

9. Limitations

No moral claim. The outcome is which option is chosen, recorded by a fixed lookup. Nothing here says an agent behaves well or that outcomes improve.

No human comparison. No human data were collected.

No evidence of understanding. §6 shows that behaviour follows what a definition *says*. It does not separate *reading an explanation* from *following an instruction phrased as one*, and a definition such as “existing arrangements stand unless there is strong reason to change them” is close to an instruction. Our attempts to separate them did not succeed. Twins on which the readings diverge could mostly not be built (§6.3). A test of whether the model could infer a field’s value from behaviour failed as an instrument, through the position bias of §8.1. Examples and a stated rule produced nearly the same behaviour (§6.4). The evidence is consistent with a model that acts on whatever relevant text is present.

One task family. Seven items on one model and six on another, all short allocation dilemmas with an incumbent holder and identical tied payoffs. This is the principal limitation. A second family of 14 items (property, bodily, allocative and scheduling dilemmas) passed review, and 11 of them dispersed, but only 3 both dispersed and were robust to presentation order, against

the 6 required, so that designation stopped at screening. Order-robustness has to be designed into items, not discovered afterwards.

One model for identification. Every §6 result, and the swap and line controls of §5, are on gpt-5.4-mini. The second-provider tests cover pinning only, and effect sizes did not transfer.

Tied payoffs by design. Tied totals remove arithmetic as a reason for choice, which is what makes the field the candidate cause. Whether definitions matter as much when payoffs differ is untested.

Partial map of the block. Two further fields move keep-rate at 80 agents with no swap control run, so their mechanism is unidentified. Four others are null in a 25-agent sweep, which bounds them only weakly.

10. Conclusion

We asked which part of a structured prompt carries behaviour, and what about that part does the carrying. On the evidence here, one field carries it. The effect is not due to block presence, length, the line or a free-floating numeral. What carries it is the field’s **definition**. Exchange which end of the scale means what, holding the name, line, numeral and every character fixed, and the effect moves by -0.454 on every item. Fields we wrote ourselves mostly follow their own definitions, in whichever direction those definitions point. Three of four locked predictions held, and the one that failed was ours.

Two consequences follow for anyone who conditions agents on structured descriptions. The first is that definitions deserve more care than names. A field’s name is a poor description of what it does: here the field named for procedure acts as a pressure to keep what exists, and an invented field does its job better. The second is that the claim “the model read the profile” is testable. The controls in this paper need no access to model internals and cost little. They include a replication gate, which in this work withdrew a field that a corrected test had certified and that its own swap control would have confirmed.

References

- Barr, Dale J., Roger Levy, Christoph Scheepers, and Harry J. Tily. 2013. “Random Effects Structure for Confirmatory Hypothesis Testing: Keep It Maximal.” *Journal of Memory and Language* 68 (3): 255–78.
- Chatterjee, Anwoy, H. S. V. N. S. Kowndinya Renduchintala, Sumit Bhatia, and Tanmoy Chakraborty. 2024. “POSIX: A Prompt Sensitivity Index for Large Language Models.” In *Findings of the Association for Computational Linguistics: EMNLP 2024*, 14550–65.
- Geiger, Atticus, Duligur Ibeling, Amir Zur, Maheep Chaudhary, Sonakshi Chauhan, Jing Huang, Aryaman Arora, et al. 2025. “Causal Abstraction: A Theoretical Foundation for Mechanistic Interpretability.” *Journal of Machine Learning Research* 26.
- Gelman, Andrew, and Hal Stern. 2006. “The Difference Between ‘Significant’ and ‘Not Significant’ Is Not Itself Statistically Significant.” *The American Statistician* 60 (4): 328–31.
- Holm, Sture. 1979. “A Simple Sequentially Rejective Multiple Test Procedure.” *Scandinavian Journal of Statistics* 6: 65–70.
- Liu, Ming. 2026. “In-Context Fixation.” *arXiv Preprint arXiv:2605.08295*.
- Lu, Yao, Max Bartolo, Alastair Moore, Sebastian Riedel, and Pontus Stenetorp. 2022. “Fantastically Ordered Prompts and Where to Find Them: Overcoming Few-Shot Prompt Order Sensitivity.” In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics*.

- Luz de Araujo, Pedro Henrique, and Benjamin Roth. 2025. “Helpful Assistant or Fruitful Facilitator? Investigating How Personas Affect Language Model Behavior.” *PLOS ONE* 20: e0325664.
- Min, Sewon, Xinxu Lyu, Ari Holtzman, Mikel Artetxe, Mike Lewis, Hannaneh Hajishirzi, and Luke Zettlemoyer. 2022. “Rethinking the Role of Demonstrations: What Makes in-Context Learning Work?” In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*.
- Rao, Abhinav, Aditi Khandelwal, Kumar Tanmay, Utkarsh Agarwal, and Monojit Choudhury. 2023. “Ethical Reasoning over Moral Alignment: A Case and Framework for in-Context Ethical Policies in LLMs.” In *Findings of the Association for Computational Linguistics: EMNLP 2023*.
- Razavi, Amirhossein, Mina Soltangheis, Negar Arabzadeh, Sara Salamat, Morteza Zihayat, and Ebrahim Bagheri. 2025. “Benchmarking Prompt Sensitivity in Large Language Models.” *arXiv Preprint arXiv:2502.06065*.
- Sachdeva, Pratik S., and Tom van Nuenen. 2025. “Normative Evaluation of Large Language Models with Everyday Moral Dilemmas.” In *Proceedings of the 2025 ACM Conference on Fairness, Accountability, and Transparency (FAccT)*. <https://doi.org/10.1145/3715275.3732044>.
- Sclar, Melanie, Yejin Choi, Yulia Tsvetkov, and Alane Suhr. 2024. “Quantifying Language Models’ Sensitivity to Spurious Features in Prompt Design.” In *International Conference on Learning Representations (ICLR)*.
- Vaidyanathan, Praveen et al. 2026. “The Curse of Multiple Mediators.” *arXiv Preprint arXiv:2606.27510*.
- Wang, Lean, Lei Li, Damai Dai, Deli Chen, Hao Zhou, Fandong Meng, Jie Zhou, and Xu Sun. 2023. “Label Words Are Anchors: An Information Flow Perspective for Understanding in-Context Learning.” In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*.
- Webson, Albert, and Ellie Pavlick. 2022. “Do Prompt-Based Models Really Understand the Meaning of Their Prompts?” In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, 2300–2344.
- Wei, Jerry, Jason Wei, Yi Tay, Dustin Tran, Albert Webson, Yifeng Lu, Xinyun Chen, et al. 2023. “Larger Language Models Do in-Context Learning Differently.” *arXiv Preprint arXiv:2303.03846*.
- Zhang, Fred, and Neel Nanda. 2024. “Towards Best Practices of Activation Patching in Language Models: Metrics and Methods.” In *International Conference on Learning Representations (ICLR)*.
- Zheng, Mingqian, Jiaxin Pei, Lajanugen Logeswaran, Moontae Lee, and David Jurgens. 2024. “When ‘a Helpful Assistant’ Is Not Really Helpful: Personas in System Prompts Do Not Improve Performances of Large Language Models.” In *Findings of the Association for Computational Linguistics: EMNLP 2024*.

Appendix A. Full system prompt

The PD-high system prompt for one agent in the prospective PD test. The PD-low prompt differs only in `Procedural Dependence: 0.90 → 0.10`. The G arm (§5.1) replaces the profile section with the instruction quoted there.

You are participating in a decision-making simulation.

Your decision-making profile

You process decisions according to the following characteristics, each on a continuous [0, 1] scale. The low and high ends of each are described. Your value on each characteristic is given.

1. Legitimacy Locus: 0.79
(0 = validity comes from institutional warrant and shared norms;
1 = validity comes from personal judgment and self-authored endorsement)
2. Constraint Sensitivity: 0.81
(0 = influence registers as environmental feature;
1 = even soft pressure registers as meaningful restriction)
3. Response Threshold: 0.60
(0 = high tolerance; only major violations activate response;
1 = hair-trigger; minor deviations activate response)
4. Mode of Response: 0.36
(0 = internal, reflective, self-adjusting;
1 = external, behavioural, confrontational)
5. Relational Embedding: 0.45
(0 = atomised, agent-centred, abstract-person model;
1 = role-sensitive, relational, socially embedded)
6. Procedural Dependence: 0.90
(0 = outcome-dominant; results matter, methods are secondary;
1 = process-dominant; fair procedure matters independently)
7. Tolerance for Asymmetry: 0.42
(0 = asymmetry is inherently suspect, default is symmetry;
1 = asymmetry is accepted if intelligible, hierarchy is fine)
8. Internalization Dependence: 0.77
(0 = surface compliance is sufficient;
1 = genuine endorsement and value-congruence required)
9. Moral Scope: 0.73
(0 = local, role-bound, partial, context-limited;
1 = universalised, generalisable, broadly applied)
10. Affective Weighting: 0.35
(0 = cognitive, deliberative, reasoned processing;
1 = affective, intuitive, felt processing)

Your normative context

You operate in a society with the following structural properties:

- Freedom: NEUTRAL
- Justice: NEUTRAL
- Authority: NEUTRAL
- Care: NEUTRAL
- Loyalty: NEUTRAL

For axes marked HIGH, the institution enforces, permits, and rewards that property; for axes marked LOW, that property is unstructured, unprotected, or penalised. NEUTRAL means no institutional high or low stance is specified on that axis; it does not remove your individual characteristics or the facts of the task.

Your task

Use the supplied information to make the requested decision. Do not infer a demographic identity or additional facts. Return only the requested JSON object.

In FLIP the three lines of entry 6 read (0 = process-dominant; fair procedure matters independently; 1 = outcome-dominant; results matter, methods are secondary) with the name and value unchanged. INVERT additionally renames the entry *Outcome Dominance*, and NONCE renames it *Factor K* with the original definition. Invented fields (§6.2) replace entry 10 with the field's name, value and definition in the same format.

Appendix B. Items

Every item is preceded by the same framing: “*You hold the role described. The option you select will be carried out, not merely considered. Units are artificial simulator credits, stipulated equally valuable to every person, and all stated effects are certain and known to you. There are no hidden costs, benefits or later effects beyond those described, and no one is pressuring you toward either option. Decide on the situation as given.*” In every item the keep option gives the holder +1 and the others −4 between them, and the override option gives the others +2 and the holder −5. The table gives each situation and its twin clause (§6.3). Items marked g were used on gpt-5.4-mini, h on claude-haiku-4-5.

Item	Situation (base item)	Twin: how the holder came by it
desk_booking (g, h)	One bookable desk left for the week; one person booked it and wants to keep it; two visiting staff otherwise work from a corridor bench.	entered their name the Friday before the booking sheet opened
storage_unit (g, h)	A community centre needs a storage unit for winter supplies; one unit is leased by a resident who wants to keep it; supplies otherwise spoil outdoors.	was given the unit ahead of the waiting list by an acquaintance in the office
tool_library (g, h)	A repair session needs a press a member lent under terms letting them withdraw it; they want it back this week; three repairs otherwise cannot proceed.	lent under terms fixing the loan until month end, and asks for it back two weeks early
on_call (g)	An on-call slot is unfilled for one night; one off-rota person wants the night clear; leaving it unfilled sends two callouts to a team an hour away.	is off-rota through a swap arranged privately and never entered on the form
meeting_room (g, h)	A room is held for one group's weekly session; they want to keep it; two other groups need the room this week.	entered its slot in the diary itself, before the room committee met
rest_break (g)	One mandatory rest slot left in a long shift; one worker wants it; assigning it elsewhere lets two tasks finish.	has already taken their own slot
weekend_rota (g, h)	A service needs one more person on Saturday; one staff member wants the day free; otherwise two appointments are put back.	did not file the request form by its deadline
ward_transfer (h)	A ward is over capacity; one patient has a single room and wants to keep it; two patients wait on trolleys.	—

The profile-versus-instruction comparison on gpt-5.4-mini (§5.1) also used an eighth item, `sample_draw`. Verbatim option texts are in the repository.

Appendix C. Item-level robustness

Every contrast is estimated on `gpt-5.4-mini` with 40 agents unless marked. *Unit* is the pre-specified interval over agent-item units. *Crossed* resamples agents and items independently. *t p* is from a one-sample *t*-test over per-item effects. *Items* gives the per-item signs. The contrasts marked † are new in this paper. All are computed from the frozen records by `paper_item_robustness.py`, with zero API calls and seed 2026092301. Unit intervals are re-computed here with one common seed. They differ from the designation reports quoted in the main text by at most 0.01, through resampling alone. Point estimates are identical.

Contrast	Estimate	Unit 95% CI	Crossed 95% CI	<i>t p</i>	Items +/-
PD pinned (prospective)	+0.346	[+0.279, +0.414]	[+0.121, +0.568]	0.024	6 / 1
PD swap: TRUE	+0.339	[+0.275, +0.404]	[+0.103, +0.582]	0.035	6 / 1
PD swap: SWAP	-0.036	[-0.093, +0.018]	[-0.139, +0.075]	0.385	2 / 4
PD swap: TRUE - SWAP	+0.375	[+0.286, +0.464]	[+0.082, +0.661]	0.046	6 / 1
ID swap: TRUE - SWAP	+0.064	[-0.014, +0.146]	[-0.093, +0.221]	0.353	3 / 2
2×2 field factor	+0.300	[+0.232, +0.370]	[+0.111, +0.495]	0.022	7 / 0
2×2 position factor	+0.032	[-0.025, +0.087]	[-0.061, +0.123]	0.281	5 / 1
AW pinned (80 agents)	+0.016	[-0.025, +0.057]	[-0.052, +0.087]	0.492	4 / 2
LL pinned (80 agents)	-0.036	[-0.080, +0.007]	[-0.139, +0.080]	0.513	1 / 5
TfA pinned (80 agents)	-0.111	[-0.154, -0.066]	[-0.245, +0.030]	0.155	2 / 4
MoR pinned (80 agents)	-0.073	[-0.114, -0.030]	[-0.134, -0.007]	0.003	0 / 6
PD pinned, haiku (6 items)	+0.133	[+0.062, +0.204]	[-0.013, +0.283]	0.076	4 / 1
ID pinned, haiku (6 items)	+0.075	[+0.013, +0.142]	[-0.062, +0.204]	0.218	4 / 2
CANON	+0.339	[+0.271, +0.407]	[+0.121, +0.568]	0.026	6 / 1
FLIP	-0.114	[-0.179, -0.054]	[-0.239, +0.025]	0.071	1 / 5
INVERT	-0.614	[-0.675, -0.557]	[-0.771, -0.457]	< 0.001	0 / 7
NONCE	+0.175	[+0.114, +0.236]	[+0.025, +0.325]	0.048	6 / 1
CANON - FLIP †	+0.454	[+0.361, +0.546]	[+0.179, +0.739]	0.019	7 / 0
CANON - NONCE †	+0.164	[+0.082, +0.246]	[+0.011, +0.321]	0.024	6 / 0
Status-quo Preference	+0.400	[+0.336, +0.464]	[+0.229, +0.579]	0.003	7 / 0
Stated-Wish Deference	+0.307	[+0.254, +0.361]	[+0.179, +0.436]	0.002	7 / 0
Numbers Count	-0.246	[-0.311, -0.182]	[-0.386, -0.114]	0.007	0 / 7
Worst-off Priority	-0.064	[-0.129, 0.000]	[-0.218, +0.096]	0.403	2 / 4
Status-quo Preference - Numbers Count †	+0.646	[+0.561, +0.736]	[+0.425, +0.857]	< 0.001	7 / 0
Floor lift: SQ - PD (3 items)	-0.250	[-0.358, -0.133]	[-0.500, 0.000]	0.191	0 / 2
Examples vs bare item	+0.429	[+0.382, +0.475]	[+0.223, +0.641]	0.009	7 / 0
Principle vs bare item	+0.463	[+0.418, +0.507]	[+0.241, +0.693]	0.009	7 / 0
Principle - examples	+0.034	[+0.004, +0.064]	[-0.032, +0.098]	0.208	6 / 1

For the first-stage contrasts, the thesis also fitted logistic models with crossed random intercepts for agent and item and an item-specific treatment slope. Under those models E - G stays significant on both providers ($p = 0.0001$ and 0.041), PD pinned stays significant ($p = 0.0006$), and ID's swap TRUE arm does not ($p = 0.061$), which is one reason ID is reported only as a candidate.

Appendix D. Scale and reproducibility

The record spans 35,879 API calls across 56 designations, with \$45.05 of accounted spend. Every designation is frozen before collection: its request schedule, population, locked predictions and decision rule are hashed, and the hash is checked at dispatch. Per-call records are write-once. Two calls are preserved transport failures, at call 689 of 2,801 in `coordinate_sweep_r1` and at call 294 of 840 in `precipitation_r1`. Each closed its designation, which was re-designated without reusing any records. Power simulations and offline analyses, including Appendix C, are reproducible from committed modules. The principal designations are `phase4b_gpt_r2` and `phase4b_profiled_r1` (§5.1), `pd_prospective_r1` and `label_semantics_r1` (§5.2), `label_semantics_r2` (ID and LL), `position_counterbalance_r1` (§5.3), `coordinate_sweep_r2` (sweep), `parameter_followup_r1/r2` (80-agent pins), `pd_crossmodel_r1` and `id_crossmodel_r1` (§5.6), `semantics_r1` (§6.1), `probe_fields_r1` (§6.2), `floor_lift_r1` (§6.3) and `precipitation_r3` (§6.4).