Introduction to Seaborn

INTRODUCTION TO SEABORN




Erin CaseData Scientist




What is Seaborn?

- Python data visualization library
- Easily create the most common types of plots



Why is Seaborn useful?



Advantages of Seaborn

- Easy to use
- Works well with pandas data structures
- Built on top of matplotlib

Getting started


```
import seaborn as sns
import matplotlib.pyplot as plt
```

Samuel Norman Seaborn (sns)

"The West Wing" television show


Example 1: Scatter plot


```
import seaborn as sns
import matplotlib.pyplot as plt
height = [62, 64, 69, 75, 66,
          68, 65, 71, 76, 73]
weight = [120, 136, 148, 175, 137,
          165, 154, 172, 200, 187]
sns.scatterplot(x=height, y=weight)
plt.show()
```




Example 2: Create a count plot

```
import seaborn as sns
import matplotlib.pyplot as plt
gender = ["Female", "Female",
          "Female", "Female",
          "Male", "Male", "Male",
          "Male", "Male", "Male"]
sns.countplot(x=gender)
plt.show()
```







Let's practice!

INTRODUCTION TO SEABORN



Using pandas with Seaborn

INTRODUCTION TO SEABORN



Erin CaseData Scientist



What is pandas?

- Python library for data analysis
- Easily read datasets from csv, txt, and other types of files
- Datasets take the form of DataFrame objects

Working with DataFrames

```
import pandas as pd


df = pd.read_csv("masculinity.csv")

df.head()
```

	participant_id	age	how_masculine	how_important
0	1	18 - 34	Somewhat	Somewhat
1	2	18 - 34	Somewhat	Somewhat
2	3	18 - 34	Very	Not very
3	4	18 - 34	Very	Not very
4	5	18 - 34	Very	Very



Using DataFrames with countplot()



	participant_id	age	how_masculine	how_important
0	1	18 - 34	Somewhat	Somewhat
1	2	18 - 34	Somewhat	Somewhat
2	3	18 - 34	Very	Not very
3	4	18 - 34	Very	Not very
4	5	18 - 34	Very	Very
5	6	18 - 34	Very	Somewhat
6	7	18 - 34	Somewhat	Not very
7	8	18 - 34	Somewhat	Somewhat
8	9	18 - 34	Very	Not at all
9	10	18 - 34	Somewhat	Somewhat

	AMONG ADULT MEN	Unnamed: 1	Adult Men	Age	Unnamed: 4	Unnamed: 5
0				18 - 34	35 - 64	65 and up
1	In general, how masculine or "manly" do you feel?					
2		Very masculine	37%	29%	42%	37%
3		Somewhat masculine	46%	47%	46%	47%
4		Not very masculine	11%	13%	9%	13%
5		Not at all masculine	5%	10%	2%	3%
6		No answer	1%	0%	1%	1%
7	How important is it to you that others see you as masculine?					
8		Very important	16%	18%	17%	13%
9		Somewhat important	37%	38%	37%	32%
10		Not too important	28%	18%	31%	37%
11		Not at all important	18%	26%	15%	18%
12		No answer	0%	0%	1%	0%

Let's practice!

INTRODUCTION TO SEABORN



Adding a third variable with hue

INTRODUCTION TO SEABORN



Erin CaseData Scientist




Tips dataset

```
import pandas as pd
import seaborn as sns
tips = sns.load_dataset("tips")
tips.head()
```

```
total_bill
          tip
                  sex smoker
                             day
                                 time size
    16.99
          1.01
               Female
                         No
                            Sun
                                 Dinner
    10.34
          1.66
                Male
                                 Dinner
                         No Sun
                         No Sun
    21.01 3.50
               Male
                                 Dinner
    23.68 3.31
               Male
                         No
                            Sun
                                 Dinner
    24.59 3.61
               Female
                         No Sun
                                 Dinner
                                           4
```




A basic scatter plot




A scatter plot with hue

```
import matplotlib.pyplot as plt
import seaborn as sns
sns.scatterplot(x="total_bill",
                y="tip",
                data=tips,
                hue="smoker")
plt.show()
```




Setting hue order

```
import matplotlib.pyplot as plt
import seaborn as sns
sns.scatterplot(x="total_bill",
                y="tip",
                data=tips,
                hue="smoker",
                hue_order=["Yes",
                            "No"])
plt.show()
```



Specifying hue colors


```
import matplotlib.pyplot as plt
import seaborn as sns
hue_colors = {"Yes": "black",
              "No": "red"}
sns.scatterplot(x="total_bill",
                y="tip",
                data=tips,
                hue="smoker",
                palette=hue_colors)
plt.show()
```




Color	Matplotlib name	Matplotlib abbreviation	HTML color code (hex)
blue	"blue"	"b"	#0000ff
green	"green"	"g"	#008000
red	"red"	"r"	#ff0000
green/blue	"cyan"	"c"	#00bfbf
purple	"magenta"	"m"	#bf00bf
yellow	"yellow"	"y"	#bfbf00
black	"black"	"k"	#000000
white	"white"	"w"	#ffffff

Using HTML hex color codes with hue

```
import matplotlib.pyplot as plt
import seaborn as sns
hue_colors = {"Yes": "#808080",
              "No": "#00FF00"}
sns.scatterplot(x="total_bill",
                y="tip",
                data=tips,
                hue="smoker",
                palette=hue_colors)
plt.show()
```



Using hue with count plots



Let's practice!

INTRODUCTION TO SEABORN

