Using Futhark for a fast, parallel implementation of forward and back projection in algebraic reconstruction methods - A pre-study

Lærke Pedersen and Mette Bjerg Lindhøj

University of Copenhagen

08/11/2018

SIRT

Solve the problem:


$$\mathbf{f}^* = \operatorname{argmin}_{\mathbf{f}} \|\mathbf{p} - \mathbf{A}\mathbf{f}\| \tag{1}$$

iteratively using this update step:

$$\mathbf{f}^{n} = \mathbf{f}^{(n-1)} + \mathbf{C}\mathbf{A}^{T}\mathbf{R}(\mathbf{p} - \mathbf{A}\mathbf{f}^{(n-1)}), \tag{2}$$

where \boldsymbol{C} and \boldsymbol{R} are the diagonal matrices containing the inverse column and row sums of the system matrix respectively.

The system matrix



- Consider reconstructing a single slize of a volume from a detector of size $n \times n$
- The number of rays is *n*
- The number of angles is $\frac{n \cdot \pi}{2}$
- A typical value for *n* is 2048
- In semi sparse format the matrix will take up $2 \cdot 4 \cdot \lceil \frac{2048 \cdot \pi}{2} \rceil \cdot (2 * 2048 1) \approx 105 MB$

System matrix computation

```
for ray = 0; ray < numberofrays; ray++ //parallel
for pixel = 0; pixel < pixels; pixel++ //parallel
if ray intersects pixel:
(p1,p2) = intersectionpoints pixel ray
A[ray][pixel] = distance p1 p2
```

Futhark

- High level data-parallel, and purely functional array language
- Comes with a heavily optimising ahead-of-time compiler
- Has performed well on several benchmarks
- Hardware-agnostic



Fast parallel algorithms for the x-ray transform and its adjoint. *Medical physics*, 39(23127102):7110–7120, November 2012.

Y. Long, J. A. Fessler, and J. M. Balter.

3d forward and back-projection for x-ray ct using separable footprints.

IEEE Transactions on Medical Imaging, 29(11):1839–1850, Nov 2010.

F. Natterer.

The Mathematics of Computerized Tomography. Society for Industrial and Applied Mathematics, 2001.

Z. Xue, L. Zhang, and J. Pan.

A new algorithm for calculating the radiological path in ct image reconstruction.

In Proceedings of 2011 International Conference on Electronic Mechanical Engineering and Information Technology, volume 9, pages 4527–4530, Aug 2011.