



Exploring the Effects of Texting Style and Tone on Response Behavior in Dating Apps

AUTHOR

Lorena Bulnes, Dayana Caluna, Tomoko Hida & Sophia Mu

Figure 1: Images





message	style	n	mean	SD
Curious	Abbreviation	13	2.461539	0.9674179
Curious	NoAbbreviation	14	2.785714	0.9300964
Flirty	Abbreviation	11	2.727273	1.3234482
Flirty	NoAbbreviation	12	2.611111	0.9302257

Figure 1: Descriptive Statistics

```
text_lm <- lm(Average ~ message * style, data = data)


# Assessing Conditions
leveneTest(Average ~ message * style, data = data)
```

Levene's Test for Homogeneity of Variance (center = median)


	Df	F value	Pr(>F)
group	3	0.6516	0.586
	46		

```
qplot(x = text_lm$residuals, bins = 6)
```


Warning: `qplot()` was deprecated in ggplot2 3.4.0.



```
plot(text_lm, which = 2)
```



```
plot(text_lm, which = 1)
```






Figure 2: Boxplot

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
message	1	0.0170370	0.0170370	0.0158290	0.9004278
style	1	0.1847694	0.1847694	0.1716686	0.6805589
message:style	1	0.6010559	0.6010559	0.5584388	0.4586930
Residuals	46	49.5104710	1.0763146	NA	NA

Figure 3: ANOVA