Release Notes: ProcessMaker 3.7.3

Release Date: January 24, 2022

This document contains Release Notes for ProcessMaker 3.7.3. Release Notes are cumulative, and document bug fixes associated with this release unless otherwise noted. A list of older ProcessMaker Release Notes is included at the end of this document.

Links to System Requirements and Special Instructions for this Release

1. Supported Stacks
2. Supported Web Browsers
3. Review the ProcessMaker versions to upgrade to ProcessMaker 3.7.x
4. This release installation requires to run the `flush-cache` command.
5. This release installation requires to run the `translation-repair` command.
6. MySQL 8 is more restrictive regarding the use of Reserved Words. Please see MySQL 8.0 New Keywords and Reserved Words.
7. It is recommended to use the HTTP/2.0 protocol.

Improvements

This section documents improvements for ProcessMaker 3.7.3:

1. **`PMFCaseInformation()` function added:** The `PMFCaseInformation()` function returns information about a specific Case or Task.

2. **Enhanced web pages that display error or warning messages:** Pages that display errors while using ProcessMaker work correctly providing references or identifiers and hiding sensitive data to the final user.

3. **Enhanced structure of core function that sets cookies:** The `setcookie()` core function structure works properly with the `HttpOnly` flag.

4. **Last user interface API includes the Cache-control header set:** The API with the last user interface includes the `'Cache-Control': 'no-cache, must-revalidate'` parameter in every JavaScript endpoint.

Bug Fixes

This section documents bug fixes for ProcessMaker 3.7.3:

1. **File Uploader works properly on Firefox when working with Dynaforms:** Multiple File Uploader control works properly when using the Print Dynaform option in Firefox browsers.

2. **Comments do not include sensitive information when logging on:** Response comments do not include data that would be considered sensitive when logging on.

3. **Granular import works properly with permissions:** Permissions import correctly if the base requirements are set up as Groups and Users when doing granular import.

4. **Re-worked the `Risk Matrix On-time`:** The `Risk Matrix On-time` nodes display ten days at minimum. In case of having wider options of dates, nearly getting at risk, the 10-days rule is avoided. The ten days rule works when there are a few nodes very close in dates displayed and the same applies for `At-Risk`, and `Overdue Matrix`.

5. **Added language translations for different Task lists:** String translations on the Task lists for Spanish version have been added.

6. **User default language works properly when configuring it in administration settings:** Configuration applies correctly anytime the default language changes in the administration setting for users.

7. **Upgrades do not affect `LOGIN_LOG`, `LOG_ID` or other database tables:** Due to MySQL 8 configuration provided, ProcessMaker updates database tables correctly. To see details about these check the Stack 275 and Stack N275 MySQL configurations on our wiki page.

8. **After importing a new version of a Process, their Report Tables are not removed:** Report Tables are not removed when a specific Process is updated.

Previous Release Notes

Refer to the previous Release Notes from ProcessMaker versions 3.2 through 3.7.2:

- [3.7.2](#)
- [3.7.1](#)
- [3.7.0](#)
- [3.6.5](#)
- [3.6.4](#)
- [3.6.3](#)
- [3.6.2](#)
- [3.6.1](#)
- [3.6.0](#)
- [3.5.11](#)
- [3.5.10](#)
- [3.5.9](#)
- [3.5.8](#)
- [3.5.7](#)
- [3.5.6](#)
- [3.5.5](#)
- [3.5.4](#)
- [3.5.3](#)
- [3.5.2](#)
- [3.5.1](#)
- [3.5.0](#)
- [3.4.11](#)
- [3.4.10](#)
- [3.4.9](#)
- [3.4.8](#)
- [3.4.7](#)
- [3.4.6](#)
- [3.4.5](#)
- [3.4.4](#)
- [3.4.3](#)
- [3.4.2](#)
- [3.4.0](#)
- [3.3.17](#)
- [3.3.16](#)
- [3.3.15](#)

ProcessMaker

- [3.3.14](#)
- [3.3.13](#)
- [3.3.12](#)
- [3.3.11](#)
- [3.3.10](#)
- [3.3.9](#)
- [3.3.8](#)
- [3.3.7](#)
- [3.3.6](#)
- [3.3.5](#)
- [3.3.4](#)
- [3.3.3](#)
- [3.3.2](#)
- [3.3.1](#)
- [3.3.0](#)
- [3.2.4](#)
- [3.2.3](#)
- [3.2.2](#)
- [3.2.1](#)
- [3.2](#)

ProcessMaker