

# Release Notes: ProcessMaker 3.4.2

Release Date: November 11th, 2019

This document contains Release Notes for ProcessMaker 3.4.2. Release Notes are cumulative, and document improvements and bug fixes associated with this release unless otherwise noted. [A list of older ProcessMaker Release Notes is included at the end of this document.](#)

## Links to System Requirements and Special Instructions for This Release

1. [Supported Stacks](#)
2. [Supported Web Browsers](#)

## Bug Fixes

This section documents bug fixes for ProcessMaker 3.4.2:

1. **An assigned user no longer disappears when importing a process from Promotion Manager:**  
An assigned user updates correctly their ID when importing a process from Promotion Manager.
2. **In Actions by Email, now it is possible to configure the label Link to Fill a Form:** A new label has been added to the translation file. For this, you must run the [translation-repair](#) command.
3. **Script tasks that use MySQL external database connections now work properly after a Start Timer Event:** MySQL external database connections in script tasks run successfully and no longer crash triggers placed after a Start Timer Event.
4. **Suggest fields with a Database connection in Classic processes can now be edited properly:**  
It is now possible to edit the Classic process's Suggest field that uses a Database Connection to a MySQL database.
5. **Output Documents now download file names with the question mark (?) between spaces:**  
The following unsupported operating system characters are replaced with underscores (\_) in file names: \ / : \* ? " < > / >. The exception is the character ", which is removed. Characters with an accent, Spanish or Portuguese characters do not suffer any character replacement. Asian characters require the corresponding browser and operating system support so that the browser itself displays these characters.
6. **Web entry added to website via iframe loads correctly:** Web entries can be inserted into websites without causing issues.

7. **Secondary dependent fields correctly refresh data:** Secondary dependent fields refresh data if the returned array has items, even if the dependent field is populated with SQL queries.

## Previous Release Notes

Refer to the previous Release Notes from ProcessMaker versions 3.2 through 3.4.0:

- [3.4.0](#)
- [3.3.17](#)
- [3.3.16](#)
- [3.3.15](#)
- [3.3.14](#)
- [3.3.13](#)
- [3.3.12](#)
- [3.3.11](#)
- [3.3.10](#)
- [3.3.9](#)
- [3.3.8](#)
- [3.3.7](#)
- [3.3.6](#)
- [3.3.5](#)
- [3.3.4](#)
- [3.3.3](#)
- [3.3.2](#)
- [3.3.1](#)
- [3.3.0](#)
- [3.2.4](#)
- [3.2.3](#)
- [3.2.2](#)
- [3.2.1](#)
- [3.2](#)