# Release Notes: ProcessMaker 3.4.0

Release Date: October 15th, 2019

This document contains Release Notes for ProcessMaker 3.4.0. Release Notes are cumulative, and document new features and improvements associated with this release unless otherwise noted. A list of older ProcessMaker Release Notes is included at the end of this document.

# Links to System Requirements and Special Instructions for This Release

- 1. Supported Stacks
- 2. Supported Web Browsers

#### Products Available With This Release

ProcessMaker 3.4.0 was released concurrently with the following products:

- Enhanced Home Experience (EHX) plugin (<u>Release Notes</u>)
- SAML plugin (Release Notes)

#### New Features

This section documents the following new features for ProcessMaker 3.4.0:

- 1. **MySQL 5.7 Support:** ProcessMaker now supports <u>MySQL 5.7</u>
  - Business Value: Performance benefits, security improvements, JSON support, Optimizer enhancements and more. To know more about the features added to MySQL 5.7, see <u>What Is</u> <u>New in MySQL 5.7</u>.
- 2. **Laravel Framework Upgrade to version 5.7:** ProcessMaker now supports Laravel Queue to work with PHP version 7.1.x.
  - Business Value: Use a Queue system architecture to monitor your ProcessMaker instance throughput and queue workload.
- 3. Full-Text index for the APP TITLE: Full-Text index for the APP TITLE.
  - **Business Value:** Full-Text index for the APP\_TITLE improves the performance in the <u>Advanced Search</u> when filtering by Case Title.



#### **Improvements**

This section documents improvements for ProcessMaker 3.4.0:

- Deprecation Marks in the Designer: Dynaforms display deprecation marks to denote deprecated controls. This mark is represented as a warning icon that links to documentation that explains the deprecation reasons.
- Dynaforms improve the usability of Dependent Fields: There is a spinner instead of <u>dependent fields</u> to wait while data loads. Its data now loads asynchronously and in parallel. This spinner applies to:
  - Dropdown
  - o <u>Textbox</u>
  - o TextArea
  - Checkgroup
  - Radiogroup
- 3. Suggest Control improved: The Suggest control was improved in the following way:
  - As a process designer, set the result limit in the Suggest control.
  - As an operator, use the Suggest control to display results when the Suggest field is focused. In this way, you quickly realize if the Suggest field has results or not.
  - As an operator, get alerted when the value written in the Suggest field is valid in the query domain. In this way, avoid sending incorrect values and receiving an error.
- 4. **Email Response in Actions by Email:** The <u>Actions by Email</u> adds a new Email Response type. You have the option to open a Dynaform when a button is used in the email sent via Action By Email. In this way, you can retrieve more information about the case, as when the case is rejected.
- 5. **Advanced Search improved:** The search in the <u>Advanced Search</u> now keeps the search filter after a case is opened. The case has an option to go back to the filter in the Advanced Search.
- 6. **Upgrade process improved:** Due to that some Customer servers spent a lot of time upgrading their long databases, the upgrade process improved their performance.
- 7. **Emails for Tasks:** Manage <u>Tasks</u> with <u>Email Intermediate Events</u>, <u>Email End Events</u> and PM Functions (<u>PMFSendMessage</u>, <u>PMFSendMessageToGroup</u>) in the background using <u>Queue</u> system architecture. In this way, you can work without having delays nor problems onto execution.



## **Deprecated Functions**

This section documents the following deprecated functions for ProcessMaker 3.4.0:

- 1. **Deprecated File Control:** The <u>File</u> control is deprecated. There are alert messages in the Dynaform designer that prevent its use.
  - Alternative: Instead of the File control, use the Multiple File Uploader control.

# **Changes to Current Functionality**

This section documents changes in functionality to the following features in ProcessMaker 3.4.0:

1. **Full-Text index for the APP\_TITLE:** Due to the new Full-Text index for the APP\_TITLE, there are some <u>reserved words</u> when <u>filtering by Case Title</u>.

## **Database Scheme Changes**

This section documents database scheme changes for ProcessMaker 3.4.0:

- 1. **Email Response in Actions by Email:** Due to the Email Response improvement, new columns are added to the following tables:
  - EMAIL\_SERVER table: MESS\_INCOMING\_SERVER and MESS\_INCOMING\_PORT
  - O ABE\_CONFIGURATION table: ABE\_ACTION\_BODY\_FIELD and ABE\_EMAIL\_SERVER\_RECEIVER\_UID
- 2. **Deprecated Controls in the Designer:** Due to <u>deprecation marks</u> to denote deprecated controls, the PMDYNAFORM\_FIRST\_TIME column is added to the **USERS\_PROPERTIES** table.
- 3. **Emails for Tasks:** Due to this improvement, new tables added:
  - JOBS\_PENDING
  - JOBS\_FAILED
- 4. **Case List performance improvement:** Due to the Case List Performance improvement, the following columns were created:
  - PRO\_STATUS: ACTIVE | INACTIVE | DISABLED creates the column PROCESS.PRO\_STATUS\_ID
  - PROCESS.PRO\_CATEGORY creates the column PROCESS.CATEGORY\_ID
  - PROCESS\_CATEGORY.CATEGORY\_UID creates the column PROCESS\_CATEGORY.CATEGORY\_ID
  - GRP\_STATUS: ACTIVE | INACTIVE creates the column GRP\_STATUS\_ID
  - GROUP\_USER.USR\_UID creates the column GROUP\_USER.USR\_ID
  - TASK.PRO\_UID creates the column TASK.PRO\_ID
  - TASK\_USER.TAS\_UID creates the column TASK\_USER.TAS\_ID



- TASK\_USER.USR\_UID creates the column TASK\_USER.ASSIGNED\_ID (can be group or user)
- 5. **Full-Text index for the APP\_TITLE:** Due to this feature, the indexAppTitle Full-Text index is added to the **APPLICATION** table
- 6. **Indexes added:** Indexes added to:
  - LIST\_PARTICIPATED\_LAST table composite index added on DEL\_DELEGATE\_DATE and USR\_UID
  - o PROCESS\_VARIABLES table composite index added on PRJ\_UID and VAR\_NAME
  - LIST\_INBOX table index added on APP\_NUMBER
  - o APP\_ASSIGN\_SELF\_SERVICE\_VALUE table index added on APP\_UID

For more details about database scheme changes, see <u>ProcessMaker Database Model</u>.

#### **Previous Release Notes**

Refer to the previous Release Notes from ProcessMaker versions 3.2 through 3.3.17:

- 3.3.17
- 3.3.16
- 3.3.15
- 3.3.14
- 3.3.13
- 3.3.12
- 3.3.11
- 3.3.10
- 3.3.9
- <u>3.3.8</u>
- 3.3.7
- 3.3.6
- 3.3.5
- 3.3.4
- 3.3.3
- 3.3.2
- 3.3.1
- 3.3.0
- 3.2.4
- 3.2.3
- <u>3.2.2</u>
- 3.2.1
- 3.2

