

Release Notes: ProcessMaker 3.6.3

Release Date: April 19th, 2021

This document contains Release Notes for ProcessMaker 3.6.3. Release Notes are cumulative, and document improvements and bug fixes associated with this release unless otherwise noted. [A list of older ProcessMaker Release Notes is included at the end of this document.](#)

Links to System Requirements and Special Instructions for This Release

1. [Supported Stacks](#)
2. [Supported Web Browsers](#)
3. [Review the ProcessMaker versions to upgrade to ProcessMaker 3.6.x](#)
4. The release installation requires to run the [translation-repair](#) command and run the [flush-cache](#) command.

Bug Fixes

This section documents bug fixes for ProcessMaker 3.6.3:

1. **Unavailability to run INSERT queries which reports error after routing a case:** Cases can route normally when using INSERT queries on triggers and do not display the error message anymore.
 - **Note:** Please consider that if a process is connected through gateways (parallel, exclusive and inclusive), the Derivation/Routing works normally when the workaround is added using an empty script task that connects gateways as recommended in [Sending an email when a case is unpaused](#).
2. **Cases that wait for Synchronous Sub-Processes are not allowed to be reassigned:** After a process is created with an embedded sub-process, ProcessMaker manages sub-processes with the following criteria:
 - Cases that have sub-processes can be either cancelled or paused, but cannot be reassigned when they are synchronous and waiting for the sub-process to be finalized.
 - Cases that have asynchronous sub-processes can be reassigned in the parent process.
3. **Delete Sub-Process Cases:** ProcessMaker manages sub-processes with the following criteria:
 - When the user needs to delete sub-process cases without breaking up the parent case, it's necessary to delete the parent process's case before deleting the sub-process case. In this way, the child case is not attached to the parent case, avoiding inconsistencies.

- Every time the user tries to delete a sub-process case without deleting the master process case, a warning displays the following message: **It is not possible to delete sub-process cases if the master process has active cases.**
4. **Case History is listed by Thread Created Order:** Case History List displays by Thread Created Order, instead of displaying by date and hour, in order to show the correct order according to the task execution when working with parallel tasks.
 5. **Assign User Task Action to generate records in the ProcessMaker Standard Logging:** When creating a process, select **Assign User Task** action to display the records in the ProcessMaker Standard Logging.
 6. **Uploading images from the mobile or web application takes similarly short time:** It takes similarly short time to upload images from ProcessMaker Mobile or theProcessMaker web application.
 - **Note:** The time it takes ProcessMaker Mobile to display the images might be different than the ProcessMaker web application to display them because these software applications have different loading architectures and connectivity to the server.
 7. **Check Dynaforms of specific workflows according to assigned permissions in a process:** Dynaform objects display properly when the case is in OPEN or COMPLETED status when using the **Origin Task** Process permission.
 8. **PMFSendMessage Trigger sends a unique email independently of the trigger instance:** PMFSendMessage() sends one email message at a time independently of the trigger step location.
 9. **Case Values are visible when the client submits a form:** After a case is registered in a created process, the variables' values are visible in the grid after a form is submitted despite being used in **DynaForm Designer** mode.
 10. **Ad Hoc Reassignment works correctly:** When assigning a task rule and selecting an Ad Hoc user, the **Reassign** button works correctly, and then displays in the **Task Reassignments** window.
 11. **Cases start normally in PM 3.6.3 using WSSO:** Cases start normally when using **Windows Single Sign On** in PM 3.6.3.
 12. **Replaced By field saves information correctly:** The entered **Replace By** option value saves correctly after saving changes from the user's information.
 13. **Dependent fields in Dynaforms return the registered data correctly:** When using dependent fields in grids and changing steps, the data records properly now instead of clearing the dependent value in the field.

14. **Cases claim normally in ProcessMaker using WSSO:** ProcessMaker, using **Windows Single Sign On** authentication, allows you to claim a case in the unassigned folder normally.

Known Issues

This section documents known issues for ProcessMaker 3.6.3:

1. **The By Task filter lists all Service tasks when applying search filtering:** As a best practice, it's necessary to enable the **PM Connector plugin** to use Service Tasks. When applying search filtering in the Home view, a Service Task is displayed as a normal task instead of not being displayed at all.

Previous Release Notes

Refer to the previous Release Notes from ProcessMaker versions 3.2 through 3.6.2:

- [3.6.2](#)
- [3.6.1](#)
- [3.6.0](#)
- [3.5.11](#)
- [3.5.10](#)
- [3.5.9](#)
- [3.5.8](#)
- [3.5.7](#)
- [3.5.6](#)
- [3.5.5](#)
- [3.5.4](#)
- [3.5.3](#)
- [3.5.2](#)
- [3.5.1](#)
- [3.5.0](#)
- [3.4.11](#)
- [3.4.10](#)
- [3.4.9](#)
- [3.4.8](#)
- [3.4.7](#)
- [3.4.6](#)
- [3.4.5](#)
- [3.4.4](#)
- [3.4.3](#)

- [3.4.2](#)
- [3.4.0](#)
- [3.3.17](#)
- [3.3.16](#)
- [3.3.15](#)
- [3.3.14](#)
- [3.3.13](#)
- [3.3.12](#)
- [3.3.11](#)
- [3.3.10](#)
- [3.3.9](#)
- [3.3.8](#)
- [3.3.7](#)
- [3.3.6](#)
- [3.3.5](#)
- [3.3.4](#)
- [3.3.3](#)
- [3.3.2](#)
- [3.3.1](#)
- [3.3.0](#)
- [3.2.4](#)
- [3.2.3](#)
- [3.2.2](#)
- [3.2.1](#)
- [3.2](#)