Release Notes: ProcessMaker 3.6.5

Release Date: June 7th, 2021

This document contains Release Notes for ProcessMaker 3.6.5. Release Notes are cumulative, and document improvements and bug fixes associated with this release unless otherwise noted. A list of older ProcessMaker Release Notes is included at the end of this document.

Links to System Requirements and Special Instructions for This Release

- 1. Supported Stacks
- 2. Supported Web Browsers
- 3. Review the ProcessMaker versions to upgrade to ProcessMaker 3.6.x

Bug Fixes

This section documents bug fixes for ProcessMaker 3.6.5:

- Failure in routeCase() web service for the calculation of Due Date column based on a
 defined calendar: The due date calculates based on the calendar hours even if the routeCase()
 is used when the case is routed normally.
- 2. **Maximum length password higher than 32 characters is working:** The maximum number of characters that can be used in passwords is 100 characters. This applies to Login page, Enhanced login, Forgot password, and create new user and edit user.
- Strange behaviors when using the tab index property in a button control: Tab Index does not
 cause any error while jumping from any web component. Only integer values should be accepted in
 the Tab Index Field Property.
- 4. Alerting messages no longer display in the Dynaform User Interface: The alerting messages no longer display throughout the ProcessMaker user interface when a dependent field is not populated. Instead, alerting messages are reported using the console log.
- 5. The file is still in active status when it is removed using the link to fill in a form: When a file is deleted and the case updates, the APP_DOC_STATUS changes to DELETED.
- 6. **All labels from ProcessMaker 3.6.x can be translated:** All labels in ProcessMaker 3.6.x can be translated and installed from a separate portable object (po) file.



Previous Release Notes

Refer to the previous Release Notes from ProcessMaker versions 3.2 through 3.6.4:

- <u>3.6.4</u>
- 3.6.3
- 3.6.2
- 3.6.1
- 3.6.0
- 3.5.12
- <u>3.5.11</u>
- 3.5.10
- 3.5.9
- <u>3.5.8</u>
- <u>3.5.7</u>
- <u>3.5.6</u>
- <u>3.5.5</u>
- <u>3.5.4</u>
- 3.5.3
- <u>3.5.2</u>
- <u>3.5.1</u>
- <u>3.5.0</u>
- 3.4.11
- <u>3.4.10</u>
- <u>3.4.9</u>
- 3.4.8
- <u>3.4.7</u>
- <u>3.4.6</u>
- <u>3.4.5</u>
- <u>3.4.4</u>
- <u>3.4.3</u>
- 3.4.2
- <u>3.4.0</u>
- <u>3.3.17</u>
- <u>3.3.16</u>
- 3.3.153.3.14
- <u>3.3.13</u>
- 3.3.12



- <u>3.3.11</u>
- <u>3.3.10</u>
- <u>3.3.9</u>
- <u>3.3.8</u>
- <u>3.3.7</u>
- <u>3.3.6</u>
- <u>3.3.5</u>
- <u>3.3.4</u>
- <u>3.3.3</u>
- <u>3.3.2</u>
- 3.3.1
- 3.3.0
- <u>3.2.4</u>
- 3.2.3
- <u>3.2.2</u>
- 3.2.1
- <u>3.2</u>